

SANDIA REPORT

SAND2017-6211

Unlimited Release

June 2017

Country-Level Climate Uncertainty for Risk Assessments: Volume 4 Appendix C – Historical Maximum Near-Surface Air Temperature

George A. Backus, Thomas S. Lowry, Shannon M. Jones, La Tonya Walker,
Barry L. Roberts, Leonard A. Malczynski

Prepared by
Sandia National Laboratories
Albuquerque, New Mexico 87185 and Livermore, California 94550

Sandia National Laboratories is a multimission laboratory managed and operated by National Technology and Engineering Solutions of Sandia LLC, a wholly owned subsidiary of Honeywell International Inc. for the U.S. Department of Energy's National Nuclear Security Administration under contract DE-NA0003525.

Approved for public release; further dissemination unlimited.



Sandia National Laboratories

Issued by Sandia National Laboratories, operated for the United States Department of Energy by Sandia Corporation.

NOTICE: This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government, nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, make any warranty, express or implied, or assume any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represent that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government, any agency thereof, or any of their contractors or subcontractors. The views and opinions expressed herein do not necessarily state or reflect those of the United States Government, any agency thereof, or any of their contractors.

Printed in the United States of America. This report has been reproduced directly from the best available copy.

Available to DOE and DOE contractors from

U.S. Department of Energy
Office of Scientific and Technical Information
P.O. Box 62
Oak Ridge, TN 37831

Telephone: (865) 576-8401
Facsimile: (865) 576-5728
E-Mail: reports@osti.gov
Online ordering: <http://www.osti.gov/scitech>

Available to the public from

U.S. Department of Commerce
National Technical Information Service
5301 Shawnee Rd
Alexandria, VA 22312

Telephone: (800) 553-6847
Facsimile: (703) 605-6900
E-Mail: orders@ntis.gov
Online order: <http://www.ntis.gov/search>



SAND2017-6211
Unlimited Release
June 2017

Country-Level Climate Uncertainty for Risk Assessments: Volume 4 Appendix C – Historical Maximum Near-Surface Air Temperature

George Backus, Leonard Malczynski
Policy & Decision Analytics

Thomas Lowry, Shannon Jones, La Tonya Walker
Earth Systems Analysis

Barry Roberts
Geotechnology & Engineering

Sandia National Laboratories
P.O. Box 5800
Albuquerque, New Mexico 87185-MS1137

Abstract

This report uses the CMIP5 series of climate model simulations to produce country-level uncertainty distributions for use in socioeconomic risk assessments of climate change impacts. It provides appropriate probability distributions, by month, for 169 countries and autonomous-areas on temperature, precipitation, maximum temperature, maximum wind speed, humidity, runoff, soil moisture and evaporation for the historical period (1976-2005), and for decadal time periods to 2100. It also provides historical and future distributions for the Arctic region on ice concentration, ice thickness, age of ice, and ice ridging in 15-degree longitude arc segments from the Arctic Circle to 80 degrees latitude, plus two polar semicircular regions from 80 to 90 degrees latitude. The uncertainty is meant to describe the lack of knowledge rather than imprecision in the physical simulation because the emphasis is on unfalsified risk and its use to determine potential socioeconomic impacts. The full report is contained in 27 volumes.

ACKNOWLEDGMENTS

The authors are grateful to Group 0150 for providing support in preparing this report and for appreciating the potential impact of climate change on international security and on Sandia's mission.

CONTENTS

C.1. Introduction	7
C.2. Country-Level Maximum Near-Surface Air Temperature	9

FIGURES

Figure 1: Normal Distribution	10
-------------------------------------	----

TABLES

Table 1: Report Volume to Variable-Data Mapping	7
Table 2: Uncertainty Data.....	12

NOMENCLATURE

CMIP5	Coupled Model Intercomparison Project Phase 5
DOE	Department of Energy
SNL	Sandia National Laboratories
m	Meter
s	Second
da	Day
C	Degrees Centigrade
K	Degrees Kelvin
kg	Kilogram
yr	Year
m ²	Square meters (area)
m ³	Cubic meters (volume)

C.1. INTRODUCTION

This volume contains one of the appendices noted in Volume 1. Each appendix details the data for a single variable. The next section describes the basic information needed to interpret the data and then provides the actual data. The data for each variable are contained in separate report volumes as noted in the table below. **The report and all appendices are publicly available¹ and the data in EXCEL format are available upon request.²**

Volume	Appendix	Description	Unit of Measure	Time Period
1	-	Main Text	All	All
2	A	Near-Surface Air Temperature	K	Historical
3	B	Near-Surface Air Temperature	K	Forecast
4	C	Maximum Near-Surface Air Temperature	K	Historical
5	D	Maximum Near-Surface Air Temperature	K	Forecast
6	E	Minimum Near-Surface Air Temperature	K	Historical
7	F	Minimum Near-Surface Air Temperature	K	Forecast
8	G	Precipitation	m/day	Historical
9	H	Precipitation	m/day	Forecast
10	I	Evaporation	m/day	Historical
11	J	Evaporation	m/day	Forecast
12	K	Near-Surface Relative Humidity	% (monthly mean)	Historical
13	L	Near Surface Relative Humidity	% (monthly mean)	Forecast
14	M	Surface Runoff	m3/day	Historical
15	N	Surface Runoff	m3/day	Forecast
16	O	Soil Moisture (Upper Column)	m3/m3	Historical
17	P	Soil Moisture (Upper Column)	m3/m3	Forecast
18	Q	Maximum Near-Surface Wind Speed	m/day	Historical
19	R	Maximum Near-Surface Wind Speed	m/day	Forecast
20	S	Sea Ice Area Fraction	m2/m2	Historical
21	T	Sea Ice Area Fraction	m2/m2	Forecast
22	U	Sea Ice Thickness	M	Historical
23	V	Sea Ice Thickness	M	Forecast
24	W	Age of Sea Ice	day	Historical
25	X	Age of Sea Ice	day	Forecast
26	Y	Sea Ice Ridging Rate	(m2/day)/m2	Historical
27	Z	Sea Ice Ridging Rate	(m2/day)/m2	Forecast

Table 1: Report Volume to Variable-Data Mapping

¹ <http://www.sandia.gov> (<https://cfwebprod.sandia.gov/cfdocs/CompResearch/templates/insert/pubs.cfm>)

² Contact Dr. Thomas Lowry, Sandia National Laboratories, tslowry@sandia.gov.

C.2. COUNTRY-LEVEL MAXIMUM SURFACE AIR TEMPERATURE

This appendix contains the uncertainty distribution information on country (land) Maximum Near-Surface Air Temperature for the historical period (CMIP5 output variable name: tasmax). The parametrization is for the Normal distribution. Note that the parameters enable the calculation of the mean, median, and mode values, as well as of the exceedance-probability values. See the main text (Volume 1) for a further description of the variable, and on finding or using the appropriate data. The raw values from the models have been used directly and have dimensions of degrees K.

The pages that follow alphabetically cover each country or autonomous-area, with the distribution parameters for a time period, for a specific month. The table shows the centroid (average) year for the time period, should a user, for simulation purposes only, want to create linearly interpolated values between years. Interpolation requires both historical and forecast data for the years through 2015. The data maintain consistency across the historical and forecast time period to allow such interpolations. Although the change between years are closely approximated through linear interpolation, no claim is made here for the legitimacy of this usage for all purposes.

For forecast data, the values correspond to the average over the (typically) decadal period noted in Columns 6 and 7 of the data table below. For historical data, the values correspond to the average over the 30 year, 1976 to 2005, “historical period” segment from the CMIP5 model runs. Thirty years is typically the averaging time period used to describe the “normal” condition. Because, for example, conventional macroeconomic models do not generally include climate impacts, their results implicitly include the historical normal. Because climatic changes are relatively gradual during the historical period and the first decade of the forecast period, it is generally acceptable, for continuous-simulation purposes, to consider the average as representing a 1990 referent year.

The models used to calculate the distribution are compared in Chapter 2 of Volume 1. Essential information on the functional aspects of the probability distribution are shown on the next page.

Normal Distribution: $Parameter1 = \mu$, $Parameter2 = \sigma$




Figure 1: Normal Distribution³

$$PDF(x) = \frac{1}{\sigma * \sqrt{2\pi}} * e^{-\left(\frac{(x - \mu)^2}{2 * \sigma^2}\right)}$$

$$CDF(x) = \frac{1}{2} * \left[1 + erf\left(\frac{x - \mu}{\sigma\sqrt{2}}\right) \right]$$

Where $erf(\cdot)$ is the Error Function.

$Mean = \mu$

$Median = \mu$

$Mode = \mu$

³ The graphic comes from the Wikimedia commons. For more information, see the Wikipedia entry for the specified distribution in Volume 1, Chapter 5.

The data columns of all the tables first include the country, then the type of distribution, the two parameters that define the distribution (as noted in the Chapter 5 of Volume 1), the standard error on the CDF estimate (the second order uncertainty), the beginning year of the data used to calculate the distribution, the last year of data used to calculate the distribution, the mid-year centroid, the month associated with the uncertainty distribution, and the short, CMIP5 variable name (noted in Table 3 of Volume 1).

As noted in the main text (Volume 1), the most legitimate use of the data is the comparison of a future sampled value to the historical mean or sampled value. The ratio of the forecasted and historical values minus 1 denotes the percentage change from historical values. This value most likely corresponds to the information needed to perform the impact analysis. Alternatively, but somewhat less meaningful, the difference between the numeric value of the forecast and historic values may be required for the impact analysis, for example, those associated with food production or water flow. For an example risk assessment see Backus et al. 2010.⁴

The Uncertainty Data begin on the next page.

⁴ Backus, George A., Thomas S. Lowry, and Drake E. Warren. "The near-term risk of climate uncertainty among the US states." Climatic Change 116.3-4 (2013): 495-522. <http://link.springer.com/article/10.1007/s10584-012-0511-8>. See full report for the study at: <http://prod.sandia.gov/techlib/access-control.cgi/2010/102052.pdf>

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Afghanistan	Normal	2.770E+02	3.074E+00	6.998E-01	1976	2005	1990	1	tasmax
Afghanistan	Normal	2.797E+02	3.280E+00	6.309E-01	1976	2005	1990	2	tasmax
Afghanistan	Normal	2.852E+02	3.341E+00	7.862E-01	1976	2005	1990	3	tasmax
Afghanistan	Normal	2.917E+02	3.110E+00	4.870E-01	1976	2005	1990	4	tasmax
Afghanistan	Normal	2.978E+02	3.007E+00	3.782E-01	1976	2005	1990	5	tasmax
Afghanistan	Normal	3.034E+02	2.824E+00	4.048E-01	1976	2005	1990	6	tasmax
Afghanistan	Normal	3.062E+02	2.621E+00	5.040E-01	1976	2005	1990	7	tasmax
Afghanistan	Normal	3.052E+02	2.747E+00	5.248E-01	1976	2005	1990	8	tasmax
Afghanistan	Normal	3.002E+02	2.740E+00	5.130E-01	1976	2005	1990	9	tasmax
Afghanistan	Normal	2.929E+02	2.663E+00	5.487E-01	1976	2005	1990	10	tasmax
Afghanistan	Normal	2.847E+02	2.962E+00	7.427E-01	1976	2005	1990	11	tasmax
Afghanistan	Normal	2.784E+02	3.133E+00	7.245E-01	1976	2005	1990	12	tasmax
Albania	Normal	2.811E+02	1.585E+00	2.423E-01	1976	2005	1990	1	tasmax
Albania	Normal	2.822E+02	1.583E+00	2.603E-01	1976	2005	1990	2	tasmax
Albania	Normal	2.849E+02	1.758E+00	4.128E-01	1976	2005	1990	3	tasmax
Albania	Normal	2.888E+02	1.733E+00	3.928E-01	1976	2005	1990	4	tasmax
Albania	Normal	2.934E+02	2.000E+00	6.052E-01	1976	2005	1990	5	tasmax
Albania	Normal	2.982E+02	2.400E+00	4.857E-01	1976	2005	1990	6	tasmax
Albania	Normal	3.018E+02	2.830E+00	5.886E-01	1976	2005	1990	7	tasmax
Albania	Normal	3.016E+02	2.626E+00	6.799E-01	1976	2005	1990	8	tasmax
Albania	Normal	2.969E+02	1.945E+00	4.735E-01	1976	2005	1990	9	tasmax
Albania	Normal	2.908E+02	1.717E+00	2.878E-01	1976	2005	1990	10	tasmax
Albania	Normal	2.856E+02	1.557E+00	3.800E-01	1976	2005	1990	11	tasmax
Albania	Normal	2.824E+02	1.456E+00	2.028E-01	1976	2005	1990	12	tasmax
Algeria	Normal	2.909E+02	2.147E+00	4.865E-01	1976	2005	1990	1	tasmax
Algeria	Normal	2.937E+02	2.403E+00	5.998E-01	1976	2005	1990	2	tasmax
Algeria	Normal	2.981E+02	2.759E+00	9.087E-01	1976	2005	1990	3	tasmax
Algeria	Normal	3.024E+02	2.793E+00	9.799E-01	1976	2005	1990	4	tasmax
Algeria	Normal	3.064E+02	2.701E+00	8.509E-01	1976	2005	1990	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Algeria	Normal	3.103E+02	2.365E+00	5.253E-01	1976	2005	1990	6	tasmax
Algeria	Normal	3.126E+02	2.470E+00	4.631E-01	1976	2005	1990	7	tasmax
Algeria	Normal	3.117E+02	2.402E+00	4.029E-01	1976	2005	1990	8	tasmax
Algeria	Normal	3.078E+02	2.396E+00	5.600E-01	1976	2005	1990	9	tasmax
Algeria	Normal	3.022E+02	2.462E+00	5.550E-01	1976	2005	1990	10	tasmax
Algeria	Normal	2.958E+02	2.131E+00	4.892E-01	1976	2005	1990	11	tasmax
Algeria	Normal	2.914E+02	1.961E+00	4.319E-01	1976	2005	1990	12	tasmax
Angola	Normal	3.000E+02	1.797E+00	2.349E-01	1976	2005	1990	1	tasmax
Angola	Normal	3.003E+02	1.704E+00	2.922E-01	1976	2005	1990	2	tasmax
Angola	Normal	3.006E+02	1.545E+00	3.111E-01	1976	2005	1990	3	tasmax
Angola	Normal	3.008E+02	1.629E+00	2.861E-01	1976	2005	1990	4	tasmax
Angola	Normal	3.007E+02	1.494E+00	2.494E-01	1976	2005	1990	5	tasmax
Angola	Normal	3.004E+02	1.662E+00	3.427E-01	1976	2005	1990	6	tasmax
Angola	Normal	3.009E+02	1.524E+00	3.710E-01	1976	2005	1990	7	tasmax
Angola	Normal	3.030E+02	1.405E+00	4.891E-01	1976	2005	1990	8	tasmax
Angola	Normal	3.047E+02	1.570E+00	3.445E-01	1976	2005	1990	9	tasmax
Angola	Normal	3.040E+02	1.817E+00	4.591E-01	1976	2005	1990	10	tasmax
Angola	Normal	3.018E+02	2.065E+00	3.858E-01	1976	2005	1990	11	tasmax
Angola	Normal	3.004E+02	2.008E+00	2.560E-01	1976	2005	1990	12	tasmax
Argentina	Normal	3.014E+02	1.781E+00	6.048E-01	1976	2005	1990	1	tasmax
Argentina	Normal	3.009E+02	1.869E+00	5.628E-01	1976	2005	1990	2	tasmax
Argentina	Normal	2.982E+02	1.970E+00	6.892E-01	1976	2005	1990	3	tasmax
Argentina	Normal	2.938E+02	2.053E+00	9.396E-01	1976	2005	1990	4	tasmax
Argentina	Normal	2.895E+02	1.955E+00	7.145E-01	1976	2005	1990	5	tasmax
Argentina	Normal	2.867E+02	1.893E+00	6.363E-01	1976	2005	1990	6	tasmax
Argentina	Normal	2.863E+02	2.058E+00	5.974E-01	1976	2005	1990	7	tasmax
Argentina	Normal	2.883E+02	2.103E+00	7.161E-01	1976	2005	1990	8	tasmax
Argentina	Normal	2.912E+02	2.193E+00	8.981E-01	1976	2005	1990	9	tasmax
Argentina	Normal	2.944E+02	2.340E+00	9.769E-01	1976	2005	1990	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Argentina	Normal	2.975E+02	2.257E+00	1.090E+00	1976	2005	1990	11	tasmax
Argentina	Normal	3.000E+02	2.036E+00	7.989E-01	1976	2005	1990	12	tasmax
Armenia	Normal	2.740E+02	2.097E+00	4.329E-01	1976	2005	1990	1	tasmax
Armenia	Normal	2.757E+02	2.184E+00	6.346E-01	1976	2005	1990	2	tasmax
Armenia	Normal	2.803E+02	3.079E+00	9.872E-01	1976	2005	1990	3	tasmax
Armenia	Normal	2.856E+02	2.867E+00	9.290E-01	1976	2005	1990	4	tasmax
Armenia	Normal	2.909E+02	2.520E+00	8.173E-01	1976	2005	1990	5	tasmax
Armenia	Normal	2.961E+02	2.783E+00	6.389E-01	1976	2005	1990	6	tasmax
Armenia	Normal	3.002E+02	4.230E+00	8.127E-01	1976	2005	1990	7	tasmax
Armenia	Normal	3.000E+02	3.978E+00	8.304E-01	1976	2005	1990	8	tasmax
Armenia	Normal	2.948E+02	3.018E+00	7.740E-01	1976	2005	1990	9	tasmax
Armenia	Normal	2.875E+02	2.656E+00	7.971E-01	1976	2005	1990	10	tasmax
Armenia	Normal	2.805E+02	2.607E+00	5.547E-01	1976	2005	1990	11	tasmax
Armenia	Normal	2.755E+02	2.075E+00	4.297E-01	1976	2005	1990	12	tasmax
Australia	Normal	3.075E+02	2.427E+00	6.225E-01	1976	2005	1990	1	tasmax
Australia	Normal	3.066E+02	2.420E+00	7.656E-01	1976	2005	1990	2	tasmax
Australia	Normal	3.046E+02	2.430E+00	8.078E-01	1976	2005	1990	3	tasmax
Australia	Normal	3.014E+02	2.165E+00	6.943E-01	1976	2005	1990	4	tasmax
Australia	Normal	2.970E+02	1.767E+00	5.055E-01	1976	2005	1990	5	tasmax
Australia	Normal	2.934E+02	1.618E+00	3.310E-01	1976	2005	1990	6	tasmax
Australia	Normal	2.929E+02	1.707E+00	4.350E-01	1976	2005	1990	7	tasmax
Australia	Normal	2.955E+02	1.691E+00	5.191E-01	1976	2005	1990	8	tasmax
Australia	Normal	2.995E+02	1.819E+00	7.151E-01	1976	2005	1990	9	tasmax
Australia	Normal	3.034E+02	2.039E+00	8.261E-01	1976	2005	1990	10	tasmax
Australia	Normal	3.059E+02	2.203E+00	6.685E-01	1976	2005	1990	11	tasmax
Australia	Normal	3.074E+02	2.380E+00	4.823E-01	1976	2005	1990	12	tasmax
Austria	Normal	2.750E+02	2.349E+00	3.094E-01	1976	2005	1990	1	tasmax
Austria	Normal	2.764E+02	2.041E+00	3.434E-01	1976	2005	1990	2	tasmax
Austria	Normal	2.801E+02	1.951E+00	2.865E-01	1976	2005	1990	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Austria	Normal	2.848E+02	2.021E+00	3.156E-01	1976	2005	1990	4	tasmax
Austria	Normal	2.898E+02	2.176E+00	3.237E-01	1976	2005	1990	5	tasmax
Austria	Normal	2.942E+02	2.149E+00	5.566E-01	1976	2005	1990	6	tasmax
Austria	Normal	2.961E+02	2.110E+00	5.544E-01	1976	2005	1990	7	tasmax
Austria	Normal	2.952E+02	2.118E+00	4.902E-01	1976	2005	1990	8	tasmax
Austria	Normal	2.910E+02	2.109E+00	5.224E-01	1976	2005	1990	9	tasmax
Austria	Normal	2.852E+02	2.051E+00	5.313E-01	1976	2005	1990	10	tasmax
Austria	Normal	2.798E+02	2.214E+00	5.229E-01	1976	2005	1990	11	tasmax
Austria	Normal	2.762E+02	2.278E+00	3.939E-01	1976	2005	1990	12	tasmax
Azerbaijan	Normal	2.795E+02	3.362E+00	8.000E-01	1976	2005	1990	1	tasmax
Azerbaijan	Normal	2.807E+02	2.836E+00	4.970E-01	1976	2005	1990	2	tasmax
Azerbaijan	Normal	2.843E+02	2.963E+00	7.954E-01	1976	2005	1990	3	tasmax
Azerbaijan	Normal	2.892E+02	3.168E+00	7.321E-01	1976	2005	1990	4	tasmax
Azerbaijan	Normal	2.946E+02	3.479E+00	5.248E-01	1976	2005	1990	5	tasmax
Azerbaijan	Normal	2.999E+02	3.704E+00	8.373E-01	1976	2005	1990	6	tasmax
Azerbaijan	Normal	3.031E+02	4.268E+00	7.043E-01	1976	2005	1990	7	tasmax
Azerbaijan	Normal	3.025E+02	3.826E+00	7.221E-01	1976	2005	1990	8	tasmax
Azerbaijan	Normal	2.977E+02	3.172E+00	5.219E-01	1976	2005	1990	9	tasmax
Azerbaijan	Normal	2.914E+02	2.756E+00	5.881E-01	1976	2005	1990	10	tasmax
Azerbaijan	Normal	2.855E+02	3.088E+00	5.319E-01	1976	2005	1990	11	tasmax
Azerbaijan	Normal	2.811E+02	3.446E+00	9.769E-01	1976	2005	1990	12	tasmax
Bahrain	Normal	2.931E+02	2.898E+00	6.121E-01	1976	2005	1990	1	tasmax
Bahrain	Normal	2.950E+02	4.104E+00	7.389E-01	1976	2005	1990	2	tasmax
Bahrain	Normal	2.989E+02	5.160E+00	7.923E-01	1976	2005	1990	3	tasmax
Bahrain	Normal	3.031E+02	5.753E+00	8.996E-01	1976	2005	1990	4	tasmax
Bahrain	Normal	3.075E+02	6.416E+00	1.271E+00	1976	2005	1990	5	tasmax
Bahrain	Normal	3.117E+02	6.999E+00	1.480E+00	1976	2005	1990	6	tasmax
Bahrain	Normal	3.132E+02	6.840E+00	1.328E+00	1976	2005	1990	7	tasmax
Bahrain	Normal	3.131E+02	6.266E+00	1.140E+00	1976	2005	1990	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bahrain	Normal	3.108E+02	5.299E+00	9.892E-01	1976	2005	1990	9	tasmax
Bahrain	Normal	3.062E+02	3.844E+00	7.228E-01	1976	2005	1990	10	tasmax
Bahrain	Normal	2.999E+02	2.933E+00	7.688E-01	1976	2005	1990	11	tasmax
Bahrain	Normal	2.946E+02	2.446E+00	6.562E-01	1976	2005	1990	12	tasmax
Bangladesh	Normal	2.963E+02	2.858E+00	1.033E+00	1976	2005	1990	1	tasmax
Bangladesh	Normal	2.997E+02	2.859E+00	1.088E+00	1976	2005	1990	2	tasmax
Bangladesh	Normal	3.045E+02	2.462E+00	1.015E+00	1976	2005	1990	3	tasmax
Bangladesh	Normal	3.079E+02	2.185E+00	7.821E-01	1976	2005	1990	4	tasmax
Bangladesh	Normal	3.084E+02	2.459E+00	3.527E-01	1976	2005	1990	5	tasmax
Bangladesh	Normal	3.069E+02	3.047E+00	8.069E-01	1976	2005	1990	6	tasmax
Bangladesh	Normal	3.046E+02	2.559E+00	6.928E-01	1976	2005	1990	7	tasmax
Bangladesh	Normal	3.039E+02	2.016E+00	4.400E-01	1976	2005	1990	8	tasmax
Bangladesh	Normal	3.039E+02	1.920E+00	5.477E-01	1976	2005	1990	9	tasmax
Bangladesh	Normal	3.027E+02	2.277E+00	4.307E-01	1976	2005	1990	10	tasmax
Bangladesh	Normal	2.995E+02	2.647E+00	6.407E-01	1976	2005	1990	11	tasmax
Bangladesh	Normal	2.963E+02	2.827E+00	8.542E-01	1976	2005	1990	12	tasmax
Belarus	Normal	2.705E+02	2.970E+00	5.335E-01	1976	2005	1990	1	tasmax
Belarus	Normal	2.721E+02	2.457E+00	5.224E-01	1976	2005	1990	2	tasmax
Belarus	Normal	2.768E+02	2.564E+00	5.539E-01	1976	2005	1990	3	tasmax
Belarus	Normal	2.844E+02	2.754E+00	6.283E-01	1976	2005	1990	4	tasmax
Belarus	Normal	2.919E+02	2.380E+00	6.526E-01	1976	2005	1990	5	tasmax
Belarus	Normal	2.968E+02	2.705E+00	4.602E-01	1976	2005	1990	6	tasmax
Belarus	Normal	2.986E+02	3.194E+00	6.483E-01	1976	2005	1990	7	tasmax
Belarus	Normal	2.968E+02	3.237E+00	8.748E-01	1976	2005	1990	8	tasmax
Belarus	Normal	2.909E+02	2.893E+00	8.627E-01	1976	2005	1990	9	tasmax
Belarus	Normal	2.836E+02	2.447E+00	6.775E-01	1976	2005	1990	10	tasmax
Belarus	Normal	2.767E+02	2.351E+00	7.832E-01	1976	2005	1990	11	tasmax
Belarus	Normal	2.725E+02	2.824E+00	4.114E-01	1976	2005	1990	12	tasmax
Belgium	Normal	2.789E+02	1.679E+00	3.445E-01	1976	2005	1990	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Belgium	Normal	2.797E+02	1.625E+00	2.662E-01	1976	2005	1990	2	tasmax
Belgium	Normal	2.824E+02	2.119E+00	4.176E-01	1976	2005	1990	3	tasmax
Belgium	Normal	2.861E+02	2.593E+00	6.046E-01	1976	2005	1990	4	tasmax
Belgium	Normal	2.903E+02	2.684E+00	6.050E-01	1976	2005	1990	5	tasmax
Belgium	Normal	2.943E+02	2.916E+00	7.103E-01	1976	2005	1990	6	tasmax
Belgium	Normal	2.960E+02	2.870E+00	9.772E-01	1976	2005	1990	7	tasmax
Belgium	Normal	2.952E+02	2.727E+00	1.108E+00	1976	2005	1990	8	tasmax
Belgium	Normal	2.919E+02	2.435E+00	8.298E-01	1976	2005	1990	9	tasmax
Belgium	Normal	2.870E+02	2.197E+00	8.311E-01	1976	2005	1990	10	tasmax
Belgium	Normal	2.824E+02	1.712E+00	5.438E-01	1976	2005	1990	11	tasmax
Belgium	Normal	2.798E+02	1.552E+00	3.517E-01	1976	2005	1990	12	tasmax
Belize	Normal	2.995E+02	1.942E+00	5.605E-01	1976	2005	1990	1	tasmax
Belize	Normal	3.007E+02	2.227E+00	6.141E-01	1976	2005	1990	2	tasmax
Belize	Normal	3.026E+02	2.398E+00	6.719E-01	1976	2005	1990	3	tasmax
Belize	Normal	3.042E+02	2.395E+00	5.660E-01	1976	2005	1990	4	tasmax
Belize	Normal	3.047E+02	2.497E+00	5.211E-01	1976	2005	1990	5	tasmax
Belize	Normal	3.039E+02	2.323E+00	6.788E-01	1976	2005	1990	6	tasmax
Belize	Normal	3.036E+02	2.286E+00	5.513E-01	1976	2005	1990	7	tasmax
Belize	Normal	3.039E+02	2.236E+00	4.110E-01	1976	2005	1990	8	tasmax
Belize	Normal	3.033E+02	2.131E+00	6.334E-01	1976	2005	1990	9	tasmax
Belize	Normal	3.024E+02	2.126E+00	7.495E-01	1976	2005	1990	10	tasmax
Belize	Normal	3.010E+02	2.014E+00	6.976E-01	1976	2005	1990	11	tasmax
Belize	Normal	2.999E+02	1.858E+00	6.089E-01	1976	2005	1990	12	tasmax
Benin	Normal	3.068E+02	2.028E+00	6.069E-01	1976	2005	1990	1	tasmax
Benin	Normal	3.087E+02	1.933E+00	4.792E-01	1976	2005	1990	2	tasmax
Benin	Normal	3.099E+02	1.767E+00	4.367E-01	1976	2005	1990	3	tasmax
Benin	Normal	3.085E+02	1.866E+00	3.739E-01	1976	2005	1990	4	tasmax
Benin	Normal	3.064E+02	2.111E+00	4.925E-01	1976	2005	1990	5	tasmax
Benin	Normal	3.046E+02	2.161E+00	5.827E-01	1976	2005	1990	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Benin	Normal	3.032E+02	2.029E+00	5.382E-01	1976	2005	1990	7	tasmax
Benin	Normal	3.023E+02	1.651E+00	3.292E-01	1976	2005	1990	8	tasmax
Benin	Normal	3.032E+02	1.872E+00	4.127E-01	1976	2005	1990	9	tasmax
Benin	Normal	3.047E+02	1.913E+00	3.660E-01	1976	2005	1990	10	tasmax
Benin	Normal	3.060E+02	1.912E+00	5.259E-01	1976	2005	1990	11	tasmax
Benin	Normal	3.060E+02	1.866E+00	4.678E-01	1976	2005	1990	12	tasmax
Bhutan	Normal	2.815E+02	3.569E+00	9.457E-01	1976	2005	1990	1	tasmax
Bhutan	Normal	2.839E+02	3.871E+00	1.116E+00	1976	2005	1990	2	tasmax
Bhutan	Normal	2.881E+02	3.957E+00	1.353E+00	1976	2005	1990	3	tasmax
Bhutan	Normal	2.921E+02	3.939E+00	1.006E+00	1976	2005	1990	4	tasmax
Bhutan	Normal	2.940E+02	3.945E+00	8.257E-01	1976	2005	1990	5	tasmax
Bhutan	Normal	2.935E+02	3.218E+00	7.196E-01	1976	2005	1990	6	tasmax
Bhutan	Normal	2.924E+02	2.387E+00	3.744E-01	1976	2005	1990	7	tasmax
Bhutan	Normal	2.925E+02	2.197E+00	3.869E-01	1976	2005	1990	8	tasmax
Bhutan	Normal	2.917E+02	2.421E+00	3.052E-01	1976	2005	1990	9	tasmax
Bhutan	Normal	2.893E+02	3.025E+00	5.355E-01	1976	2005	1990	10	tasmax
Bhutan	Normal	2.855E+02	3.186E+00	7.451E-01	1976	2005	1990	11	tasmax
Bhutan	Normal	2.822E+02	3.462E+00	8.530E-01	1976	2005	1990	12	tasmax
Bolivia	Normal	2.993E+02	2.279E+00	6.417E-01	1976	2005	1990	1	tasmax
Bolivia	Normal	2.991E+02	2.102E+00	5.634E-01	1976	2005	1990	2	tasmax
Bolivia	Normal	2.987E+02	1.939E+00	6.201E-01	1976	2005	1990	3	tasmax
Bolivia	Normal	2.980E+02	1.980E+00	5.238E-01	1976	2005	1990	4	tasmax
Bolivia	Normal	2.970E+02	2.252E+00	3.684E-01	1976	2005	1990	5	tasmax
Bolivia	Normal	2.964E+02	2.299E+00	5.798E-01	1976	2005	1990	6	tasmax
Bolivia	Normal	2.971E+02	2.671E+00	9.878E-01	1976	2005	1990	7	tasmax
Bolivia	Normal	2.989E+02	3.007E+00	9.415E-01	1976	2005	1990	8	tasmax
Bolivia	Normal	3.008E+02	3.001E+00	5.818E-01	1976	2005	1990	9	tasmax
Bolivia	Normal	3.013E+02	2.889E+00	4.015E-01	1976	2005	1990	10	tasmax
Bolivia	Normal	3.008E+02	2.715E+00	7.241E-01	1976	2005	1990	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bolivia	Normal	2.998E+02	2.523E+00	7.111E-01	1976	2005	1990	12	tasmax
Bosnia & Herzegovina	Normal	2.789E+02	2.063E+00	4.177E-01	1976	2005	1990	1	tasmax
Bosnia & Herzegovina	Normal	2.803E+02	1.702E+00	2.257E-01	1976	2005	1990	2	tasmax
Bosnia & Herzegovina	Normal	2.836E+02	1.845E+00	5.566E-01	1976	2005	1990	3	tasmax
Bosnia & Herzegovina	Normal	2.879E+02	1.943E+00	4.752E-01	1976	2005	1990	4	tasmax
Bosnia & Herzegovina	Normal	2.927E+02	1.930E+00	5.413E-01	1976	2005	1990	5	tasmax
Bosnia & Herzegovina	Normal	2.973E+02	1.896E+00	3.917E-01	1976	2005	1990	6	tasmax
Bosnia & Herzegovina	Normal	3.003E+02	2.196E+00	3.732E-01	1976	2005	1990	7	tasmax
Bosnia & Herzegovina	Normal	3.000E+02	2.229E+00	6.159E-01	1976	2005	1990	8	tasmax
Bosnia & Herzegovina	Normal	2.952E+02	1.843E+00	4.193E-01	1976	2005	1990	9	tasmax
Bosnia & Herzegovina	Normal	2.890E+02	1.759E+00	3.605E-01	1976	2005	1990	10	tasmax
Bosnia & Herzegovina	Normal	2.837E+02	1.782E+00	3.756E-01	1976	2005	1990	11	tasmax
Bosnia & Herzegovina	Normal	2.802E+02	1.907E+00	2.848E-01	1976	2005	1990	12	tasmax
Botswana	Normal	3.032E+02	2.712E+00	4.414E-01	1976	2005	1990	1	tasmax
Botswana	Normal	3.026E+02	2.743E+00	6.831E-01	1976	2005	1990	2	tasmax
Botswana	Normal	3.020E+02	2.834E+00	6.829E-01	1976	2005	1990	3	tasmax
Botswana	Normal	3.006E+02	2.538E+00	4.403E-01	1976	2005	1990	4	tasmax
Botswana	Normal	2.977E+02	1.903E+00	3.414E-01	1976	2005	1990	5	tasmax
Botswana	Normal	2.951E+02	1.578E+00	3.306E-01	1976	2005	1990	6	tasmax
Botswana	Normal	2.953E+02	1.589E+00	2.351E-01	1976	2005	1990	7	tasmax
Botswana	Normal	2.990E+02	1.642E+00	2.466E-01	1976	2005	1990	8	tasmax
Botswana	Normal	3.034E+02	1.808E+00	3.532E-01	1976	2005	1990	9	tasmax
Botswana	Normal	3.060E+02	2.157E+00	3.202E-01	1976	2005	1990	10	tasmax
Botswana	Normal	3.052E+02	2.553E+00	6.601E-01	1976	2005	1990	11	tasmax
Botswana	Normal	3.038E+02	2.563E+00	5.014E-01	1976	2005	1990	12	tasmax
Brazil	Normal	3.031E+02	1.997E+00	6.040E-01	1976	2005	1990	1	tasmax
Brazil	Normal	3.032E+02	1.813E+00	4.595E-01	1976	2005	1990	2	tasmax
Brazil	Normal	3.030E+02	1.710E+00	4.455E-01	1976	2005	1990	3	tasmax
Brazil	Normal	3.023E+02	1.698E+00	5.488E-01	1976	2005	1990	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Brazil	Normal	3.015E+02	1.782E+00	5.655E-01	1976	2005	1990	5	tasmax
Brazil	Normal	3.011E+02	1.707E+00	3.745E-01	1976	2005	1990	6	tasmax
Brazil	Normal	3.019E+02	1.698E+00	3.203E-01	1976	2005	1990	7	tasmax
Brazil	Normal	3.038E+02	2.033E+00	4.232E-01	1976	2005	1990	8	tasmax
Brazil	Normal	3.057E+02	2.385E+00	4.512E-01	1976	2005	1990	9	tasmax
Brazil	Normal	3.062E+02	2.558E+00	6.026E-01	1976	2005	1990	10	tasmax
Brazil	Normal	3.050E+02	2.529E+00	7.204E-01	1976	2005	1990	11	tasmax
Brazil	Normal	3.036E+02	2.258E+00	7.256E-01	1976	2005	1990	12	tasmax
Brunei	Normal	3.002E+02	1.312E+00	2.035E-01	1976	2005	1990	1	tasmax
Brunei	Normal	3.004E+02	1.455E+00	3.004E-01	1976	2005	1990	2	tasmax
Brunei	Normal	3.010E+02	1.370E+00	3.504E-01	1976	2005	1990	3	tasmax
Brunei	Normal	3.014E+02	1.329E+00	3.666E-01	1976	2005	1990	4	tasmax
Brunei	Normal	3.015E+02	1.256E+00	3.196E-01	1976	2005	1990	5	tasmax
Brunei	Normal	3.015E+02	1.177E+00	3.043E-01	1976	2005	1990	6	tasmax
Brunei	Normal	3.013E+02	1.050E+00	2.922E-01	1976	2005	1990	7	tasmax
Brunei	Normal	3.013E+02	1.075E+00	2.441E-01	1976	2005	1990	8	tasmax
Brunei	Normal	3.013E+02	1.057E+00	2.296E-01	1976	2005	1990	9	tasmax
Brunei	Normal	3.011E+02	1.015E+00	2.685E-01	1976	2005	1990	10	tasmax
Brunei	Normal	3.010E+02	1.001E+00	2.058E-01	1976	2005	1990	11	tasmax
Brunei	Normal	3.007E+02	1.059E+00	1.575E-01	1976	2005	1990	12	tasmax
Bulgaria	Normal	2.787E+02	2.770E+00	5.280E-01	1976	2005	1990	1	tasmax
Bulgaria	Normal	2.804E+02	2.542E+00	5.448E-01	1976	2005	1990	2	tasmax
Bulgaria	Normal	2.842E+02	2.605E+00	9.516E-01	1976	2005	1990	3	tasmax
Bulgaria	Normal	2.891E+02	2.401E+00	9.150E-01	1976	2005	1990	4	tasmax
Bulgaria	Normal	2.943E+02	2.063E+00	6.632E-01	1976	2005	1990	5	tasmax
Bulgaria	Normal	2.991E+02	1.907E+00	3.540E-01	1976	2005	1990	6	tasmax
Bulgaria	Normal	3.024E+02	2.257E+00	6.329E-01	1976	2005	1990	7	tasmax
Bulgaria	Normal	3.020E+02	2.256E+00	6.773E-01	1976	2005	1990	8	tasmax
Bulgaria	Normal	2.969E+02	1.997E+00	4.670E-01	1976	2005	1990	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bulgaria	Normal	2.900E+02	2.246E+00	6.623E-01	1976	2005	1990	10	tasmax
Bulgaria	Normal	2.840E+02	2.413E+00	7.333E-01	1976	2005	1990	11	tasmax
Bulgaria	Normal	2.801E+02	2.598E+00	3.855E-01	1976	2005	1990	12	tasmax
Burkina Faso	Normal	3.058E+02	1.829E+00	3.170E-01	1976	2005	1990	1	tasmax
Burkina Faso	Normal	3.084E+02	1.658E+00	2.654E-01	1976	2005	1990	2	tasmax
Burkina Faso	Normal	3.112E+02	1.389E+00	4.603E-01	1976	2005	1990	3	tasmax
Burkina Faso	Normal	3.116E+02	1.750E+00	3.724E-01	1976	2005	1990	4	tasmax
Burkina Faso	Normal	3.099E+02	2.325E+00	4.948E-01	1976	2005	1990	5	tasmax
Burkina Faso	Normal	3.080E+02	2.861E+00	5.163E-01	1976	2005	1990	6	tasmax
Burkina Faso	Normal	3.064E+02	3.001E+00	4.746E-01	1976	2005	1990	7	tasmax
Burkina Faso	Normal	3.050E+02	2.631E+00	4.021E-01	1976	2005	1990	8	tasmax
Burkina Faso	Normal	3.061E+02	2.744E+00	5.175E-01	1976	2005	1990	9	tasmax
Burkina Faso	Normal	3.078E+02	2.610E+00	7.586E-01	1976	2005	1990	10	tasmax
Burkina Faso	Normal	3.076E+02	2.186E+00	1.014E+00	1976	2005	1990	11	tasmax
Burkina Faso	Normal	3.056E+02	1.754E+00	3.413E-01	1976	2005	1990	12	tasmax
Burundi	Normal	2.971E+02	1.246E+00	2.171E-01	1976	2005	1990	1	tasmax
Burundi	Normal	2.981E+02	1.345E+00	2.201E-01	1976	2005	1990	2	tasmax
Burundi	Normal	2.987E+02	1.295E+00	1.874E-01	1976	2005	1990	3	tasmax
Burundi	Normal	2.986E+02	1.307E+00	3.069E-01	1976	2005	1990	4	tasmax
Burundi	Normal	2.983E+02	1.704E+00	3.568E-01	1976	2005	1990	5	tasmax
Burundi	Normal	2.985E+02	2.012E+00	6.810E-01	1976	2005	1990	6	tasmax
Burundi	Normal	2.995E+02	2.096E+00	5.623E-01	1976	2005	1990	7	tasmax
Burundi	Normal	3.010E+02	1.890E+00	4.348E-01	1976	2005	1990	8	tasmax
Burundi	Normal	3.014E+02	1.889E+00	5.381E-01	1976	2005	1990	9	tasmax
Burundi	Normal	2.994E+02	2.381E+00	5.676E-01	1976	2005	1990	10	tasmax
Burundi	Normal	2.972E+02	2.142E+00	6.471E-01	1976	2005	1990	11	tasmax
Burundi	Normal	2.964E+02	1.339E+00	2.516E-01	1976	2005	1990	12	tasmax
Cambodia	Normal	3.009E+02	1.994E+00	5.038E-01	1976	2005	1990	1	tasmax
Cambodia	Normal	3.038E+02	2.291E+00	4.880E-01	1976	2005	1990	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Cambodia	Normal	3.067E+02	2.308E+00	6.422E-01	1976	2005	1990	3	tasmax
Cambodia	Normal	3.076E+02	2.503E+00	8.710E-01	1976	2005	1990	4	tasmax
Cambodia	Normal	3.057E+02	2.221E+00	7.522E-01	1976	2005	1990	5	tasmax
Cambodia	Normal	3.035E+02	1.623E+00	3.973E-01	1976	2005	1990	6	tasmax
Cambodia	Normal	3.025E+02	1.383E+00	2.566E-01	1976	2005	1990	7	tasmax
Cambodia	Normal	3.021E+02	1.397E+00	2.469E-01	1976	2005	1990	8	tasmax
Cambodia	Normal	3.020E+02	1.165E+00	3.753E-01	1976	2005	1990	9	tasmax
Cambodia	Normal	3.019E+02	1.369E+00	2.972E-01	1976	2005	1990	10	tasmax
Cambodia	Normal	3.011E+02	1.381E+00	2.787E-01	1976	2005	1990	11	tasmax
Cambodia	Normal	3.000E+02	1.684E+00	4.043E-01	1976	2005	1990	12	tasmax
Cameroon	Normal	3.032E+02	1.609E+00	3.138E-01	1976	2005	1990	1	tasmax
Cameroon	Normal	3.048E+02	1.676E+00	3.317E-01	1976	2005	1990	2	tasmax
Cameroon	Normal	3.051E+02	1.833E+00	4.071E-01	1976	2005	1990	3	tasmax
Cameroon	Normal	3.035E+02	1.696E+00	2.621E-01	1976	2005	1990	4	tasmax
Cameroon	Normal	3.019E+02	1.507E+00	3.257E-01	1976	2005	1990	5	tasmax
Cameroon	Normal	3.010E+02	1.282E+00	3.311E-01	1976	2005	1990	6	tasmax
Cameroon	Normal	3.004E+02	1.187E+00	3.484E-01	1976	2005	1990	7	tasmax
Cameroon	Normal	3.002E+02	1.269E+00	3.330E-01	1976	2005	1990	8	tasmax
Cameroon	Normal	3.004E+02	1.408E+00	3.450E-01	1976	2005	1990	9	tasmax
Cameroon	Normal	3.008E+02	1.465E+00	2.720E-01	1976	2005	1990	10	tasmax
Cameroon	Normal	3.016E+02	1.467E+00	2.645E-01	1976	2005	1990	11	tasmax
Cameroon	Normal	3.020E+02	1.361E+00	2.672E-01	1976	2005	1990	12	tasmax
Canada	Normal	2.568E+02	4.977E+00	1.723E+00	1976	2005	1990	1	tasmax
Canada	Normal	2.586E+02	4.410E+00	1.575E+00	1976	2005	1990	2	tasmax
Canada	Normal	2.642E+02	3.542E+00	1.154E+00	1976	2005	1990	3	tasmax
Canada	Normal	2.728E+02	2.490E+00	8.208E-01	1976	2005	1990	4	tasmax
Canada	Normal	2.817E+02	2.421E+00	9.607E-01	1976	2005	1990	5	tasmax
Canada	Normal	2.889E+02	2.731E+00	6.366E-01	1976	2005	1990	6	tasmax
Canada	Normal	2.921E+02	2.695E+00	4.077E-01	1976	2005	1990	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Canada	Normal	2.900E+02	2.788E+00	6.640E-01	1976	2005	1990	8	tasmax
Canada	Normal	2.837E+02	2.621E+00	1.058E+00	1976	2005	1990	9	tasmax
Canada	Normal	2.752E+02	2.628E+00	1.208E+00	1976	2005	1990	10	tasmax
Canada	Normal	2.664E+02	3.338E+00	1.168E+00	1976	2005	1990	11	tasmax
Canada	Normal	2.600E+02	4.385E+00	1.359E+00	1976	2005	1990	12	tasmax
Central African Rep.	Normal	3.054E+02	1.765E+00	6.339E-01	1976	2005	1990	1	tasmax
Central African Rep.	Normal	3.074E+02	1.934E+00	3.640E-01	1976	2005	1990	2	tasmax
Central African Rep.	Normal	3.076E+02	2.298E+00	3.162E-01	1976	2005	1990	3	tasmax
Central African Rep.	Normal	3.055E+02	2.026E+00	4.897E-01	1976	2005	1990	4	tasmax
Central African Rep.	Normal	3.035E+02	1.722E+00	3.976E-01	1976	2005	1990	5	tasmax
Central African Rep.	Normal	3.024E+02	1.406E+00	3.362E-01	1976	2005	1990	6	tasmax
Central African Rep.	Normal	3.019E+02	1.178E+00	2.502E-01	1976	2005	1990	7	tasmax
Central African Rep.	Normal	3.017E+02	1.149E+00	2.249E-01	1976	2005	1990	8	tasmax
Central African Rep.	Normal	3.019E+02	1.260E+00	2.856E-01	1976	2005	1990	9	tasmax
Central African Rep.	Normal	3.023E+02	1.451E+00	3.659E-01	1976	2005	1990	10	tasmax
Central African Rep.	Normal	3.032E+02	1.792E+00	4.110E-01	1976	2005	1990	11	tasmax
Central African Rep.	Normal	3.038E+02	1.660E+00	3.443E-01	1976	2005	1990	12	tasmax
Chad	Normal	3.007E+02	2.134E+00	7.135E-01	1976	2005	1990	1	tasmax
Chad	Normal	3.036E+02	2.187E+00	7.614E-01	1976	2005	1990	2	tasmax
Chad	Normal	3.074E+02	2.072E+00	5.983E-01	1976	2005	1990	3	tasmax
Chad	Normal	3.096E+02	1.803E+00	4.197E-01	1976	2005	1990	4	tasmax
Chad	Normal	3.098E+02	2.082E+00	3.972E-01	1976	2005	1990	5	tasmax
Chad	Normal	3.098E+02	2.167E+00	3.715E-01	1976	2005	1990	6	tasmax
Chad	Normal	3.090E+02	2.266E+00	3.484E-01	1976	2005	1990	7	tasmax
Chad	Normal	3.081E+02	2.403E+00	4.277E-01	1976	2005	1990	8	tasmax
Chad	Normal	3.081E+02	2.256E+00	4.253E-01	1976	2005	1990	9	tasmax
Chad	Normal	3.073E+02	2.127E+00	4.081E-01	1976	2005	1990	10	tasmax
Chad	Normal	3.041E+02	2.087E+00	3.648E-01	1976	2005	1990	11	tasmax
Chad	Normal	3.007E+02	2.026E+00	5.022E-01	1976	2005	1990	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Chile	Normal	2.937E+02	1.440E+00	2.642E-01	1976	2005	1990	1	tasmax
Chile	Normal	2.937E+02	1.440E+00	2.863E-01	1976	2005	1990	2	tasmax
Chile	Normal	2.925E+02	1.210E+00	2.472E-01	1976	2005	1990	3	tasmax
Chile	Normal	2.897E+02	1.076E+00	2.261E-01	1976	2005	1990	4	tasmax
Chile	Normal	2.864E+02	9.783E-01	1.932E-01	1976	2005	1990	5	tasmax
Chile	Normal	2.842E+02	9.932E-01	1.779E-01	1976	2005	1990	6	tasmax
Chile	Normal	2.836E+02	1.012E+00	2.029E-01	1976	2005	1990	7	tasmax
Chile	Normal	2.847E+02	9.592E-01	2.051E-01	1976	2005	1990	8	tasmax
Chile	Normal	2.865E+02	1.089E+00	1.809E-01	1976	2005	1990	9	tasmax
Chile	Normal	2.887E+02	1.281E+00	2.907E-01	1976	2005	1990	10	tasmax
Chile	Normal	2.910E+02	1.342E+00	4.151E-01	1976	2005	1990	11	tasmax
Chile	Normal	2.928E+02	1.398E+00	3.137E-01	1976	2005	1990	12	tasmax
China	Normal	2.696E+02	2.592E+00	8.837E-01	1976	2005	1990	1	tasmax
China	Normal	2.726E+02	2.653E+00	1.155E+00	1976	2005	1990	2	tasmax
China	Normal	2.786E+02	2.553E+00	1.261E+00	1976	2005	1990	3	tasmax
China	Normal	2.854E+02	2.204E+00	1.037E+00	1976	2005	1990	4	tasmax
China	Normal	2.913E+02	1.792E+00	6.032E-01	1976	2005	1990	5	tasmax
China	Normal	2.954E+02	1.730E+00	2.770E-01	1976	2005	1990	6	tasmax
China	Normal	2.976E+02	1.700E+00	3.221E-01	1976	2005	1990	7	tasmax
China	Normal	2.965E+02	1.801E+00	3.234E-01	1976	2005	1990	8	tasmax
China	Normal	2.918E+02	2.151E+00	5.902E-01	1976	2005	1990	9	tasmax
China	Normal	2.848E+02	2.165E+00	7.287E-01	1976	2005	1990	10	tasmax
China	Normal	2.771E+02	2.161E+00	7.497E-01	1976	2005	1990	11	tasmax
China	Normal	2.711E+02	2.459E+00	8.803E-01	1976	2005	1990	12	tasmax
Colombia	Normal	3.026E+02	2.040E+00	4.682E-01	1976	2005	1990	1	tasmax
Colombia	Normal	3.034E+02	2.047E+00	5.026E-01	1976	2005	1990	2	tasmax
Colombia	Normal	3.033E+02	2.165E+00	5.865E-01	1976	2005	1990	3	tasmax
Colombia	Normal	3.022E+02	2.007E+00	4.765E-01	1976	2005	1990	4	tasmax
Colombia	Normal	3.007E+02	1.769E+00	6.425E-01	1976	2005	1990	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Colombia	Normal	3.000E+02	1.598E+00	5.107E-01	1976	2005	1990	6	tasmax
Colombia	Normal	3.003E+02	1.524E+00	2.647E-01	1976	2005	1990	7	tasmax
Colombia	Normal	3.013E+02	1.754E+00	3.183E-01	1976	2005	1990	8	tasmax
Colombia	Normal	3.019E+02	2.108E+00	5.269E-01	1976	2005	1990	9	tasmax
Colombia	Normal	3.016E+02	2.030E+00	6.040E-01	1976	2005	1990	10	tasmax
Colombia	Normal	3.012E+02	1.759E+00	4.414E-01	1976	2005	1990	11	tasmax
Colombia	Normal	3.016E+02	1.924E+00	5.027E-01	1976	2005	1990	12	tasmax
Congo	Normal	3.020E+02	1.591E+00	2.463E-01	1976	2005	1990	1	tasmax
Congo	Normal	3.029E+02	1.650E+00	2.348E-01	1976	2005	1990	2	tasmax
Congo	Normal	3.029E+02	1.441E+00	1.947E-01	1976	2005	1990	3	tasmax
Congo	Normal	3.021E+02	1.274E+00	1.999E-01	1976	2005	1990	4	tasmax
Congo	Normal	3.015E+02	1.183E+00	2.065E-01	1976	2005	1990	5	tasmax
Congo	Normal	3.016E+02	1.040E+00	1.828E-01	1976	2005	1990	6	tasmax
Congo	Normal	3.019E+02	1.169E+00	2.565E-01	1976	2005	1990	7	tasmax
Congo	Normal	3.019E+02	1.508E+00	2.990E-01	1976	2005	1990	8	tasmax
Congo	Normal	3.018E+02	1.608E+00	3.830E-01	1976	2005	1990	9	tasmax
Congo	Normal	3.013E+02	1.677E+00	4.647E-01	1976	2005	1990	10	tasmax
Congo	Normal	3.009E+02	1.614E+00	4.315E-01	1976	2005	1990	11	tasmax
Congo	Normal	3.011E+02	1.463E+00	2.975E-01	1976	2005	1990	12	tasmax
Congo, DRC	Normal	3.011E+02	1.549E+00	3.702E-01	1976	2005	1990	1	tasmax
Congo, DRC	Normal	3.023E+02	1.704E+00	2.936E-01	1976	2005	1990	2	tasmax
Congo, DRC	Normal	3.025E+02	1.503E+00	2.280E-01	1976	2005	1990	3	tasmax
Congo, DRC	Normal	3.019E+02	1.315E+00	2.665E-01	1976	2005	1990	4	tasmax
Congo, DRC	Normal	3.016E+02	1.268E+00	2.280E-01	1976	2005	1990	5	tasmax
Congo, DRC	Normal	3.018E+02	1.313E+00	2.287E-01	1976	2005	1990	6	tasmax
Congo, DRC	Normal	3.024E+02	1.359E+00	1.915E-01	1976	2005	1990	7	tasmax
Congo, DRC	Normal	3.030E+02	1.464E+00	2.624E-01	1976	2005	1990	8	tasmax
Congo, DRC	Normal	3.027E+02	1.523E+00	3.081E-01	1976	2005	1990	9	tasmax
Congo, DRC	Normal	3.015E+02	1.666E+00	4.711E-01	1976	2005	1990	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Congo, DRC	Normal	3.005E+02	1.673E+00	5.442E-01	1976	2005	1990	11	tasmax
Congo, DRC	Normal	3.003E+02	1.449E+00	4.239E-01	1976	2005	1990	12	tasmax
Costa Rica	Normal	3.018E+02	1.642E+00	5.891E-01	1976	2005	1990	1	tasmax
Costa Rica	Normal	3.026E+02	1.965E+00	7.321E-01	1976	2005	1990	2	tasmax
Costa Rica	Normal	3.036E+02	2.356E+00	8.733E-01	1976	2005	1990	3	tasmax
Costa Rica	Normal	3.042E+02	2.484E+00	8.971E-01	1976	2005	1990	4	tasmax
Costa Rica	Normal	3.035E+02	1.691E+00	5.798E-01	1976	2005	1990	5	tasmax
Costa Rica	Normal	3.018E+02	9.039E-01	2.308E-01	1976	2005	1990	6	tasmax
Costa Rica	Normal	3.015E+02	1.110E+00	2.651E-01	1976	2005	1990	7	tasmax
Costa Rica	Normal	3.017E+02	1.193E+00	3.359E-01	1976	2005	1990	8	tasmax
Costa Rica	Normal	3.017E+02	1.132E+00	2.569E-01	1976	2005	1990	9	tasmax
Costa Rica	Normal	3.017E+02	1.209E+00	2.045E-01	1976	2005	1990	10	tasmax
Costa Rica	Normal	3.016E+02	1.375E+00	3.226E-01	1976	2005	1990	11	tasmax
Costa Rica	Normal	3.016E+02	1.481E+00	4.647E-01	1976	2005	1990	12	tasmax
Cote d'Ivoire	Normal	3.054E+02	1.751E+00	6.008E-01	1976	2005	1990	1	tasmax
Cote d'Ivoire	Normal	3.069E+02	1.534E+00	2.408E-01	1976	2005	1990	2	tasmax
Cote d'Ivoire	Normal	3.071E+02	1.688E+00	3.164E-01	1976	2005	1990	3	tasmax
Cote d'Ivoire	Normal	3.060E+02	1.665E+00	4.772E-01	1976	2005	1990	4	tasmax
Cote d'Ivoire	Normal	3.045E+02	1.737E+00	3.798E-01	1976	2005	1990	5	tasmax
Cote d'Ivoire	Normal	3.027E+02	1.608E+00	3.567E-01	1976	2005	1990	6	tasmax
Cote d'Ivoire	Normal	3.014E+02	1.551E+00	3.444E-01	1976	2005	1990	7	tasmax
Cote d'Ivoire	Normal	3.007E+02	1.440E+00	2.904E-01	1976	2005	1990	8	tasmax
Cote d'Ivoire	Normal	3.013E+02	1.410E+00	2.324E-01	1976	2005	1990	9	tasmax
Cote d'Ivoire	Normal	3.023E+02	1.352E+00	1.821E-01	1976	2005	1990	10	tasmax
Cote d'Ivoire	Normal	3.035E+02	1.419E+00	3.244E-01	1976	2005	1990	11	tasmax
Cote d'Ivoire	Normal	3.041E+02	1.585E+00	3.237E-01	1976	2005	1990	12	tasmax
Croatia	Normal	2.787E+02	2.482E+00	6.108E-01	1976	2005	1990	1	tasmax
Croatia	Normal	2.802E+02	2.239E+00	4.091E-01	1976	2005	1990	2	tasmax
Croatia	Normal	2.837E+02	2.261E+00	6.043E-01	1976	2005	1990	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Croatia	Normal	2.880E+02	2.254E+00	5.158E-01	1976	2005	1990	4	tasmax
Croatia	Normal	2.928E+02	2.127E+00	5.417E-01	1976	2005	1990	5	tasmax
Croatia	Normal	2.975E+02	2.036E+00	5.339E-01	1976	2005	1990	6	tasmax
Croatia	Normal	3.002E+02	2.262E+00	4.530E-01	1976	2005	1990	7	tasmax
Croatia	Normal	2.997E+02	2.276E+00	4.530E-01	1976	2005	1990	8	tasmax
Croatia	Normal	2.951E+02	2.177E+00	4.203E-01	1976	2005	1990	9	tasmax
Croatia	Normal	2.889E+02	2.105E+00	5.819E-01	1976	2005	1990	10	tasmax
Croatia	Normal	2.836E+02	2.079E+00	6.481E-01	1976	2005	1990	11	tasmax
Croatia	Normal	2.801E+02	2.184E+00	4.957E-01	1976	2005	1990	12	tasmax
Cuba	Normal	2.988E+02	1.393E+00	3.865E-01	1976	2005	1990	1	tasmax
Cuba	Normal	2.990E+02	1.682E+00	4.949E-01	1976	2005	1990	2	tasmax
Cuba	Normal	2.997E+02	2.003E+00	5.134E-01	1976	2005	1990	3	tasmax
Cuba	Normal	3.008E+02	2.251E+00	4.858E-01	1976	2005	1990	4	tasmax
Cuba	Normal	3.017E+02	2.244E+00	5.843E-01	1976	2005	1990	5	tasmax
Cuba	Normal	3.023E+02	1.797E+00	3.274E-01	1976	2005	1990	6	tasmax
Cuba	Normal	3.030E+02	1.910E+00	3.256E-01	1976	2005	1990	7	tasmax
Cuba	Normal	3.032E+02	1.767E+00	3.193E-01	1976	2005	1990	8	tasmax
Cuba	Normal	3.026E+02	1.541E+00	2.598E-01	1976	2005	1990	9	tasmax
Cuba	Normal	3.017E+02	1.421E+00	3.168E-01	1976	2005	1990	10	tasmax
Cuba	Normal	3.006E+02	1.394E+00	3.282E-01	1976	2005	1990	11	tasmax
Cuba	Normal	2.995E+02	1.331E+00	3.300E-01	1976	2005	1990	12	tasmax
Cyprus	Normal	2.874E+02	1.772E+00	3.070E-01	1976	2005	1990	1	tasmax
Cyprus	Normal	2.875E+02	1.704E+00	3.485E-01	1976	2005	1990	2	tasmax
Cyprus	Normal	2.889E+02	1.635E+00	4.146E-01	1976	2005	1990	3	tasmax
Cyprus	Normal	2.910E+02	1.610E+00	3.238E-01	1976	2005	1990	4	tasmax
Cyprus	Normal	2.942E+02	2.053E+00	3.599E-01	1976	2005	1990	5	tasmax
Cyprus	Normal	2.980E+02	2.194E+00	5.212E-01	1976	2005	1990	6	tasmax
Cyprus	Normal	3.007E+02	2.583E+00	5.295E-01	1976	2005	1990	7	tasmax
Cyprus	Normal	3.015E+02	2.554E+00	5.888E-01	1976	2005	1990	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Cyprus	Normal	2.997E+02	1.919E+00	3.605E-01	1976	2005	1990	9	tasmax
Cyprus	Normal	2.961E+02	1.707E+00	3.361E-01	1976	2005	1990	10	tasmax
Cyprus	Normal	2.921E+02	1.855E+00	3.054E-01	1976	2005	1990	11	tasmax
Cyprus	Normal	2.889E+02	1.845E+00	3.513E-01	1976	2005	1990	12	tasmax
Czech Rep.	Normal	2.748E+02	2.596E+00	3.739E-01	1976	2005	1990	1	tasmax
Czech Rep.	Normal	2.763E+02	2.255E+00	3.819E-01	1976	2005	1990	2	tasmax
Czech Rep.	Normal	2.802E+02	2.443E+00	5.121E-01	1976	2005	1990	3	tasmax
Czech Rep.	Normal	2.855E+02	2.531E+00	5.390E-01	1976	2005	1990	4	tasmax
Czech Rep.	Normal	2.908E+02	2.329E+00	6.341E-01	1976	2005	1990	5	tasmax
Czech Rep.	Normal	2.951E+02	2.328E+00	5.325E-01	1976	2005	1990	6	tasmax
Czech Rep.	Normal	2.967E+02	2.432E+00	4.821E-01	1976	2005	1990	7	tasmax
Czech Rep.	Normal	2.955E+02	2.516E+00	4.516E-01	1976	2005	1990	8	tasmax
Czech Rep.	Normal	2.912E+02	2.425E+00	6.418E-01	1976	2005	1990	9	tasmax
Czech Rep.	Normal	2.854E+02	2.269E+00	6.512E-01	1976	2005	1990	10	tasmax
Czech Rep.	Normal	2.797E+02	2.300E+00	6.730E-01	1976	2005	1990	11	tasmax
Czech Rep.	Normal	2.762E+02	2.346E+00	3.568E-01	1976	2005	1990	12	tasmax
Denmark	Normal	2.765E+02	1.940E+00	4.031E-01	1976	2005	1990	1	tasmax
Denmark	Normal	2.765E+02	1.608E+00	3.802E-01	1976	2005	1990	2	tasmax
Denmark	Normal	2.782E+02	1.609E+00	5.318E-01	1976	2005	1990	3	tasmax
Denmark	Normal	2.817E+02	1.943E+00	5.391E-01	1976	2005	1990	4	tasmax
Denmark	Normal	2.865E+02	2.419E+00	4.377E-01	1976	2005	1990	5	tasmax
Denmark	Normal	2.908E+02	2.684E+00	4.121E-01	1976	2005	1990	6	tasmax
Denmark	Normal	2.926E+02	2.719E+00	4.139E-01	1976	2005	1990	7	tasmax
Denmark	Normal	2.918E+02	2.205E+00	3.803E-01	1976	2005	1990	8	tasmax
Denmark	Normal	2.887E+02	1.618E+00	2.662E-01	1976	2005	1990	9	tasmax
Denmark	Normal	2.846E+02	1.467E+00	2.754E-01	1976	2005	1990	10	tasmax
Denmark	Normal	2.806E+02	1.621E+00	2.588E-01	1976	2005	1990	11	tasmax
Denmark	Normal	2.780E+02	1.839E+00	3.962E-01	1976	2005	1990	12	tasmax
Djibouti	Normal	2.991E+02	3.136E+00	9.886E-01	1976	2005	1990	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Djibouti	Normal	3.008E+02	3.319E+00	1.126E+00	1976	2005	1990	2	tasmax
Djibouti	Normal	3.034E+02	3.509E+00	9.792E-01	1976	2005	1990	3	tasmax
Djibouti	Normal	3.058E+02	3.466E+00	7.883E-01	1976	2005	1990	4	tasmax
Djibouti	Normal	3.079E+02	3.664E+00	5.861E-01	1976	2005	1990	5	tasmax
Djibouti	Normal	3.093E+02	3.258E+00	5.184E-01	1976	2005	1990	6	tasmax
Djibouti	Normal	3.083E+02	3.391E+00	7.595E-01	1976	2005	1990	7	tasmax
Djibouti	Normal	3.075E+02	3.348E+00	9.786E-01	1976	2005	1990	8	tasmax
Djibouti	Normal	3.074E+02	3.407E+00	6.069E-01	1976	2005	1990	9	tasmax
Djibouti	Normal	3.051E+02	3.328E+00	8.473E-01	1976	2005	1990	10	tasmax
Djibouti	Normal	3.020E+02	3.214E+00	8.997E-01	1976	2005	1990	11	tasmax
Djibouti	Normal	2.996E+02	3.131E+00	8.615E-01	1976	2005	1990	12	tasmax
Dominican Rep.	Normal	2.997E+02	2.092E+00	3.959E-01	1976	2005	1990	1	tasmax
Dominican Rep.	Normal	2.999E+02	2.261E+00	4.295E-01	1976	2005	1990	2	tasmax
Dominican Rep.	Normal	3.004E+02	2.451E+00	4.501E-01	1976	2005	1990	3	tasmax
Dominican Rep.	Normal	3.009E+02	2.426E+00	4.263E-01	1976	2005	1990	4	tasmax
Dominican Rep.	Normal	3.013E+02	2.240E+00	4.296E-01	1976	2005	1990	5	tasmax
Dominican Rep.	Normal	3.019E+02	2.232E+00	4.358E-01	1976	2005	1990	6	tasmax
Dominican Rep.	Normal	3.026E+02	2.392E+00	3.599E-01	1976	2005	1990	7	tasmax
Dominican Rep.	Normal	3.029E+02	2.402E+00	3.910E-01	1976	2005	1990	8	tasmax
Dominican Rep.	Normal	3.026E+02	2.230E+00	3.564E-01	1976	2005	1990	9	tasmax
Dominican Rep.	Normal	3.019E+02	2.087E+00	3.164E-01	1976	2005	1990	10	tasmax
Dominican Rep.	Normal	3.011E+02	2.003E+00	2.949E-01	1976	2005	1990	11	tasmax
Dominican Rep.	Normal	3.002E+02	1.981E+00	3.113E-01	1976	2005	1990	12	tasmax
Ecuador	Normal	2.987E+02	1.696E+00	5.565E-01	1976	2005	1990	1	tasmax
Ecuador	Normal	2.989E+02	1.806E+00	5.560E-01	1976	2005	1990	2	tasmax
Ecuador	Normal	2.989E+02	1.860E+00	5.450E-01	1976	2005	1990	3	tasmax
Ecuador	Normal	2.986E+02	1.644E+00	3.998E-01	1976	2005	1990	4	tasmax
Ecuador	Normal	2.984E+02	1.608E+00	4.138E-01	1976	2005	1990	5	tasmax
Ecuador	Normal	2.984E+02	1.665E+00	4.123E-01	1976	2005	1990	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Ecuador	Normal	2.990E+02	1.643E+00	4.766E-01	1976	2005	1990	7	tasmax
Ecuador	Normal	2.997E+02	1.844E+00	3.953E-01	1976	2005	1990	8	tasmax
Ecuador	Normal	2.997E+02	1.967E+00	4.831E-01	1976	2005	1990	9	tasmax
Ecuador	Normal	2.992E+02	1.835E+00	6.060E-01	1976	2005	1990	10	tasmax
Ecuador	Normal	2.986E+02	1.579E+00	5.033E-01	1976	2005	1990	11	tasmax
Ecuador	Normal	2.984E+02	1.595E+00	5.430E-01	1976	2005	1990	12	tasmax
Egypt	Normal	2.922E+02	2.293E+00	4.759E-01	1976	2005	1990	1	tasmax
Egypt	Normal	2.946E+02	2.506E+00	6.125E-01	1976	2005	1990	2	tasmax
Egypt	Normal	2.986E+02	2.906E+00	7.289E-01	1976	2005	1990	3	tasmax
Egypt	Normal	3.029E+02	2.778E+00	8.873E-01	1976	2005	1990	4	tasmax
Egypt	Normal	3.068E+02	2.634E+00	6.607E-01	1976	2005	1990	5	tasmax
Egypt	Normal	3.102E+02	2.536E+00	6.407E-01	1976	2005	1990	6	tasmax
Egypt	Normal	3.115E+02	2.682E+00	4.625E-01	1976	2005	1990	7	tasmax
Egypt	Normal	3.108E+02	2.575E+00	4.775E-01	1976	2005	1990	8	tasmax
Egypt	Normal	3.080E+02	2.406E+00	5.782E-01	1976	2005	1990	9	tasmax
Egypt	Normal	3.034E+02	2.270E+00	4.188E-01	1976	2005	1990	10	tasmax
Egypt	Normal	2.975E+02	2.261E+00	3.286E-01	1976	2005	1990	11	tasmax
Egypt	Normal	2.929E+02	2.092E+00	4.264E-01	1976	2005	1990	12	tasmax
El Salvador	Normal	3.014E+02	2.060E+00	3.567E-01	1976	2005	1990	1	tasmax
El Salvador	Normal	3.025E+02	2.331E+00	5.044E-01	1976	2005	1990	2	tasmax
El Salvador	Normal	3.040E+02	2.374E+00	6.199E-01	1976	2005	1990	3	tasmax
El Salvador	Normal	3.050E+02	2.146E+00	5.587E-01	1976	2005	1990	4	tasmax
El Salvador	Normal	3.044E+02	1.750E+00	4.465E-01	1976	2005	1990	5	tasmax
El Salvador	Normal	3.029E+02	1.700E+00	5.684E-01	1976	2005	1990	6	tasmax
El Salvador	Normal	3.030E+02	1.709E+00	4.288E-01	1976	2005	1990	7	tasmax
El Salvador	Normal	3.033E+02	1.789E+00	4.476E-01	1976	2005	1990	8	tasmax
El Salvador	Normal	3.026E+02	1.856E+00	5.244E-01	1976	2005	1990	9	tasmax
El Salvador	Normal	3.021E+02	1.829E+00	5.788E-01	1976	2005	1990	10	tasmax
El Salvador	Normal	3.018E+02	1.701E+00	5.243E-01	1976	2005	1990	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
El Salvador	Normal	3.013E+02	1.784E+00	3.961E-01	1976	2005	1990	12	tasmax
Equatorial Guinea	Normal	3.011E+02	1.415E+00	3.199E-01	1976	2005	1990	1	tasmax
Equatorial Guinea	Normal	3.017E+02	1.467E+00	2.637E-01	1976	2005	1990	2	tasmax
Equatorial Guinea	Normal	3.019E+02	1.361E+00	3.176E-01	1976	2005	1990	3	tasmax
Equatorial Guinea	Normal	3.015E+02	1.201E+00	3.591E-01	1976	2005	1990	4	tasmax
Equatorial Guinea	Normal	3.009E+02	1.259E+00	4.797E-01	1976	2005	1990	5	tasmax
Equatorial Guinea	Normal	3.005E+02	1.253E+00	3.575E-01	1976	2005	1990	6	tasmax
Equatorial Guinea	Normal	3.002E+02	1.219E+00	3.030E-01	1976	2005	1990	7	tasmax
Equatorial Guinea	Normal	3.001E+02	1.419E+00	4.117E-01	1976	2005	1990	8	tasmax
Equatorial Guinea	Normal	3.001E+02	1.467E+00	5.299E-01	1976	2005	1990	9	tasmax
Equatorial Guinea	Normal	3.000E+02	1.452E+00	4.978E-01	1976	2005	1990	10	tasmax
Equatorial Guinea	Normal	3.000E+02	1.409E+00	3.890E-01	1976	2005	1990	11	tasmax
Equatorial Guinea	Normal	3.006E+02	1.387E+00	2.263E-01	1976	2005	1990	12	tasmax
Eritrea	Normal	3.002E+02	2.343E+00	6.757E-01	1976	2005	1990	1	tasmax
Eritrea	Normal	3.021E+02	2.587E+00	8.183E-01	1976	2005	1990	2	tasmax
Eritrea	Normal	3.051E+02	2.606E+00	7.681E-01	1976	2005	1990	3	tasmax
Eritrea	Normal	3.073E+02	2.465E+00	6.348E-01	1976	2005	1990	4	tasmax
Eritrea	Normal	3.089E+02	2.476E+00	6.916E-01	1976	2005	1990	5	tasmax
Eritrea	Normal	3.099E+02	2.152E+00	3.377E-01	1976	2005	1990	6	tasmax
Eritrea	Normal	3.085E+02	2.377E+00	3.382E-01	1976	2005	1990	7	tasmax
Eritrea	Normal	3.079E+02	2.672E+00	3.541E-01	1976	2005	1990	8	tasmax
Eritrea	Normal	3.084E+02	2.390E+00	4.330E-01	1976	2005	1990	9	tasmax
Eritrea	Normal	3.067E+02	2.439E+00	1.030E+00	1976	2005	1990	10	tasmax
Eritrea	Normal	3.034E+02	2.317E+00	8.741E-01	1976	2005	1990	11	tasmax
Eritrea	Normal	3.005E+02	2.266E+00	7.174E-01	1976	2005	1990	12	tasmax
Estonia	Normal	2.690E+02	3.613E+00	1.072E+00	1976	2005	1990	1	tasmax
Estonia	Normal	2.699E+02	2.838E+00	7.755E-01	1976	2005	1990	2	tasmax
Estonia	Normal	2.737E+02	2.440E+00	3.855E-01	1976	2005	1990	3	tasmax
Estonia	Normal	2.803E+02	2.744E+00	6.032E-01	1976	2005	1990	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Estonia	Normal	2.879E+02	2.989E+00	9.465E-01	1976	2005	1990	5	tasmax
Estonia	Normal	2.930E+02	3.138E+00	8.910E-01	1976	2005	1990	6	tasmax
Estonia	Normal	2.949E+02	3.444E+00	9.174E-01	1976	2005	1990	7	tasmax
Estonia	Normal	2.930E+02	3.290E+00	7.123E-01	1976	2005	1990	8	tasmax
Estonia	Normal	2.877E+02	2.687E+00	6.849E-01	1976	2005	1990	9	tasmax
Estonia	Normal	2.815E+02	2.180E+00	4.484E-01	1976	2005	1990	10	tasmax
Estonia	Normal	2.754E+02	2.389E+00	3.417E-01	1976	2005	1990	11	tasmax
Estonia	Normal	2.714E+02	3.081E+00	6.302E-01	1976	2005	1990	12	tasmax
Ethiopia	Normal	3.008E+02	1.411E+00	4.436E-01	1976	2005	1990	1	tasmax
Ethiopia	Normal	3.029E+02	1.415E+00	5.033E-01	1976	2005	1990	2	tasmax
Ethiopia	Normal	3.045E+02	1.523E+00	4.370E-01	1976	2005	1990	3	tasmax
Ethiopia	Normal	3.042E+02	1.270E+00	1.780E-01	1976	2005	1990	4	tasmax
Ethiopia	Normal	3.030E+02	1.508E+00	2.675E-01	1976	2005	1990	5	tasmax
Ethiopia	Normal	3.022E+02	1.656E+00	3.841E-01	1976	2005	1990	6	tasmax
Ethiopia	Normal	3.009E+02	1.945E+00	3.643E-01	1976	2005	1990	7	tasmax
Ethiopia	Normal	3.008E+02	1.864E+00	3.627E-01	1976	2005	1990	8	tasmax
Ethiopia	Normal	3.012E+02	1.808E+00	3.419E-01	1976	2005	1990	9	tasmax
Ethiopia	Normal	3.006E+02	1.715E+00	4.561E-01	1976	2005	1990	10	tasmax
Ethiopia	Normal	3.001E+02	1.678E+00	3.361E-01	1976	2005	1990	11	tasmax
Ethiopia	Normal	2.998E+02	1.583E+00	3.803E-01	1976	2005	1990	12	tasmax
Finland	Normal	2.633E+02	4.303E+00	1.263E+00	1976	2005	1990	1	tasmax
Finland	Normal	2.646E+02	3.441E+00	9.810E-01	1976	2005	1990	2	tasmax
Finland	Normal	2.693E+02	2.524E+00	5.441E-01	1976	2005	1990	3	tasmax
Finland	Normal	2.756E+02	2.118E+00	3.759E-01	1976	2005	1990	4	tasmax
Finland	Normal	2.837E+02	2.988E+00	7.055E-01	1976	2005	1990	5	tasmax
Finland	Normal	2.897E+02	3.124E+00	7.348E-01	1976	2005	1990	6	tasmax
Finland	Normal	2.919E+02	3.107E+00	6.751E-01	1976	2005	1990	7	tasmax
Finland	Normal	2.894E+02	3.081E+00	7.894E-01	1976	2005	1990	8	tasmax
Finland	Normal	2.836E+02	2.568E+00	6.297E-01	1976	2005	1990	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Finland	Normal	2.769E+02	2.023E+00	4.833E-01	1976	2005	1990	10	tasmax
Finland	Normal	2.704E+02	2.648E+00	4.192E-01	1976	2005	1990	11	tasmax
Finland	Normal	2.659E+02	3.754E+00	7.591E-01	1976	2005	1990	12	tasmax
France	Normal	2.804E+02	1.495E+00	2.859E-01	1976	2005	1990	1	tasmax
France	Normal	2.815E+02	1.509E+00	3.424E-01	1976	2005	1990	2	tasmax
France	Normal	2.840E+02	1.989E+00	6.028E-01	1976	2005	1990	3	tasmax
France	Normal	2.873E+02	2.327E+00	9.352E-01	1976	2005	1990	4	tasmax
France	Normal	2.910E+02	2.349E+00	8.455E-01	1976	2005	1990	5	tasmax
France	Normal	2.951E+02	2.554E+00	7.888E-01	1976	2005	1990	6	tasmax
France	Normal	2.976E+02	2.519E+00	6.093E-01	1976	2005	1990	7	tasmax
France	Normal	2.971E+02	2.454E+00	7.719E-01	1976	2005	1990	8	tasmax
France	Normal	2.935E+02	2.360E+00	7.000E-01	1976	2005	1990	9	tasmax
France	Normal	2.885E+02	2.151E+00	8.308E-01	1976	2005	1990	10	tasmax
France	Normal	2.840E+02	1.674E+00	5.802E-01	1976	2005	1990	11	tasmax
France	Normal	2.813E+02	1.399E+00	3.032E-01	1976	2005	1990	12	tasmax
French Guiana	Normal	3.017E+02	1.788E+00	3.484E-01	1976	2005	1990	1	tasmax
French Guiana	Normal	3.027E+02	1.877E+00	2.649E-01	1976	2005	1990	2	tasmax
French Guiana	Normal	3.036E+02	1.939E+00	2.981E-01	1976	2005	1990	3	tasmax
French Guiana	Normal	3.039E+02	2.033E+00	2.716E-01	1976	2005	1990	4	tasmax
French Guiana	Normal	3.029E+02	2.177E+00	5.056E-01	1976	2005	1990	5	tasmax
French Guiana	Normal	3.017E+02	2.165E+00	8.867E-01	1976	2005	1990	6	tasmax
French Guiana	Normal	3.025E+02	2.120E+00	5.533E-01	1976	2005	1990	7	tasmax
French Guiana	Normal	3.041E+02	2.486E+00	5.939E-01	1976	2005	1990	8	tasmax
French Guiana	Normal	3.051E+02	2.312E+00	5.127E-01	1976	2005	1990	9	tasmax
French Guiana	Normal	3.053E+02	2.162E+00	6.272E-01	1976	2005	1990	10	tasmax
French Guiana	Normal	3.039E+02	2.281E+00	5.727E-01	1976	2005	1990	11	tasmax
French Guiana	Normal	3.019E+02	1.795E+00	3.304E-01	1976	2005	1990	12	tasmax
Gabon	Normal	3.013E+02	1.431E+00	3.582E-01	1976	2005	1990	1	tasmax
Gabon	Normal	3.020E+02	1.490E+00	3.867E-01	1976	2005	1990	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Gabon	Normal	3.022E+02	1.430E+00	3.505E-01	1976	2005	1990	3	tasmax
Gabon	Normal	3.017E+02	1.313E+00	3.907E-01	1976	2005	1990	4	tasmax
Gabon	Normal	3.011E+02	1.311E+00	4.618E-01	1976	2005	1990	5	tasmax
Gabon	Normal	3.010E+02	1.136E+00	4.059E-01	1976	2005	1990	6	tasmax
Gabon	Normal	3.008E+02	1.174E+00	3.255E-01	1976	2005	1990	7	tasmax
Gabon	Normal	3.009E+02	1.583E+00	3.456E-01	1976	2005	1990	8	tasmax
Gabon	Normal	3.011E+02	1.935E+00	5.931E-01	1976	2005	1990	9	tasmax
Gabon	Normal	3.008E+02	1.881E+00	6.746E-01	1976	2005	1990	10	tasmax
Gabon	Normal	3.004E+02	1.605E+00	5.238E-01	1976	2005	1990	11	tasmax
Gabon	Normal	3.006E+02	1.414E+00	4.151E-01	1976	2005	1990	12	tasmax
Gaza Strip	Normal	2.889E+02	1.860E+00	3.745E-01	1976	2005	1990	1	tasmax
Gaza Strip	Normal	2.900E+02	2.293E+00	5.680E-01	1976	2005	1990	2	tasmax
Gaza Strip	Normal	2.927E+02	3.385E+00	1.053E+00	1976	2005	1990	3	tasmax
Gaza Strip	Normal	2.958E+02	4.094E+00	1.062E+00	1976	2005	1990	4	tasmax
Gaza Strip	Normal	2.992E+02	4.384E+00	1.098E+00	1976	2005	1990	5	tasmax
Gaza Strip	Normal	3.024E+02	4.220E+00	8.215E-01	1976	2005	1990	6	tasmax
Gaza Strip	Normal	3.044E+02	3.960E+00	7.966E-01	1976	2005	1990	7	tasmax
Gaza Strip	Normal	3.046E+02	3.640E+00	6.927E-01	1976	2005	1990	8	tasmax
Gaza Strip	Normal	3.026E+02	3.117E+00	6.433E-01	1976	2005	1990	9	tasmax
Gaza Strip	Normal	2.989E+02	2.396E+00	4.818E-01	1976	2005	1990	10	tasmax
Gaza Strip	Normal	2.941E+02	2.021E+00	5.299E-01	1976	2005	1990	11	tasmax
Gaza Strip	Normal	2.901E+02	1.735E+00	3.519E-01	1976	2005	1990	12	tasmax
Georgia	Normal	2.752E+02	2.250E+00	4.282E-01	1976	2005	1990	1	tasmax
Georgia	Normal	2.767E+02	2.264E+00	3.886E-01	1976	2005	1990	2	tasmax
Georgia	Normal	2.806E+02	2.622E+00	5.871E-01	1976	2005	1990	3	tasmax
Georgia	Normal	2.859E+02	2.821E+00	6.120E-01	1976	2005	1990	4	tasmax
Georgia	Normal	2.913E+02	2.822E+00	6.557E-01	1976	2005	1990	5	tasmax
Georgia	Normal	2.960E+02	3.075E+00	8.324E-01	1976	2005	1990	6	tasmax
Georgia	Normal	2.995E+02	4.182E+00	9.629E-01	1976	2005	1990	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Georgia	Normal	2.993E+02	4.020E+00	7.331E-01	1976	2005	1990	8	tasmax
Georgia	Normal	2.943E+02	2.974E+00	7.296E-01	1976	2005	1990	9	tasmax
Georgia	Normal	2.879E+02	2.614E+00	6.368E-01	1976	2005	1990	10	tasmax
Georgia	Normal	2.815E+02	2.551E+00	4.454E-01	1976	2005	1990	11	tasmax
Georgia	Normal	2.768E+02	2.312E+00	5.741E-01	1976	2005	1990	12	tasmax
Germany	Normal	2.763E+02	2.267E+00	4.717E-01	1976	2005	1990	1	tasmax
Germany	Normal	2.775E+02	1.981E+00	3.489E-01	1976	2005	1990	2	tasmax
Germany	Normal	2.808E+02	2.277E+00	5.505E-01	1976	2005	1990	3	tasmax
Germany	Normal	2.854E+02	2.500E+00	6.921E-01	1976	2005	1990	4	tasmax
Germany	Normal	2.902E+02	2.445E+00	6.111E-01	1976	2005	1990	5	tasmax
Germany	Normal	2.945E+02	2.486E+00	6.655E-01	1976	2005	1990	6	tasmax
Germany	Normal	2.961E+02	2.584E+00	7.579E-01	1976	2005	1990	7	tasmax
Germany	Normal	2.949E+02	2.547E+00	7.896E-01	1976	2005	1990	8	tasmax
Germany	Normal	2.910E+02	2.372E+00	7.348E-01	1976	2005	1990	9	tasmax
Germany	Normal	2.857E+02	2.243E+00	7.883E-01	1976	2005	1990	10	tasmax
Germany	Normal	2.805E+02	2.084E+00	7.043E-01	1976	2005	1990	11	tasmax
Germany	Normal	2.775E+02	2.073E+00	4.505E-01	1976	2005	1990	12	tasmax
Ghana	Normal	3.064E+02	1.656E+00	7.050E-01	1976	2005	1990	1	tasmax
Ghana	Normal	3.078E+02	1.418E+00	2.580E-01	1976	2005	1990	2	tasmax
Ghana	Normal	3.082E+02	1.517E+00	2.259E-01	1976	2005	1990	3	tasmax
Ghana	Normal	3.069E+02	1.614E+00	3.386E-01	1976	2005	1990	4	tasmax
Ghana	Normal	3.053E+02	1.790E+00	4.481E-01	1976	2005	1990	5	tasmax
Ghana	Normal	3.036E+02	1.782E+00	4.900E-01	1976	2005	1990	6	tasmax
Ghana	Normal	3.023E+02	1.701E+00	4.462E-01	1976	2005	1990	7	tasmax
Ghana	Normal	3.016E+02	1.482E+00	3.928E-01	1976	2005	1990	8	tasmax
Ghana	Normal	3.022E+02	1.567E+00	3.678E-01	1976	2005	1990	9	tasmax
Ghana	Normal	3.033E+02	1.569E+00	2.572E-01	1976	2005	1990	10	tasmax
Ghana	Normal	3.047E+02	1.603E+00	3.619E-01	1976	2005	1990	11	tasmax
Ghana	Normal	3.053E+02	1.601E+00	3.820E-01	1976	2005	1990	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Greece	Normal	2.833E+02	1.494E+00	3.688E-01	1976	2005	1990	1	tasmax
Greece	Normal	2.841E+02	1.579E+00	2.729E-01	1976	2005	1990	2	tasmax
Greece	Normal	2.865E+02	1.766E+00	5.366E-01	1976	2005	1990	3	tasmax
Greece	Normal	2.900E+02	1.681E+00	5.940E-01	1976	2005	1990	4	tasmax
Greece	Normal	2.944E+02	1.835E+00	4.398E-01	1976	2005	1990	5	tasmax
Greece	Normal	2.992E+02	2.092E+00	3.897E-01	1976	2005	1990	6	tasmax
Greece	Normal	3.028E+02	2.547E+00	8.260E-01	1976	2005	1990	7	tasmax
Greece	Normal	3.028E+02	2.422E+00	7.638E-01	1976	2005	1990	8	tasmax
Greece	Normal	2.984E+02	1.892E+00	3.619E-01	1976	2005	1990	9	tasmax
Greece	Normal	2.927E+02	1.690E+00	3.174E-01	1976	2005	1990	10	tasmax
Greece	Normal	2.878E+02	1.528E+00	3.587E-01	1976	2005	1990	11	tasmax
Greece	Normal	2.846E+02	1.414E+00	3.760E-01	1976	2005	1990	12	tasmax
Greenland	Normal	2.461E+02	4.386E+00	9.801E-01	1976	2005	1990	1	tasmax
Greenland	Normal	2.456E+02	4.627E+00	8.784E-01	1976	2005	1990	2	tasmax
Greenland	Normal	2.481E+02	3.891E+00	9.482E-01	1976	2005	1990	3	tasmax
Greenland	Normal	2.549E+02	2.529E+00	6.462E-01	1976	2005	1990	4	tasmax
Greenland	Normal	2.635E+02	1.945E+00	3.570E-01	1976	2005	1990	5	tasmax
Greenland	Normal	2.699E+02	1.889E+00	3.823E-01	1976	2005	1990	6	tasmax
Greenland	Normal	2.720E+02	1.993E+00	3.664E-01	1976	2005	1990	7	tasmax
Greenland	Normal	2.694E+02	2.159E+00	4.015E-01	1976	2005	1990	8	tasmax
Greenland	Normal	2.624E+02	2.410E+00	1.030E+00	1976	2005	1990	9	tasmax
Greenland	Normal	2.553E+02	2.922E+00	1.170E+00	1976	2005	1990	10	tasmax
Greenland	Normal	2.502E+02	3.110E+00	8.158E-01	1976	2005	1990	11	tasmax
Greenland	Normal	2.472E+02	3.805E+00	6.492E-01	1976	2005	1990	12	tasmax
Guatemala	Normal	2.998E+02	2.263E+00	3.677E-01	1976	2005	1990	1	tasmax
Guatemala	Normal	3.015E+02	2.483E+00	3.799E-01	1976	2005	1990	2	tasmax
Guatemala	Normal	3.037E+02	2.639E+00	3.969E-01	1976	2005	1990	3	tasmax
Guatemala	Normal	3.051E+02	2.482E+00	4.494E-01	1976	2005	1990	4	tasmax
Guatemala	Normal	3.048E+02	2.725E+00	5.574E-01	1976	2005	1990	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Guatemala	Normal	3.034E+02	2.646E+00	4.208E-01	1976	2005	1990	6	tasmax
Guatemala	Normal	3.033E+02	2.689E+00	3.608E-01	1976	2005	1990	7	tasmax
Guatemala	Normal	3.036E+02	2.659E+00	3.757E-01	1976	2005	1990	8	tasmax
Guatemala	Normal	3.027E+02	2.444E+00	4.492E-01	1976	2005	1990	9	tasmax
Guatemala	Normal	3.017E+02	2.353E+00	6.965E-01	1976	2005	1990	10	tasmax
Guatemala	Normal	3.007E+02	2.193E+00	5.416E-01	1976	2005	1990	11	tasmax
Guatemala	Normal	2.998E+02	2.077E+00	5.157E-01	1976	2005	1990	12	tasmax
Guinea	Normal	3.053E+02	1.967E+00	7.640E-01	1976	2005	1990	1	tasmax
Guinea	Normal	3.073E+02	1.546E+00	4.941E-01	1976	2005	1990	2	tasmax
Guinea	Normal	3.088E+02	1.525E+00	1.962E-01	1976	2005	1990	3	tasmax
Guinea	Normal	3.084E+02	1.955E+00	3.469E-01	1976	2005	1990	4	tasmax
Guinea	Normal	3.065E+02	2.256E+00	5.501E-01	1976	2005	1990	5	tasmax
Guinea	Normal	3.039E+02	2.067E+00	5.653E-01	1976	2005	1990	6	tasmax
Guinea	Normal	3.019E+02	1.880E+00	5.819E-01	1976	2005	1990	7	tasmax
Guinea	Normal	3.009E+02	1.577E+00	3.848E-01	1976	2005	1990	8	tasmax
Guinea	Normal	3.015E+02	1.501E+00	2.297E-01	1976	2005	1990	9	tasmax
Guinea	Normal	3.028E+02	1.490E+00	2.570E-01	1976	2005	1990	10	tasmax
Guinea	Normal	3.041E+02	1.572E+00	5.102E-01	1976	2005	1990	11	tasmax
Guinea	Normal	3.043E+02	1.890E+00	5.052E-01	1976	2005	1990	12	tasmax
Guinea-Bissau	Normal	3.064E+02	1.493E+00	5.297E-01	1976	2005	1990	1	tasmax
Guinea-Bissau	Normal	3.083E+02	1.560E+00	3.189E-01	1976	2005	1990	2	tasmax
Guinea-Bissau	Normal	3.099E+02	1.801E+00	5.254E-01	1976	2005	1990	3	tasmax
Guinea-Bissau	Normal	3.099E+02	2.101E+00	6.456E-01	1976	2005	1990	4	tasmax
Guinea-Bissau	Normal	3.085E+02	2.396E+00	7.554E-01	1976	2005	1990	5	tasmax
Guinea-Bissau	Normal	3.065E+02	2.489E+00	7.491E-01	1976	2005	1990	6	tasmax
Guinea-Bissau	Normal	3.047E+02	2.593E+00	5.225E-01	1976	2005	1990	7	tasmax
Guinea-Bissau	Normal	3.035E+02	2.427E+00	6.131E-01	1976	2005	1990	8	tasmax
Guinea-Bissau	Normal	3.040E+02	2.372E+00	5.081E-01	1976	2005	1990	9	tasmax
Guinea-Bissau	Normal	3.056E+02	2.491E+00	4.128E-01	1976	2005	1990	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Guinea-Bissau	Normal	3.065E+02	2.372E+00	8.785E-01	1976	2005	1990	11	tasmax
Guinea-Bissau	Normal	3.060E+02	1.804E+00	6.145E-01	1976	2005	1990	12	tasmax
Guyana	Normal	3.028E+02	2.253E+00	5.724E-01	1976	2005	1990	1	tasmax
Guyana	Normal	3.040E+02	2.285E+00	5.046E-01	1976	2005	1990	2	tasmax
Guyana	Normal	3.049E+02	2.490E+00	5.051E-01	1976	2005	1990	3	tasmax
Guyana	Normal	3.049E+02	2.336E+00	4.276E-01	1976	2005	1990	4	tasmax
Guyana	Normal	3.035E+02	2.266E+00	6.838E-01	1976	2005	1990	5	tasmax
Guyana	Normal	3.019E+02	2.608E+00	1.007E+00	1976	2005	1990	6	tasmax
Guyana	Normal	3.022E+02	2.671E+00	8.513E-01	1976	2005	1990	7	tasmax
Guyana	Normal	3.036E+02	3.050E+00	7.546E-01	1976	2005	1990	8	tasmax
Guyana	Normal	3.052E+02	3.409E+00	8.791E-01	1976	2005	1990	9	tasmax
Guyana	Normal	3.053E+02	3.219E+00	8.019E-01	1976	2005	1990	10	tasmax
Guyana	Normal	3.038E+02	2.866E+00	7.012E-01	1976	2005	1990	11	tasmax
Guyana	Normal	3.026E+02	2.439E+00	5.009E-01	1976	2005	1990	12	tasmax
Haiti	Normal	2.995E+02	1.295E+00	2.269E-01	1976	2005	1990	1	tasmax
Haiti	Normal	2.996E+02	1.474E+00	2.425E-01	1976	2005	1990	2	tasmax
Haiti	Normal	3.001E+02	1.677E+00	2.920E-01	1976	2005	1990	3	tasmax
Haiti	Normal	3.007E+02	1.783E+00	3.751E-01	1976	2005	1990	4	tasmax
Haiti	Normal	3.012E+02	1.678E+00	3.985E-01	1976	2005	1990	5	tasmax
Haiti	Normal	3.018E+02	1.670E+00	5.206E-01	1976	2005	1990	6	tasmax
Haiti	Normal	3.025E+02	1.756E+00	5.257E-01	1976	2005	1990	7	tasmax
Haiti	Normal	3.027E+02	1.676E+00	4.687E-01	1976	2005	1990	8	tasmax
Haiti	Normal	3.023E+02	1.528E+00	3.700E-01	1976	2005	1990	9	tasmax
Haiti	Normal	3.017E+02	1.426E+00	2.852E-01	1976	2005	1990	10	tasmax
Haiti	Normal	3.009E+02	1.356E+00	2.483E-01	1976	2005	1990	11	tasmax
Haiti	Normal	3.000E+02	1.266E+00	2.226E-01	1976	2005	1990	12	tasmax
Honduras	Normal	3.000E+02	1.729E+00	2.754E-01	1976	2005	1990	1	tasmax
Honduras	Normal	3.011E+02	2.023E+00	3.357E-01	1976	2005	1990	2	tasmax
Honduras	Normal	3.029E+02	2.341E+00	3.886E-01	1976	2005	1990	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Honduras	Normal	3.043E+02	2.534E+00	4.413E-01	1976	2005	1990	4	tasmax
Honduras	Normal	3.042E+02	2.197E+00	4.989E-01	1976	2005	1990	5	tasmax
Honduras	Normal	3.028E+02	1.521E+00	3.968E-01	1976	2005	1990	6	tasmax
Honduras	Normal	3.025E+02	1.798E+00	2.827E-01	1976	2005	1990	7	tasmax
Honduras	Normal	3.029E+02	2.089E+00	3.702E-01	1976	2005	1990	8	tasmax
Honduras	Normal	3.026E+02	1.887E+00	3.025E-01	1976	2005	1990	9	tasmax
Honduras	Normal	3.019E+02	1.789E+00	3.155E-01	1976	2005	1990	10	tasmax
Honduras	Normal	3.010E+02	1.708E+00	3.499E-01	1976	2005	1990	11	tasmax
Honduras	Normal	3.001E+02	1.612E+00	2.462E-01	1976	2005	1990	12	tasmax
Hungary	Normal	2.761E+02	3.247E+00	5.211E-01	1976	2005	1990	1	tasmax
Hungary	Normal	2.780E+02	3.005E+00	5.500E-01	1976	2005	1990	2	tasmax
Hungary	Normal	2.825E+02	2.884E+00	6.845E-01	1976	2005	1990	3	tasmax
Hungary	Normal	2.879E+02	2.744E+00	7.033E-01	1976	2005	1990	4	tasmax
Hungary	Normal	2.935E+02	2.489E+00	4.703E-01	1976	2005	1990	5	tasmax
Hungary	Normal	2.982E+02	2.465E+00	3.919E-01	1976	2005	1990	6	tasmax
Hungary	Normal	3.005E+02	2.644E+00	4.871E-01	1976	2005	1990	7	tasmax
Hungary	Normal	2.996E+02	2.718E+00	5.090E-01	1976	2005	1990	8	tasmax
Hungary	Normal	2.946E+02	2.757E+00	5.400E-01	1976	2005	1990	9	tasmax
Hungary	Normal	2.878E+02	2.641E+00	6.248E-01	1976	2005	1990	10	tasmax
Hungary	Normal	2.816E+02	2.596E+00	7.687E-01	1976	2005	1990	11	tasmax
Hungary	Normal	2.776E+02	2.856E+00	4.143E-01	1976	2005	1990	12	tasmax
Iceland	Normal	2.701E+02	4.019E+00	9.224E-01	1976	2005	1990	1	tasmax
Iceland	Normal	2.696E+02	4.145E+00	8.592E-01	1976	2005	1990	2	tasmax
Iceland	Normal	2.706E+02	3.995E+00	1.104E+00	1976	2005	1990	3	tasmax
Iceland	Normal	2.733E+02	2.803E+00	7.334E-01	1976	2005	1990	4	tasmax
Iceland	Normal	2.770E+02	2.250E+00	5.382E-01	1976	2005	1990	5	tasmax
Iceland	Normal	2.806E+02	2.235E+00	2.679E-01	1976	2005	1990	6	tasmax
Iceland	Normal	2.828E+02	2.077E+00	5.234E-01	1976	2005	1990	7	tasmax
Iceland	Normal	2.824E+02	1.800E+00	4.213E-01	1976	2005	1990	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Iceland	Normal	2.797E+02	1.649E+00	2.360E-01	1976	2005	1990	9	tasmax
Iceland	Normal	2.761E+02	2.004E+00	3.705E-01	1976	2005	1990	10	tasmax
Iceland	Normal	2.728E+02	2.906E+00	6.404E-01	1976	2005	1990	11	tasmax
Iceland	Normal	2.709E+02	3.639E+00	8.236E-01	1976	2005	1990	12	tasmax
India	Normal	2.953E+02	1.879E+00	3.458E-01	1976	2005	1990	1	tasmax
India	Normal	2.984E+02	1.824E+00	3.727E-01	1976	2005	1990	2	tasmax
India	Normal	3.033E+02	1.565E+00	2.523E-01	1976	2005	1990	3	tasmax
India	Normal	3.078E+02	1.318E+00	2.385E-01	1976	2005	1990	4	tasmax
India	Normal	3.101E+02	1.582E+00	3.642E-01	1976	2005	1990	5	tasmax
India	Normal	3.090E+02	2.605E+00	6.147E-01	1976	2005	1990	6	tasmax
India	Normal	3.057E+02	3.352E+00	1.173E+00	1976	2005	1990	7	tasmax
India	Normal	3.043E+02	2.817E+00	8.613E-01	1976	2005	1990	8	tasmax
India	Normal	3.044E+02	2.911E+00	6.916E-01	1976	2005	1990	9	tasmax
India	Normal	3.028E+02	2.446E+00	4.723E-01	1976	2005	1990	10	tasmax
India	Normal	2.990E+02	2.130E+00	3.623E-01	1976	2005	1990	11	tasmax
India	Normal	2.954E+02	1.947E+00	4.440E-01	1976	2005	1990	12	tasmax
Indonesia	Normal	3.012E+02	1.097E+00	3.401E-01	1976	2005	1990	1	tasmax
Indonesia	Normal	3.013E+02	1.161E+00	3.466E-01	1976	2005	1990	2	tasmax
Indonesia	Normal	3.016E+02	1.139E+00	3.940E-01	1976	2005	1990	3	tasmax
Indonesia	Normal	3.016E+02	1.099E+00	3.741E-01	1976	2005	1990	4	tasmax
Indonesia	Normal	3.015E+02	1.019E+00	3.447E-01	1976	2005	1990	5	tasmax
Indonesia	Normal	3.012E+02	9.855E-01	3.108E-01	1976	2005	1990	6	tasmax
Indonesia	Normal	3.010E+02	9.909E-01	2.812E-01	1976	2005	1990	7	tasmax
Indonesia	Normal	3.011E+02	1.054E+00	3.050E-01	1976	2005	1990	8	tasmax
Indonesia	Normal	3.015E+02	1.145E+00	3.436E-01	1976	2005	1990	9	tasmax
Indonesia	Normal	3.018E+02	1.211E+00	3.697E-01	1976	2005	1990	10	tasmax
Indonesia	Normal	3.018E+02	1.226E+00	3.849E-01	1976	2005	1990	11	tasmax
Indonesia	Normal	3.014E+02	1.117E+00	3.590E-01	1976	2005	1990	12	tasmax
Iran	Normal	2.826E+02	2.809E+00	6.762E-01	1976	2005	1990	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Iran	Normal	2.855E+02	2.981E+00	6.494E-01	1976	2005	1990	2	tasmax
Iran	Normal	2.906E+02	3.112E+00	7.935E-01	1976	2005	1990	3	tasmax
Iran	Normal	2.962E+02	2.939E+00	5.785E-01	1976	2005	1990	4	tasmax
Iran	Normal	3.019E+02	2.887E+00	4.661E-01	1976	2005	1990	5	tasmax
Iran	Normal	3.078E+02	2.614E+00	4.611E-01	1976	2005	1990	6	tasmax
Iran	Normal	3.104E+02	2.628E+00	4.702E-01	1976	2005	1990	7	tasmax
Iran	Normal	3.093E+02	2.619E+00	5.144E-01	1976	2005	1990	8	tasmax
Iran	Normal	3.047E+02	2.640E+00	6.306E-01	1976	2005	1990	9	tasmax
Iran	Normal	2.976E+02	2.765E+00	5.529E-01	1976	2005	1990	10	tasmax
Iran	Normal	2.894E+02	2.848E+00	5.974E-01	1976	2005	1990	11	tasmax
Iran	Normal	2.836E+02	2.804E+00	5.797E-01	1976	2005	1990	12	tasmax
Iraq	Normal	2.859E+02	3.204E+00	6.398E-01	1976	2005	1990	1	tasmax
Iraq	Normal	2.891E+02	3.303E+00	5.790E-01	1976	2005	1990	2	tasmax
Iraq	Normal	2.945E+02	3.338E+00	7.209E-01	1976	2005	1990	3	tasmax
Iraq	Normal	2.999E+02	3.288E+00	7.592E-01	1976	2005	1990	4	tasmax
Iraq	Normal	3.057E+02	3.034E+00	6.791E-01	1976	2005	1990	5	tasmax
Iraq	Normal	3.121E+02	2.546E+00	4.812E-01	1976	2005	1990	6	tasmax
Iraq	Normal	3.153E+02	2.482E+00	5.808E-01	1976	2005	1990	7	tasmax
Iraq	Normal	3.147E+02	2.677E+00	4.388E-01	1976	2005	1990	8	tasmax
Iraq	Normal	3.100E+02	2.656E+00	3.646E-01	1976	2005	1990	9	tasmax
Iraq	Normal	3.020E+02	3.119E+00	5.392E-01	1976	2005	1990	10	tasmax
Iraq	Normal	2.930E+02	3.254E+00	5.739E-01	1976	2005	1990	11	tasmax
Iraq	Normal	2.868E+02	3.135E+00	5.247E-01	1976	2005	1990	12	tasmax
Ireland	Normal	2.811E+02	1.168E+00	3.357E-01	1976	2005	1990	1	tasmax
Ireland	Normal	2.812E+02	1.102E+00	2.899E-01	1976	2005	1990	2	tasmax
Ireland	Normal	2.820E+02	1.258E+00	3.729E-01	1976	2005	1990	3	tasmax
Ireland	Normal	2.839E+02	1.509E+00	3.071E-01	1976	2005	1990	4	tasmax
Ireland	Normal	2.866E+02	1.729E+00	3.342E-01	1976	2005	1990	5	tasmax
Ireland	Normal	2.894E+02	2.072E+00	4.882E-01	1976	2005	1990	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Ireland	Normal	2.910E+02	2.163E+00	6.240E-01	1976	2005	1990	7	tasmax
Ireland	Normal	2.907E+02	1.729E+00	3.941E-01	1976	2005	1990	8	tasmax
Ireland	Normal	2.888E+02	1.356E+00	3.219E-01	1976	2005	1990	9	tasmax
Ireland	Normal	2.859E+02	1.092E+00	2.492E-01	1976	2005	1990	10	tasmax
Ireland	Normal	2.832E+02	1.134E+00	2.754E-01	1976	2005	1990	11	tasmax
Ireland	Normal	2.817E+02	1.164E+00	3.358E-01	1976	2005	1990	12	tasmax
Israel	Normal	2.882E+02	2.152E+00	3.664E-01	1976	2005	1990	1	tasmax
Israel	Normal	2.898E+02	2.313E+00	4.605E-01	1976	2005	1990	2	tasmax
Israel	Normal	2.931E+02	2.930E+00	8.137E-01	1976	2005	1990	3	tasmax
Israel	Normal	2.968E+02	3.201E+00	9.993E-01	1976	2005	1990	4	tasmax
Israel	Normal	3.008E+02	3.248E+00	8.381E-01	1976	2005	1990	5	tasmax
Israel	Normal	3.046E+02	3.048E+00	5.707E-01	1976	2005	1990	6	tasmax
Israel	Normal	3.067E+02	3.184E+00	8.637E-01	1976	2005	1990	7	tasmax
Israel	Normal	3.067E+02	3.246E+00	9.561E-01	1976	2005	1990	8	tasmax
Israel	Normal	3.041E+02	2.718E+00	7.346E-01	1976	2005	1990	9	tasmax
Israel	Normal	2.995E+02	2.255E+00	4.071E-01	1976	2005	1990	10	tasmax
Israel	Normal	2.937E+02	2.251E+00	3.570E-01	1976	2005	1990	11	tasmax
Israel	Normal	2.893E+02	2.035E+00	3.929E-01	1976	2005	1990	12	tasmax
Italy	Normal	2.817E+02	1.365E+00	2.360E-01	1976	2005	1990	1	tasmax
Italy	Normal	2.825E+02	1.281E+00	2.287E-01	1976	2005	1990	2	tasmax
Italy	Normal	2.849E+02	1.363E+00	2.849E-01	1976	2005	1990	3	tasmax
Italy	Normal	2.881E+02	1.458E+00	3.600E-01	1976	2005	1990	4	tasmax
Italy	Normal	2.922E+02	1.719E+00	4.948E-01	1976	2005	1990	5	tasmax
Italy	Normal	2.968E+02	1.876E+00	3.137E-01	1976	2005	1990	6	tasmax
Italy	Normal	3.000E+02	1.971E+00	3.411E-01	1976	2005	1990	7	tasmax
Italy	Normal	2.996E+02	1.866E+00	4.020E-01	1976	2005	1990	8	tasmax
Italy	Normal	2.955E+02	1.749E+00	3.402E-01	1976	2005	1990	9	tasmax
Italy	Normal	2.903E+02	1.558E+00	3.756E-01	1976	2005	1990	10	tasmax
Italy	Normal	2.859E+02	1.359E+00	3.206E-01	1976	2005	1990	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Italy	Normal	2.829E+02	1.249E+00	1.798E-01	1976	2005	1990	12	tasmax
Jamaica	Normal	2.990E+02	7.629E-01	2.114E-01	1976	2005	1990	1	tasmax
Jamaica	Normal	2.988E+02	8.331E-01	1.989E-01	1976	2005	1990	2	tasmax
Jamaica	Normal	2.990E+02	9.287E-01	1.997E-01	1976	2005	1990	3	tasmax
Jamaica	Normal	2.994E+02	1.013E+00	2.257E-01	1976	2005	1990	4	tasmax
Jamaica	Normal	3.001E+02	9.631E-01	2.536E-01	1976	2005	1990	5	tasmax
Jamaica	Normal	3.006E+02	8.164E-01	2.995E-01	1976	2005	1990	6	tasmax
Jamaica	Normal	3.011E+02	7.840E-01	2.983E-01	1976	2005	1990	7	tasmax
Jamaica	Normal	3.014E+02	7.601E-01	3.023E-01	1976	2005	1990	8	tasmax
Jamaica	Normal	3.013E+02	7.097E-01	2.812E-01	1976	2005	1990	9	tasmax
Jamaica	Normal	3.010E+02	7.064E-01	2.664E-01	1976	2005	1990	10	tasmax
Jamaica	Normal	3.004E+02	7.454E-01	2.444E-01	1976	2005	1990	11	tasmax
Jamaica	Normal	2.997E+02	7.467E-01	2.396E-01	1976	2005	1990	12	tasmax
Japan	Normal	2.776E+02	2.471E+00	5.361E-01	1976	2005	1990	1	tasmax
Japan	Normal	2.778E+02	2.648E+00	5.352E-01	1976	2005	1990	2	tasmax
Japan	Normal	2.811E+02	2.223E+00	3.832E-01	1976	2005	1990	3	tasmax
Japan	Normal	2.861E+02	2.030E+00	3.301E-01	1976	2005	1990	4	tasmax
Japan	Normal	2.909E+02	2.162E+00	3.949E-01	1976	2005	1990	5	tasmax
Japan	Normal	2.945E+02	2.067E+00	3.641E-01	1976	2005	1990	6	tasmax
Japan	Normal	2.975E+02	1.888E+00	3.009E-01	1976	2005	1990	7	tasmax
Japan	Normal	2.985E+02	1.841E+00	4.205E-01	1976	2005	1990	8	tasmax
Japan	Normal	2.959E+02	2.243E+00	2.931E-01	1976	2005	1990	9	tasmax
Japan	Normal	2.906E+02	2.088E+00	3.821E-01	1976	2005	1990	10	tasmax
Japan	Normal	2.851E+02	2.199E+00	5.066E-01	1976	2005	1990	11	tasmax
Japan	Normal	2.803E+02	2.495E+00	5.192E-01	1976	2005	1990	12	tasmax
Jordan	Normal	2.868E+02	2.624E+00	4.781E-01	1976	2005	1990	1	tasmax
Jordan	Normal	2.892E+02	2.766E+00	4.572E-01	1976	2005	1990	2	tasmax
Jordan	Normal	2.935E+02	3.168E+00	7.270E-01	1976	2005	1990	3	tasmax
Jordan	Normal	2.980E+02	3.140E+00	9.046E-01	1976	2005	1990	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Jordan	Normal	3.027E+02	3.002E+00	6.521E-01	1976	2005	1990	5	tasmax
Jordan	Normal	3.075E+02	2.826E+00	4.738E-01	1976	2005	1990	6	tasmax
Jordan	Normal	3.101E+02	3.333E+00	6.253E-01	1976	2005	1990	7	tasmax
Jordan	Normal	3.100E+02	3.527E+00	7.935E-01	1976	2005	1990	8	tasmax
Jordan	Normal	3.064E+02	2.990E+00	6.026E-01	1976	2005	1990	9	tasmax
Jordan	Normal	3.001E+02	2.693E+00	3.706E-01	1976	2005	1990	10	tasmax
Jordan	Normal	2.928E+02	2.693E+00	5.920E-01	1976	2005	1990	11	tasmax
Jordan	Normal	2.876E+02	2.456E+00	5.502E-01	1976	2005	1990	12	tasmax
Kazakhstan	Normal	2.687E+02	3.783E+00	7.490E-01	1976	2005	1990	1	tasmax
Kazakhstan	Normal	2.708E+02	3.646E+00	8.152E-01	1976	2005	1990	2	tasmax
Kazakhstan	Normal	2.772E+02	3.808E+00	1.079E+00	1976	2005	1990	3	tasmax
Kazakhstan	Normal	2.871E+02	3.312E+00	1.161E+00	1976	2005	1990	4	tasmax
Kazakhstan	Normal	2.958E+02	2.676E+00	6.230E-01	1976	2005	1990	5	tasmax
Kazakhstan	Normal	3.020E+02	2.714E+00	4.763E-01	1976	2005	1990	6	tasmax
Kazakhstan	Normal	3.046E+02	2.860E+00	4.844E-01	1976	2005	1990	7	tasmax
Kazakhstan	Normal	3.023E+02	2.644E+00	5.157E-01	1976	2005	1990	8	tasmax
Kazakhstan	Normal	2.953E+02	2.572E+00	6.712E-01	1976	2005	1990	9	tasmax
Kazakhstan	Normal	2.858E+02	2.817E+00	9.576E-01	1976	2005	1990	10	tasmax
Kazakhstan	Normal	2.768E+02	2.803E+00	8.443E-01	1976	2005	1990	11	tasmax
Kazakhstan	Normal	2.710E+02	3.401E+00	6.361E-01	1976	2005	1990	12	tasmax
Kenya	Normal	3.034E+02	1.708E+00	2.581E-01	1976	2005	1990	1	tasmax
Kenya	Normal	3.048E+02	1.521E+00	2.039E-01	1976	2005	1990	2	tasmax
Kenya	Normal	3.056E+02	1.474E+00	2.442E-01	1976	2005	1990	3	tasmax
Kenya	Normal	3.049E+02	1.260E+00	2.428E-01	1976	2005	1990	4	tasmax
Kenya	Normal	3.034E+02	1.383E+00	2.037E-01	1976	2005	1990	5	tasmax
Kenya	Normal	3.022E+02	1.485E+00	2.995E-01	1976	2005	1990	6	tasmax
Kenya	Normal	3.017E+02	1.516E+00	4.049E-01	1976	2005	1990	7	tasmax
Kenya	Normal	3.021E+02	1.516E+00	3.862E-01	1976	2005	1990	8	tasmax
Kenya	Normal	3.028E+02	1.452E+00	3.232E-01	1976	2005	1990	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Kenya	Normal	3.021E+02	1.835E+00	4.934E-01	1976	2005	1990	10	tasmax
Kenya	Normal	3.013E+02	1.972E+00	2.980E-01	1976	2005	1990	11	tasmax
Kenya	Normal	3.019E+02	1.925E+00	3.322E-01	1976	2005	1990	12	tasmax
Kuwait	Normal	2.904E+02	3.881E+00	7.336E-01	1976	2005	1990	1	tasmax
Kuwait	Normal	2.936E+02	4.050E+00	6.240E-01	1976	2005	1990	2	tasmax
Kuwait	Normal	2.988E+02	4.018E+00	8.813E-01	1976	2005	1990	3	tasmax
Kuwait	Normal	3.041E+02	4.023E+00	1.024E+00	1976	2005	1990	4	tasmax
Kuwait	Normal	3.096E+02	3.946E+00	9.814E-01	1976	2005	1990	5	tasmax
Kuwait	Normal	3.155E+02	3.750E+00	7.736E-01	1976	2005	1990	6	tasmax
Kuwait	Normal	3.178E+02	3.789E+00	7.313E-01	1976	2005	1990	7	tasmax
Kuwait	Normal	3.171E+02	3.940E+00	7.006E-01	1976	2005	1990	8	tasmax
Kuwait	Normal	3.133E+02	3.819E+00	6.009E-01	1976	2005	1990	9	tasmax
Kuwait	Normal	3.063E+02	3.707E+00	6.028E-01	1976	2005	1990	10	tasmax
Kuwait	Normal	2.975E+02	3.680E+00	6.888E-01	1976	2005	1990	11	tasmax
Kuwait	Normal	2.913E+02	3.621E+00	6.525E-01	1976	2005	1990	12	tasmax
Kyrgyzstan	Normal	2.675E+02	2.471E+00	5.664E-01	1976	2005	1990	1	tasmax
Kyrgyzstan	Normal	2.695E+02	2.451E+00	4.938E-01	1976	2005	1990	2	tasmax
Kyrgyzstan	Normal	2.744E+02	2.519E+00	5.185E-01	1976	2005	1990	3	tasmax
Kyrgyzstan	Normal	2.811E+02	2.572E+00	4.789E-01	1976	2005	1990	4	tasmax
Kyrgyzstan	Normal	2.875E+02	2.575E+00	4.602E-01	1976	2005	1990	5	tasmax
Kyrgyzstan	Normal	2.927E+02	2.875E+00	4.410E-01	1976	2005	1990	6	tasmax
Kyrgyzstan	Normal	2.960E+02	3.103E+00	4.399E-01	1976	2005	1990	7	tasmax
Kyrgyzstan	Normal	2.954E+02	3.057E+00	3.939E-01	1976	2005	1990	8	tasmax
Kyrgyzstan	Normal	2.900E+02	2.822E+00	6.376E-01	1976	2005	1990	9	tasmax
Kyrgyzstan	Normal	2.820E+02	2.416E+00	4.395E-01	1976	2005	1990	10	tasmax
Kyrgyzstan	Normal	2.747E+02	2.379E+00	4.328E-01	1976	2005	1990	11	tasmax
Kyrgyzstan	Normal	2.691E+02	2.638E+00	5.548E-01	1976	2005	1990	12	tasmax
Laos	Normal	2.946E+02	1.976E+00	5.199E-01	1976	2005	1990	1	tasmax
Laos	Normal	2.983E+02	2.303E+00	3.850E-01	1976	2005	1990	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Laos	Normal	3.030E+02	2.557E+00	5.931E-01	1976	2005	1990	3	tasmax
Laos	Normal	3.065E+02	2.818E+00	4.525E-01	1976	2005	1990	4	tasmax
Laos	Normal	3.059E+02	2.938E+00	7.852E-01	1976	2005	1990	5	tasmax
Laos	Normal	3.031E+02	2.334E+00	8.337E-01	1976	2005	1990	6	tasmax
Laos	Normal	3.017E+02	1.705E+00	3.347E-01	1976	2005	1990	7	tasmax
Laos	Normal	3.014E+02	1.462E+00	3.641E-01	1976	2005	1990	8	tasmax
Laos	Normal	3.007E+02	1.455E+00	5.253E-01	1976	2005	1990	9	tasmax
Laos	Normal	2.993E+02	1.472E+00	5.745E-01	1976	2005	1990	10	tasmax
Laos	Normal	2.969E+02	1.476E+00	4.213E-01	1976	2005	1990	11	tasmax
Laos	Normal	2.942E+02	1.654E+00	5.571E-01	1976	2005	1990	12	tasmax
Latvia	Normal	2.702E+02	3.264E+00	7.682E-01	1976	2005	1990	1	tasmax
Latvia	Normal	2.713E+02	2.598E+00	6.774E-01	1976	2005	1990	2	tasmax
Latvia	Normal	2.752E+02	2.491E+00	4.862E-01	1976	2005	1990	3	tasmax
Latvia	Normal	2.820E+02	2.848E+00	5.378E-01	1976	2005	1990	4	tasmax
Latvia	Normal	2.893E+02	2.698E+00	6.869E-01	1976	2005	1990	5	tasmax
Latvia	Normal	2.942E+02	2.924E+00	7.114E-01	1976	2005	1990	6	tasmax
Latvia	Normal	2.959E+02	3.380E+00	8.016E-01	1976	2005	1990	7	tasmax
Latvia	Normal	2.941E+02	3.336E+00	7.343E-01	1976	2005	1990	8	tasmax
Latvia	Normal	2.888E+02	2.778E+00	7.219E-01	1976	2005	1990	9	tasmax
Latvia	Normal	2.824E+02	2.230E+00	4.899E-01	1976	2005	1990	10	tasmax
Latvia	Normal	2.763E+02	2.265E+00	4.291E-01	1976	2005	1990	11	tasmax
Latvia	Normal	2.724E+02	2.842E+00	4.374E-01	1976	2005	1990	12	tasmax
Lebanon	Normal	2.860E+02	2.171E+00	4.059E-01	1976	2005	1990	1	tasmax
Lebanon	Normal	2.874E+02	2.314E+00	4.893E-01	1976	2005	1990	2	tasmax
Lebanon	Normal	2.904E+02	2.560E+00	9.526E-01	1976	2005	1990	3	tasmax
Lebanon	Normal	2.940E+02	2.891E+00	1.352E+00	1976	2005	1990	4	tasmax
Lebanon	Normal	2.983E+02	3.098E+00	1.302E+00	1976	2005	1990	5	tasmax
Lebanon	Normal	3.028E+02	3.383E+00	1.031E+00	1976	2005	1990	6	tasmax
Lebanon	Normal	3.055E+02	4.071E+00	9.125E-01	1976	2005	1990	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Lebanon	Normal	3.059E+02	4.004E+00	7.988E-01	1976	2005	1990	8	tasmax
Lebanon	Normal	3.031E+02	2.890E+00	6.600E-01	1976	2005	1990	9	tasmax
Lebanon	Normal	2.978E+02	2.307E+00	4.461E-01	1976	2005	1990	10	tasmax
Lebanon	Normal	2.917E+02	2.350E+00	5.470E-01	1976	2005	1990	11	tasmax
Lebanon	Normal	2.873E+02	2.161E+00	3.323E-01	1976	2005	1990	12	tasmax
Lesotho	Normal	2.965E+02	2.712E+00	6.313E-01	1976	2005	1990	1	tasmax
Lesotho	Normal	2.960E+02	2.492E+00	6.522E-01	1976	2005	1990	2	tasmax
Lesotho	Normal	2.950E+02	2.394E+00	7.397E-01	1976	2005	1990	3	tasmax
Lesotho	Normal	2.928E+02	2.412E+00	7.131E-01	1976	2005	1990	4	tasmax
Lesotho	Normal	2.890E+02	2.140E+00	5.164E-01	1976	2005	1990	5	tasmax
Lesotho	Normal	2.861E+02	1.998E+00	3.208E-01	1976	2005	1990	6	tasmax
Lesotho	Normal	2.863E+02	1.969E+00	4.247E-01	1976	2005	1990	7	tasmax
Lesotho	Normal	2.890E+02	2.507E+00	6.671E-01	1976	2005	1990	8	tasmax
Lesotho	Normal	2.924E+02	2.784E+00	1.095E+00	1976	2005	1990	9	tasmax
Lesotho	Normal	2.942E+02	2.968E+00	1.250E+00	1976	2005	1990	10	tasmax
Lesotho	Normal	2.952E+02	2.913E+00	8.748E-01	1976	2005	1990	11	tasmax
Lesotho	Normal	2.962E+02	2.765E+00	6.988E-01	1976	2005	1990	12	tasmax
Liberia	Normal	3.028E+02	1.520E+00	2.963E-01	1976	2005	1990	1	tasmax
Liberia	Normal	3.036E+02	1.259E+00	2.991E-01	1976	2005	1990	2	tasmax
Liberia	Normal	3.037E+02	1.402E+00	2.830E-01	1976	2005	1990	3	tasmax
Liberia	Normal	3.032E+02	1.469E+00	2.967E-01	1976	2005	1990	4	tasmax
Liberia	Normal	3.022E+02	1.414E+00	3.803E-01	1976	2005	1990	5	tasmax
Liberia	Normal	3.009E+02	1.110E+00	4.050E-01	1976	2005	1990	6	tasmax
Liberia	Normal	2.999E+02	1.261E+00	4.731E-01	1976	2005	1990	7	tasmax
Liberia	Normal	2.995E+02	1.406E+00	4.659E-01	1976	2005	1990	8	tasmax
Liberia	Normal	2.999E+02	1.437E+00	3.976E-01	1976	2005	1990	9	tasmax
Liberia	Normal	3.006E+02	1.230E+00	3.182E-01	1976	2005	1990	10	tasmax
Liberia	Normal	3.015E+02	1.061E+00	2.077E-01	1976	2005	1990	11	tasmax
Liberia	Normal	3.020E+02	1.219E+00	2.322E-01	1976	2005	1990	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Libya	Normal	2.907E+02	2.330E+00	5.949E-01	1976	2005	1990	1	tasmax
Libya	Normal	2.933E+02	2.651E+00	7.883E-01	1976	2005	1990	2	tasmax
Libya	Normal	2.977E+02	3.093E+00	9.883E-01	1976	2005	1990	3	tasmax
Libya	Normal	3.021E+02	2.830E+00	1.025E+00	1976	2005	1990	4	tasmax
Libya	Normal	3.060E+02	2.713E+00	8.718E-01	1976	2005	1990	5	tasmax
Libya	Normal	3.093E+02	2.542E+00	8.332E-01	1976	2005	1990	6	tasmax
Libya	Normal	3.103E+02	2.887E+00	5.189E-01	1976	2005	1990	7	tasmax
Libya	Normal	3.091E+02	2.606E+00	4.025E-01	1976	2005	1990	8	tasmax
Libya	Normal	3.062E+02	2.435E+00	4.473E-01	1976	2005	1990	9	tasmax
Libya	Normal	3.016E+02	2.400E+00	5.030E-01	1976	2005	1990	10	tasmax
Libya	Normal	2.957E+02	2.209E+00	4.228E-01	1976	2005	1990	11	tasmax
Libya	Normal	2.912E+02	2.064E+00	4.501E-01	1976	2005	1990	12	tasmax
Liechtenstein	Normal	2.741E+02	2.324E+00	5.996E-01	1976	2005	1990	1	tasmax
Liechtenstein	Normal	2.752E+02	2.281E+00	5.069E-01	1976	2005	1990	2	tasmax
Liechtenstein	Normal	2.781E+02	2.450E+00	5.054E-01	1976	2005	1990	3	tasmax
Liechtenstein	Normal	2.824E+02	2.921E+00	1.187E+00	1976	2005	1990	4	tasmax
Liechtenstein	Normal	2.873E+02	3.264E+00	1.606E+00	1976	2005	1990	5	tasmax
Liechtenstein	Normal	2.917E+02	3.806E+00	1.886E+00	1976	2005	1990	6	tasmax
Liechtenstein	Normal	2.939E+02	3.428E+00	9.176E-01	1976	2005	1990	7	tasmax
Liechtenstein	Normal	2.931E+02	2.666E+00	5.988E-01	1976	2005	1990	8	tasmax
Liechtenstein	Normal	2.891E+02	2.325E+00	4.765E-01	1976	2005	1990	9	tasmax
Liechtenstein	Normal	2.837E+02	2.017E+00	4.109E-01	1976	2005	1990	10	tasmax
Liechtenstein	Normal	2.786E+02	2.080E+00	5.130E-01	1976	2005	1990	11	tasmax
Liechtenstein	Normal	2.753E+02	2.293E+00	5.329E-01	1976	2005	1990	12	tasmax
Lithuania	Normal	2.713E+02	2.957E+00	5.041E-01	1976	2005	1990	1	tasmax
Lithuania	Normal	2.725E+02	2.353E+00	6.148E-01	1976	2005	1990	2	tasmax
Lithuania	Normal	2.765E+02	2.305E+00	4.260E-01	1976	2005	1990	3	tasmax
Lithuania	Normal	2.835E+02	2.704E+00	6.183E-01	1976	2005	1990	4	tasmax
Lithuania	Normal	2.906E+02	2.449E+00	6.624E-01	1976	2005	1990	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Lithuania	Normal	2.954E+02	2.824E+00	6.686E-01	1976	2005	1990	6	tasmax
Lithuania	Normal	2.970E+02	3.251E+00	9.381E-01	1976	2005	1990	7	tasmax
Lithuania	Normal	2.952E+02	3.188E+00	9.315E-01	1976	2005	1990	8	tasmax
Lithuania	Normal	2.898E+02	2.673E+00	8.469E-01	1976	2005	1990	9	tasmax
Lithuania	Normal	2.833E+02	2.179E+00	6.217E-01	1976	2005	1990	10	tasmax
Lithuania	Normal	2.771E+02	2.213E+00	5.619E-01	1976	2005	1990	11	tasmax
Lithuania	Normal	2.733E+02	2.703E+00	3.570E-01	1976	2005	1990	12	tasmax
Luxembourg	Normal	2.780E+02	1.834E+00	3.711E-01	1976	2005	1990	1	tasmax
Luxembourg	Normal	2.791E+02	1.699E+00	3.971E-01	1976	2005	1990	2	tasmax
Luxembourg	Normal	2.823E+02	2.100E+00	3.972E-01	1976	2005	1990	3	tasmax
Luxembourg	Normal	2.863E+02	2.439E+00	6.923E-01	1976	2005	1990	4	tasmax
Luxembourg	Normal	2.907E+02	2.537E+00	5.759E-01	1976	2005	1990	5	tasmax
Luxembourg	Normal	2.948E+02	2.779E+00	7.005E-01	1976	2005	1990	6	tasmax
Luxembourg	Normal	2.966E+02	2.793E+00	6.056E-01	1976	2005	1990	7	tasmax
Luxembourg	Normal	2.956E+02	2.732E+00	7.920E-01	1976	2005	1990	8	tasmax
Luxembourg	Normal	2.919E+02	2.518E+00	6.219E-01	1976	2005	1990	9	tasmax
Luxembourg	Normal	2.866E+02	2.308E+00	7.758E-01	1976	2005	1990	10	tasmax
Luxembourg	Normal	2.817E+02	1.874E+00	6.156E-01	1976	2005	1990	11	tasmax
Luxembourg	Normal	2.789E+02	1.651E+00	3.636E-01	1976	2005	1990	12	tasmax
Macedonia	Normal	2.790E+02	2.031E+00	2.927E-01	1976	2005	1990	1	tasmax
Macedonia	Normal	2.805E+02	1.936E+00	3.046E-01	1976	2005	1990	2	tasmax
Macedonia	Normal	2.840E+02	2.097E+00	5.017E-01	1976	2005	1990	3	tasmax
Macedonia	Normal	2.885E+02	2.039E+00	5.390E-01	1976	2005	1990	4	tasmax
Macedonia	Normal	2.934E+02	2.195E+00	5.703E-01	1976	2005	1990	5	tasmax
Macedonia	Normal	2.982E+02	2.805E+00	6.617E-01	1976	2005	1990	6	tasmax
Macedonia	Normal	3.017E+02	3.451E+00	5.596E-01	1976	2005	1990	7	tasmax
Macedonia	Normal	3.015E+02	3.246E+00	7.921E-01	1976	2005	1990	8	tasmax
Macedonia	Normal	2.965E+02	2.323E+00	7.021E-01	1976	2005	1990	9	tasmax
Macedonia	Normal	2.897E+02	2.156E+00	4.064E-01	1976	2005	1990	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Macedonia	Normal	2.839E+02	2.080E+00	3.623E-01	1976	2005	1990	11	tasmax
Macedonia	Normal	2.803E+02	2.061E+00	4.086E-01	1976	2005	1990	12	tasmax
Madagascar	Normal	3.015E+02	1.600E+00	5.777E-01	1976	2005	1990	1	tasmax
Madagascar	Normal	3.014E+02	1.538E+00	5.830E-01	1976	2005	1990	2	tasmax
Madagascar	Normal	3.012E+02	1.247E+00	4.307E-01	1976	2005	1990	3	tasmax
Madagascar	Normal	3.003E+02	1.094E+00	3.297E-01	1976	2005	1990	4	tasmax
Madagascar	Normal	2.988E+02	9.932E-01	2.762E-01	1976	2005	1990	5	tasmax
Madagascar	Normal	2.972E+02	1.011E+00	2.575E-01	1976	2005	1990	6	tasmax
Madagascar	Normal	2.968E+02	1.146E+00	3.091E-01	1976	2005	1990	7	tasmax
Madagascar	Normal	2.979E+02	1.297E+00	3.565E-01	1976	2005	1990	8	tasmax
Madagascar	Normal	2.999E+02	1.376E+00	3.149E-01	1976	2005	1990	9	tasmax
Madagascar	Normal	3.018E+02	1.482E+00	2.745E-01	1976	2005	1990	10	tasmax
Madagascar	Normal	3.023E+02	1.423E+00	4.714E-01	1976	2005	1990	11	tasmax
Madagascar	Normal	3.018E+02	1.360E+00	4.854E-01	1976	2005	1990	12	tasmax
Malawi	Normal	3.006E+02	1.723E+00	3.350E-01	1976	2005	1990	1	tasmax
Malawi	Normal	3.004E+02	1.452E+00	2.826E-01	1976	2005	1990	2	tasmax
Malawi	Normal	2.999E+02	1.278E+00	2.724E-01	1976	2005	1990	3	tasmax
Malawi	Normal	2.989E+02	1.411E+00	2.206E-01	1976	2005	1990	4	tasmax
Malawi	Normal	2.974E+02	1.524E+00	2.641E-01	1976	2005	1990	5	tasmax
Malawi	Normal	2.961E+02	1.801E+00	3.965E-01	1976	2005	1990	6	tasmax
Malawi	Normal	2.960E+02	2.121E+00	4.097E-01	1976	2005	1990	7	tasmax
Malawi	Normal	2.984E+02	2.264E+00	4.409E-01	1976	2005	1990	8	tasmax
Malawi	Normal	3.018E+02	1.933E+00	2.920E-01	1976	2005	1990	9	tasmax
Malawi	Normal	3.045E+02	1.558E+00	2.815E-01	1976	2005	1990	10	tasmax
Malawi	Normal	3.041E+02	1.790E+00	5.081E-01	1976	2005	1990	11	tasmax
Malawi	Normal	3.018E+02	2.175E+00	5.701E-01	1976	2005	1990	12	tasmax
Malaysia	Normal	3.004E+02	1.324E+00	3.254E-01	1976	2005	1990	1	tasmax
Malaysia	Normal	3.009E+02	1.496E+00	2.919E-01	1976	2005	1990	2	tasmax
Malaysia	Normal	3.017E+02	1.552E+00	3.058E-01	1976	2005	1990	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Malaysia	Normal	3.022E+02	1.496E+00	3.884E-01	1976	2005	1990	4	tasmax
Malaysia	Normal	3.021E+02	1.308E+00	3.672E-01	1976	2005	1990	5	tasmax
Malaysia	Normal	3.020E+02	1.205E+00	3.189E-01	1976	2005	1990	6	tasmax
Malaysia	Normal	3.017E+02	1.190E+00	3.239E-01	1976	2005	1990	7	tasmax
Malaysia	Normal	3.017E+02	1.243E+00	3.246E-01	1976	2005	1990	8	tasmax
Malaysia	Normal	3.016E+02	1.217E+00	3.033E-01	1976	2005	1990	9	tasmax
Malaysia	Normal	3.014E+02	1.098E+00	3.872E-01	1976	2005	1990	10	tasmax
Malaysia	Normal	3.012E+02	1.088E+00	3.497E-01	1976	2005	1990	11	tasmax
Malaysia	Normal	3.007E+02	1.167E+00	3.133E-01	1976	2005	1990	12	tasmax
Mali	Normal	3.011E+02	2.095E+00	5.121E-01	1976	2005	1990	1	tasmax
Mali	Normal	3.040E+02	2.053E+00	5.539E-01	1976	2005	1990	2	tasmax
Mali	Normal	3.081E+02	1.922E+00	3.481E-01	1976	2005	1990	3	tasmax
Mali	Normal	3.111E+02	1.792E+00	5.022E-01	1976	2005	1990	4	tasmax
Mali	Normal	3.123E+02	1.926E+00	4.552E-01	1976	2005	1990	5	tasmax
Mali	Normal	3.125E+02	2.343E+00	3.846E-01	1976	2005	1990	6	tasmax
Mali	Normal	3.120E+02	2.640E+00	4.868E-01	1976	2005	1990	7	tasmax
Mali	Normal	3.108E+02	2.632E+00	7.216E-01	1976	2005	1990	8	tasmax
Mali	Normal	3.103E+02	2.483E+00	6.775E-01	1976	2005	1990	9	tasmax
Mali	Normal	3.089E+02	2.284E+00	7.228E-01	1976	2005	1990	10	tasmax
Mali	Normal	3.051E+02	2.195E+00	3.706E-01	1976	2005	1990	11	tasmax
Mali	Normal	3.013E+02	1.993E+00	5.224E-01	1976	2005	1990	12	tasmax
Mauritania	Normal	2.988E+02	2.238E+00	5.655E-01	1976	2005	1990	1	tasmax
Mauritania	Normal	3.017E+02	2.327E+00	4.460E-01	1976	2005	1990	2	tasmax
Mauritania	Normal	3.057E+02	2.307E+00	5.103E-01	1976	2005	1990	3	tasmax
Mauritania	Normal	3.089E+02	2.449E+00	5.519E-01	1976	2005	1990	4	tasmax
Mauritania	Normal	3.113E+02	2.307E+00	5.567E-01	1976	2005	1990	5	tasmax
Mauritania	Normal	3.131E+02	2.189E+00	4.333E-01	1976	2005	1990	6	tasmax
Mauritania	Normal	3.139E+02	2.466E+00	4.826E-01	1976	2005	1990	7	tasmax
Mauritania	Normal	3.131E+02	2.630E+00	6.644E-01	1976	2005	1990	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Mauritania	Normal	3.115E+02	2.606E+00	8.587E-01	1976	2005	1990	9	tasmax
Mauritania	Normal	3.085E+02	2.645E+00	5.934E-01	1976	2005	1990	10	tasmax
Mauritania	Normal	3.034E+02	2.484E+00	3.065E-01	1976	2005	1990	11	tasmax
Mauritania	Normal	2.992E+02	2.136E+00	5.871E-01	1976	2005	1990	12	tasmax
Mexico	Normal	2.925E+02	1.976E+00	3.222E-01	1976	2005	1990	1	tasmax
Mexico	Normal	2.943E+02	2.135E+00	4.509E-01	1976	2005	1990	2	tasmax
Mexico	Normal	2.972E+02	2.149E+00	5.895E-01	1976	2005	1990	3	tasmax
Mexico	Normal	3.001E+02	1.911E+00	4.643E-01	1976	2005	1990	4	tasmax
Mexico	Normal	3.023E+02	1.972E+00	4.662E-01	1976	2005	1990	5	tasmax
Mexico	Normal	3.035E+02	1.926E+00	5.245E-01	1976	2005	1990	6	tasmax
Mexico	Normal	3.034E+02	1.583E+00	3.734E-01	1976	2005	1990	7	tasmax
Mexico	Normal	3.030E+02	1.621E+00	4.483E-01	1976	2005	1990	8	tasmax
Mexico	Normal	3.014E+02	1.741E+00	3.693E-01	1976	2005	1990	9	tasmax
Mexico	Normal	2.985E+02	1.954E+00	3.600E-01	1976	2005	1990	10	tasmax
Mexico	Normal	2.952E+02	2.016E+00	3.914E-01	1976	2005	1990	11	tasmax
Mexico	Normal	2.926E+02	1.975E+00	3.292E-01	1976	2005	1990	12	tasmax
Moldova	Normal	2.750E+02	3.132E+00	5.402E-01	1976	2005	1990	1	tasmax
Moldova	Normal	2.769E+02	2.947E+00	4.763E-01	1976	2005	1990	2	tasmax
Moldova	Normal	2.818E+02	2.770E+00	8.495E-01	1976	2005	1990	3	tasmax
Moldova	Normal	2.881E+02	2.406E+00	7.850E-01	1976	2005	1990	4	tasmax
Moldova	Normal	2.946E+02	2.248E+00	5.239E-01	1976	2005	1990	5	tasmax
Moldova	Normal	2.996E+02	2.463E+00	4.417E-01	1976	2005	1990	6	tasmax
Moldova	Normal	3.024E+02	2.893E+00	6.258E-01	1976	2005	1990	7	tasmax
Moldova	Normal	3.013E+02	2.680E+00	7.363E-01	1976	2005	1990	8	tasmax
Moldova	Normal	2.956E+02	2.408E+00	6.787E-01	1976	2005	1990	9	tasmax
Moldova	Normal	2.881E+02	2.607E+00	8.450E-01	1976	2005	1990	10	tasmax
Moldova	Normal	2.811E+02	2.600E+00	8.772E-01	1976	2005	1990	11	tasmax
Moldova	Normal	2.767E+02	2.914E+00	5.163E-01	1976	2005	1990	12	tasmax
Mongolia	Normal	2.597E+02	2.880E+00	6.387E-01	1976	2005	1990	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Mongolia	Normal	2.633E+02	2.858E+00	5.291E-01	1976	2005	1990	2	tasmax
Mongolia	Normal	2.710E+02	2.950E+00	8.332E-01	1976	2005	1990	3	tasmax
Mongolia	Normal	2.800E+02	2.647E+00	6.749E-01	1976	2005	1990	4	tasmax
Mongolia	Normal	2.887E+02	2.122E+00	6.962E-01	1976	2005	1990	5	tasmax
Mongolia	Normal	2.949E+02	1.980E+00	4.137E-01	1976	2005	1990	6	tasmax
Mongolia	Normal	2.981E+02	2.002E+00	4.367E-01	1976	2005	1990	7	tasmax
Mongolia	Normal	2.955E+02	1.886E+00	2.777E-01	1976	2005	1990	8	tasmax
Mongolia	Normal	2.883E+02	2.149E+00	5.782E-01	1976	2005	1990	9	tasmax
Mongolia	Normal	2.789E+02	2.413E+00	7.441E-01	1976	2005	1990	10	tasmax
Mongolia	Normal	2.687E+02	2.248E+00	8.273E-01	1976	2005	1990	11	tasmax
Mongolia	Normal	2.613E+02	2.729E+00	6.470E-01	1976	2005	1990	12	tasmax
Montenegro	Normal	2.795E+02	1.920E+00	4.636E-01	1976	2005	1990	1	tasmax
Montenegro	Normal	2.806E+02	1.750E+00	3.761E-01	1976	2005	1990	2	tasmax
Montenegro	Normal	2.837E+02	1.914E+00	5.042E-01	1976	2005	1990	3	tasmax
Montenegro	Normal	2.877E+02	1.830E+00	4.275E-01	1976	2005	1990	4	tasmax
Montenegro	Normal	2.924E+02	1.874E+00	3.426E-01	1976	2005	1990	5	tasmax
Montenegro	Normal	2.972E+02	2.088E+00	4.102E-01	1976	2005	1990	6	tasmax
Montenegro	Normal	3.004E+02	2.370E+00	5.491E-01	1976	2005	1990	7	tasmax
Montenegro	Normal	3.001E+02	2.299E+00	4.569E-01	1976	2005	1990	8	tasmax
Montenegro	Normal	2.954E+02	1.788E+00	4.100E-01	1976	2005	1990	9	tasmax
Montenegro	Normal	2.893E+02	1.761E+00	2.712E-01	1976	2005	1990	10	tasmax
Montenegro	Normal	2.841E+02	1.804E+00	4.538E-01	1976	2005	1990	11	tasmax
Montenegro	Normal	2.808E+02	1.702E+00	4.097E-01	1976	2005	1990	12	tasmax
Morocco	Normal	2.883E+02	1.795E+00	3.425E-01	1976	2005	1990	1	tasmax
Morocco	Normal	2.905E+02	2.013E+00	4.251E-01	1976	2005	1990	2	tasmax
Morocco	Normal	2.938E+02	2.420E+00	8.298E-01	1976	2005	1990	3	tasmax
Morocco	Normal	2.966E+02	2.908E+00	8.880E-01	1976	2005	1990	4	tasmax
Morocco	Normal	2.998E+02	2.852E+00	9.024E-01	1976	2005	1990	5	tasmax
Morocco	Normal	3.037E+02	2.586E+00	5.174E-01	1976	2005	1990	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Morocco	Normal	3.076E+02	2.588E+00	4.353E-01	1976	2005	1990	7	tasmax
Morocco	Normal	3.074E+02	2.382E+00	4.087E-01	1976	2005	1990	8	tasmax
Morocco	Normal	3.034E+02	2.390E+00	6.877E-01	1976	2005	1990	9	tasmax
Morocco	Normal	2.979E+02	2.376E+00	7.326E-01	1976	2005	1990	10	tasmax
Morocco	Normal	2.925E+02	1.841E+00	4.815E-01	1976	2005	1990	11	tasmax
Morocco	Normal	2.890E+02	1.725E+00	2.939E-01	1976	2005	1990	12	tasmax
Mozambique	Normal	3.031E+02	1.653E+00	4.590E-01	1976	2005	1990	1	tasmax
Mozambique	Normal	3.027E+02	1.422E+00	3.490E-01	1976	2005	1990	2	tasmax
Mozambique	Normal	3.021E+02	1.254E+00	2.774E-01	1976	2005	1990	3	tasmax
Mozambique	Normal	3.011E+02	1.293E+00	2.384E-01	1976	2005	1990	4	tasmax
Mozambique	Normal	2.994E+02	1.234E+00	3.513E-01	1976	2005	1990	5	tasmax
Mozambique	Normal	2.979E+02	1.251E+00	3.477E-01	1976	2005	1990	6	tasmax
Mozambique	Normal	2.978E+02	1.522E+00	2.756E-01	1976	2005	1990	7	tasmax
Mozambique	Normal	2.998E+02	1.639E+00	2.463E-01	1976	2005	1990	8	tasmax
Mozambique	Normal	3.027E+02	1.594E+00	2.434E-01	1976	2005	1990	9	tasmax
Mozambique	Normal	3.049E+02	1.550E+00	3.347E-01	1976	2005	1990	10	tasmax
Mozambique	Normal	3.050E+02	1.655E+00	5.739E-01	1976	2005	1990	11	tasmax
Mozambique	Normal	3.038E+02	1.729E+00	5.811E-01	1976	2005	1990	12	tasmax
Myanmar	Normal	2.957E+02	1.292E+00	2.437E-01	1976	2005	1990	1	tasmax
Myanmar	Normal	2.989E+02	1.512E+00	3.315E-01	1976	2005	1990	2	tasmax
Myanmar	Normal	3.030E+02	1.783E+00	3.793E-01	1976	2005	1990	3	tasmax
Myanmar	Normal	3.057E+02	2.001E+00	4.264E-01	1976	2005	1990	4	tasmax
Myanmar	Normal	3.056E+02	2.412E+00	3.295E-01	1976	2005	1990	5	tasmax
Myanmar	Normal	3.027E+02	2.457E+00	5.729E-01	1976	2005	1990	6	tasmax
Myanmar	Normal	3.007E+02	1.712E+00	6.978E-01	1976	2005	1990	7	tasmax
Myanmar	Normal	3.006E+02	1.375E+00	6.054E-01	1976	2005	1990	8	tasmax
Myanmar	Normal	3.007E+02	1.417E+00	4.249E-01	1976	2005	1990	9	tasmax
Myanmar	Normal	3.000E+02	1.396E+00	3.095E-01	1976	2005	1990	10	tasmax
Myanmar	Normal	2.978E+02	1.258E+00	2.482E-01	1976	2005	1990	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Myanmar	Normal	2.955E+02	1.191E+00	2.056E-01	1976	2005	1990	12	tasmax
Namibia	Normal	3.037E+02	2.214E+00	4.898E-01	1976	2005	1990	1	tasmax
Namibia	Normal	3.030E+02	2.482E+00	6.035E-01	1976	2005	1990	2	tasmax
Namibia	Normal	3.025E+02	2.519E+00	5.885E-01	1976	2005	1990	3	tasmax
Namibia	Normal	3.014E+02	2.417E+00	4.476E-01	1976	2005	1990	4	tasmax
Namibia	Normal	2.987E+02	1.818E+00	2.980E-01	1976	2005	1990	5	tasmax
Namibia	Normal	2.962E+02	1.410E+00	2.856E-01	1976	2005	1990	6	tasmax
Namibia	Normal	2.963E+02	1.258E+00	2.790E-01	1976	2005	1990	7	tasmax
Namibia	Normal	2.990E+02	1.447E+00	2.831E-01	1976	2005	1990	8	tasmax
Namibia	Normal	3.026E+02	1.548E+00	4.122E-01	1976	2005	1990	9	tasmax
Namibia	Normal	3.049E+02	1.664E+00	3.961E-01	1976	2005	1990	10	tasmax
Namibia	Normal	3.051E+02	1.814E+00	4.183E-01	1976	2005	1990	11	tasmax
Namibia	Normal	3.045E+02	2.022E+00	4.403E-01	1976	2005	1990	12	tasmax
Nepal	Normal	2.816E+02	2.805E+00	9.210E-01	1976	2005	1990	1	tasmax
Nepal	Normal	2.838E+02	2.811E+00	1.017E+00	1976	2005	1990	2	tasmax
Nepal	Normal	2.881E+02	2.974E+00	8.017E-01	1976	2005	1990	3	tasmax
Nepal	Normal	2.935E+02	2.743E+00	6.204E-01	1976	2005	1990	4	tasmax
Nepal	Normal	2.977E+02	2.880E+00	5.822E-01	1976	2005	1990	5	tasmax
Nepal	Normal	2.988E+02	3.410E+00	5.465E-01	1976	2005	1990	6	tasmax
Nepal	Normal	2.965E+02	3.738E+00	1.173E+00	1976	2005	1990	7	tasmax
Nepal	Normal	2.951E+02	3.450E+00	1.196E+00	1976	2005	1990	8	tasmax
Nepal	Normal	2.942E+02	3.169E+00	1.069E+00	1976	2005	1990	9	tasmax
Nepal	Normal	2.913E+02	2.728E+00	7.959E-01	1976	2005	1990	10	tasmax
Nepal	Normal	2.866E+02	2.614E+00	7.147E-01	1976	2005	1990	11	tasmax
Nepal	Normal	2.826E+02	2.744E+00	9.018E-01	1976	2005	1990	12	tasmax
Netherlands	Normal	2.788E+02	1.644E+00	2.953E-01	1976	2005	1990	1	tasmax
Netherlands	Normal	2.794E+02	1.587E+00	2.380E-01	1976	2005	1990	2	tasmax
Netherlands	Normal	2.816E+02	2.073E+00	3.607E-01	1976	2005	1990	3	tasmax
Netherlands	Normal	2.851E+02	2.653E+00	7.511E-01	1976	2005	1990	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Netherlands	Normal	2.892E+02	2.881E+00	9.513E-01	1976	2005	1990	5	tasmax
Netherlands	Normal	2.931E+02	3.132E+00	1.013E+00	1976	2005	1990	6	tasmax
Netherlands	Normal	2.949E+02	3.174E+00	1.161E+00	1976	2005	1990	7	tasmax
Netherlands	Normal	2.942E+02	2.881E+00	1.265E+00	1976	2005	1990	8	tasmax
Netherlands	Normal	2.912E+02	2.333E+00	8.574E-01	1976	2005	1990	9	tasmax
Netherlands	Normal	2.867E+02	1.999E+00	7.004E-01	1976	2005	1990	10	tasmax
Netherlands	Normal	2.825E+02	1.581E+00	4.922E-01	1976	2005	1990	11	tasmax
Netherlands	Normal	2.800E+02	1.465E+00	2.853E-01	1976	2005	1990	12	tasmax
New Zealand	Normal	2.925E+02	1.184E+00	2.727E-01	1976	2005	1990	1	tasmax
New Zealand	Normal	2.926E+02	1.139E+00	2.711E-01	1976	2005	1990	2	tasmax
New Zealand	Normal	2.912E+02	1.048E+00	2.753E-01	1976	2005	1990	3	tasmax
New Zealand	Normal	2.888E+02	8.330E-01	1.885E-01	1976	2005	1990	4	tasmax
New Zealand	Normal	2.863E+02	7.173E-01	9.186E-02	1976	2005	1990	5	tasmax
New Zealand	Normal	2.843E+02	7.533E-01	1.534E-01	1976	2005	1990	6	tasmax
New Zealand	Normal	2.835E+02	7.165E-01	1.298E-01	1976	2005	1990	7	tasmax
New Zealand	Normal	2.839E+02	6.656E-01	1.206E-01	1976	2005	1990	8	tasmax
New Zealand	Normal	2.852E+02	6.988E-01	2.635E-01	1976	2005	1990	9	tasmax
New Zealand	Normal	2.869E+02	8.685E-01	2.445E-01	1976	2005	1990	10	tasmax
New Zealand	Normal	2.889E+02	1.012E+00	2.665E-01	1976	2005	1990	11	tasmax
New Zealand	Normal	2.911E+02	1.186E+00	3.477E-01	1976	2005	1990	12	tasmax
Nicaragua	Normal	3.017E+02	1.506E+00	2.369E-01	1976	2005	1990	1	tasmax
Nicaragua	Normal	3.026E+02	1.848E+00	3.749E-01	1976	2005	1990	2	tasmax
Nicaragua	Normal	3.039E+02	2.246E+00	5.453E-01	1976	2005	1990	3	tasmax
Nicaragua	Normal	3.050E+02	2.569E+00	6.397E-01	1976	2005	1990	4	tasmax
Nicaragua	Normal	3.048E+02	2.227E+00	3.628E-01	1976	2005	1990	5	tasmax
Nicaragua	Normal	3.031E+02	1.460E+00	2.361E-01	1976	2005	1990	6	tasmax
Nicaragua	Normal	3.027E+02	1.691E+00	3.301E-01	1976	2005	1990	7	tasmax
Nicaragua	Normal	3.031E+02	1.968E+00	4.807E-01	1976	2005	1990	8	tasmax
Nicaragua	Normal	3.031E+02	1.897E+00	4.649E-01	1976	2005	1990	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Nicaragua	Normal	3.028E+02	1.834E+00	4.574E-01	1976	2005	1990	10	tasmax
Nicaragua	Normal	3.023E+02	1.726E+00	3.235E-01	1976	2005	1990	11	tasmax
Nicaragua	Normal	3.017E+02	1.491E+00	2.203E-01	1976	2005	1990	12	tasmax
Niger	Normal	2.983E+02	2.703E+00	6.141E-01	1976	2005	1990	1	tasmax
Niger	Normal	3.014E+02	2.770E+00	6.936E-01	1976	2005	1990	2	tasmax
Niger	Normal	3.060E+02	2.787E+00	6.249E-01	1976	2005	1990	3	tasmax
Niger	Normal	3.097E+02	2.230E+00	4.937E-01	1976	2005	1990	4	tasmax
Niger	Normal	3.110E+02	2.196E+00	3.167E-01	1976	2005	1990	5	tasmax
Niger	Normal	3.116E+02	2.352E+00	3.296E-01	1976	2005	1990	6	tasmax
Niger	Normal	3.112E+02	2.624E+00	4.011E-01	1976	2005	1990	7	tasmax
Niger	Normal	3.101E+02	2.792E+00	5.128E-01	1976	2005	1990	8	tasmax
Niger	Normal	3.096E+02	2.669E+00	4.989E-01	1976	2005	1990	9	tasmax
Niger	Normal	3.078E+02	2.623E+00	4.615E-01	1976	2005	1990	10	tasmax
Niger	Normal	3.030E+02	2.700E+00	4.832E-01	1976	2005	1990	11	tasmax
Niger	Normal	2.986E+02	2.565E+00	5.341E-01	1976	2005	1990	12	tasmax
Nigeria	Normal	3.051E+02	1.531E+00	4.897E-01	1976	2005	1990	1	tasmax
Nigeria	Normal	3.072E+02	1.388E+00	3.142E-01	1976	2005	1990	2	tasmax
Nigeria	Normal	3.088E+02	1.389E+00	2.023E-01	1976	2005	1990	3	tasmax
Nigeria	Normal	3.079E+02	1.778E+00	3.012E-01	1976	2005	1990	4	tasmax
Nigeria	Normal	3.059E+02	2.072E+00	4.697E-01	1976	2005	1990	5	tasmax
Nigeria	Normal	3.043E+02	2.052E+00	4.957E-01	1976	2005	1990	6	tasmax
Nigeria	Normal	3.032E+02	1.979E+00	4.347E-01	1976	2005	1990	7	tasmax
Nigeria	Normal	3.024E+02	1.841E+00	3.859E-01	1976	2005	1990	8	tasmax
Nigeria	Normal	3.033E+02	2.025E+00	3.380E-01	1976	2005	1990	9	tasmax
Nigeria	Normal	3.046E+02	1.869E+00	3.276E-01	1976	2005	1990	10	tasmax
Nigeria	Normal	3.051E+02	1.653E+00	5.664E-01	1976	2005	1990	11	tasmax
Nigeria	Normal	3.044E+02	1.444E+00	3.775E-01	1976	2005	1990	12	tasmax
North Korea	Normal	2.679E+02	2.202E+00	4.072E-01	1976	2005	1990	1	tasmax
North Korea	Normal	2.705E+02	2.176E+00	4.228E-01	1976	2005	1990	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
North Korea	Normal	2.771E+02	2.039E+00	4.085E-01	1976	2005	1990	3	tasmax
North Korea	Normal	2.851E+02	2.019E+00	2.788E-01	1976	2005	1990	4	tasmax
North Korea	Normal	2.916E+02	2.027E+00	4.118E-01	1976	2005	1990	5	tasmax
North Korea	Normal	2.956E+02	2.036E+00	3.830E-01	1976	2005	1990	6	tasmax
North Korea	Normal	2.980E+02	2.051E+00	3.778E-01	1976	2005	1990	7	tasmax
North Korea	Normal	2.981E+02	2.079E+00	3.297E-01	1976	2005	1990	8	tasmax
North Korea	Normal	2.940E+02	2.309E+00	3.114E-01	1976	2005	1990	9	tasmax
North Korea	Normal	2.868E+02	2.112E+00	3.189E-01	1976	2005	1990	10	tasmax
North Korea	Normal	2.782E+02	2.141E+00	4.952E-01	1976	2005	1990	11	tasmax
North Korea	Normal	2.707E+02	2.379E+00	6.744E-01	1976	2005	1990	12	tasmax
Norway	Normal	2.681E+02	2.787E+00	6.809E-01	1976	2005	1990	1	tasmax
Norway	Normal	2.686E+02	2.224E+00	6.068E-01	1976	2005	1990	2	tasmax
Norway	Normal	2.711E+02	1.815E+00	3.336E-01	1976	2005	1990	3	tasmax
Norway	Normal	2.751E+02	1.629E+00	2.717E-01	1976	2005	1990	4	tasmax
Norway	Normal	2.810E+02	2.449E+00	5.650E-01	1976	2005	1990	5	tasmax
Norway	Normal	2.862E+02	3.116E+00	7.689E-01	1976	2005	1990	6	tasmax
Norway	Normal	2.883E+02	2.809E+00	7.603E-01	1976	2005	1990	7	tasmax
Norway	Normal	2.867E+02	2.433E+00	6.075E-01	1976	2005	1990	8	tasmax
Norway	Normal	2.825E+02	1.841E+00	3.397E-01	1976	2005	1990	9	tasmax
Norway	Normal	2.773E+02	1.577E+00	3.657E-01	1976	2005	1990	10	tasmax
Norway	Normal	2.724E+02	1.944E+00	2.746E-01	1976	2005	1990	11	tasmax
Norway	Normal	2.696E+02	2.407E+00	3.001E-01	1976	2005	1990	12	tasmax
Oman	Normal	2.964E+02	1.967E+00	3.616E-01	1976	2005	1990	1	tasmax
Oman	Normal	2.988E+02	2.084E+00	4.915E-01	1976	2005	1990	2	tasmax
Oman	Normal	3.030E+02	1.964E+00	3.928E-01	1976	2005	1990	3	tasmax
Oman	Normal	3.073E+02	1.714E+00	3.231E-01	1976	2005	1990	4	tasmax
Oman	Normal	3.109E+02	1.735E+00	2.864E-01	1976	2005	1990	5	tasmax
Oman	Normal	3.129E+02	1.780E+00	3.028E-01	1976	2005	1990	6	tasmax
Oman	Normal	3.123E+02	2.264E+00	4.659E-01	1976	2005	1990	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Oman	Normal	3.113E+02	2.294E+00	4.599E-01	1976	2005	1990	8	tasmax
Oman	Normal	3.100E+02	1.837E+00	3.798E-01	1976	2005	1990	9	tasmax
Oman	Normal	3.066E+02	1.767E+00	4.252E-01	1976	2005	1990	10	tasmax
Oman	Normal	3.017E+02	1.704E+00	3.803E-01	1976	2005	1990	11	tasmax
Oman	Normal	2.974E+02	1.854E+00	3.105E-01	1976	2005	1990	12	tasmax
Pakistan	Normal	2.861E+02	2.663E+00	5.312E-01	1976	2005	1990	1	tasmax
Pakistan	Normal	2.894E+02	2.714E+00	5.300E-01	1976	2005	1990	2	tasmax
Pakistan	Normal	2.949E+02	2.815E+00	6.354E-01	1976	2005	1990	3	tasmax
Pakistan	Normal	3.008E+02	2.606E+00	5.514E-01	1976	2005	1990	4	tasmax
Pakistan	Normal	3.059E+02	2.566E+00	5.028E-01	1976	2005	1990	5	tasmax
Pakistan	Normal	3.094E+02	2.226E+00	3.774E-01	1976	2005	1990	6	tasmax
Pakistan	Normal	3.097E+02	2.492E+00	6.773E-01	1976	2005	1990	7	tasmax
Pakistan	Normal	3.086E+02	2.672E+00	5.547E-01	1976	2005	1990	8	tasmax
Pakistan	Normal	3.060E+02	2.498E+00	4.076E-01	1976	2005	1990	9	tasmax
Pakistan	Normal	3.006E+02	2.521E+00	4.800E-01	1976	2005	1990	10	tasmax
Pakistan	Normal	2.931E+02	2.742E+00	5.861E-01	1976	2005	1990	11	tasmax
Pakistan	Normal	2.871E+02	2.716E+00	6.330E-01	1976	2005	1990	12	tasmax
Panama	Normal	3.017E+02	1.452E+00	4.599E-01	1976	2005	1990	1	tasmax
Panama	Normal	3.024E+02	1.865E+00	6.157E-01	1976	2005	1990	2	tasmax
Panama	Normal	3.031E+02	2.038E+00	6.412E-01	1976	2005	1990	3	tasmax
Panama	Normal	3.034E+02	1.905E+00	3.973E-01	1976	2005	1990	4	tasmax
Panama	Normal	3.024E+02	1.238E+00	2.997E-01	1976	2005	1990	5	tasmax
Panama	Normal	3.014E+02	9.091E-01	1.797E-01	1976	2005	1990	6	tasmax
Panama	Normal	3.013E+02	9.841E-01	1.638E-01	1976	2005	1990	7	tasmax
Panama	Normal	3.014E+02	9.894E-01	1.723E-01	1976	2005	1990	8	tasmax
Panama	Normal	3.014E+02	8.597E-01	1.392E-01	1976	2005	1990	9	tasmax
Panama	Normal	3.013E+02	9.049E-01	1.279E-01	1976	2005	1990	10	tasmax
Panama	Normal	3.012E+02	1.005E+00	1.953E-01	1976	2005	1990	11	tasmax
Panama	Normal	3.014E+02	1.093E+00	3.642E-01	1976	2005	1990	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Papua New Guinea	Normal	3.006E+02	1.196E+00	3.849E-01	1976	2005	1990	1	tasmax
Papua New Guinea	Normal	3.006E+02	1.253E+00	4.516E-01	1976	2005	1990	2	tasmax
Papua New Guinea	Normal	3.005E+02	1.326E+00	4.699E-01	1976	2005	1990	3	tasmax
Papua New Guinea	Normal	3.003E+02	1.318E+00	4.641E-01	1976	2005	1990	4	tasmax
Papua New Guinea	Normal	2.999E+02	1.192E+00	3.936E-01	1976	2005	1990	5	tasmax
Papua New Guinea	Normal	2.994E+02	1.144E+00	3.760E-01	1976	2005	1990	6	tasmax
Papua New Guinea	Normal	2.992E+02	1.236E+00	3.944E-01	1976	2005	1990	7	tasmax
Papua New Guinea	Normal	2.996E+02	1.379E+00	3.912E-01	1976	2005	1990	8	tasmax
Papua New Guinea	Normal	3.002E+02	1.422E+00	3.728E-01	1976	2005	1990	9	tasmax
Papua New Guinea	Normal	3.006E+02	1.355E+00	3.080E-01	1976	2005	1990	10	tasmax
Papua New Guinea	Normal	3.007E+02	1.298E+00	2.611E-01	1976	2005	1990	11	tasmax
Papua New Guinea	Normal	3.007E+02	1.231E+00	2.789E-01	1976	2005	1990	12	tasmax
Paraguay	Normal	3.067E+02	2.623E+00	5.927E-01	1976	2005	1990	1	tasmax
Paraguay	Normal	3.062E+02	2.397E+00	5.912E-01	1976	2005	1990	2	tasmax
Paraguay	Normal	3.048E+02	2.012E+00	4.183E-01	1976	2005	1990	3	tasmax
Paraguay	Normal	3.026E+02	2.309E+00	3.866E-01	1976	2005	1990	4	tasmax
Paraguay	Normal	2.999E+02	2.805E+00	6.050E-01	1976	2005	1990	5	tasmax
Paraguay	Normal	2.981E+02	2.839E+00	5.663E-01	1976	2005	1990	6	tasmax
Paraguay	Normal	2.986E+02	3.500E+00	7.725E-01	1976	2005	1990	7	tasmax
Paraguay	Normal	3.009E+02	4.006E+00	6.709E-01	1976	2005	1990	8	tasmax
Paraguay	Normal	3.039E+02	4.279E+00	6.692E-01	1976	2005	1990	9	tasmax
Paraguay	Normal	3.057E+02	4.214E+00	9.803E-01	1976	2005	1990	10	tasmax
Paraguay	Normal	3.066E+02	3.639E+00	1.134E+00	1976	2005	1990	11	tasmax
Paraguay	Normal	3.069E+02	3.020E+00	6.897E-01	1976	2005	1990	12	tasmax
Peru	Normal	2.976E+02	1.789E+00	2.979E-01	1976	2005	1990	1	tasmax
Peru	Normal	2.977E+02	1.881E+00	4.582E-01	1976	2005	1990	2	tasmax
Peru	Normal	2.976E+02	1.863E+00	4.827E-01	1976	2005	1990	3	tasmax
Peru	Normal	2.971E+02	1.633E+00	4.772E-01	1976	2005	1990	4	tasmax
Peru	Normal	2.969E+02	1.556E+00	4.642E-01	1976	2005	1990	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Peru	Normal	2.971E+02	1.574E+00	2.156E-01	1976	2005	1990	6	tasmax
Peru	Normal	2.979E+02	1.765E+00	3.749E-01	1976	2005	1990	7	tasmax
Peru	Normal	2.990E+02	2.032E+00	5.078E-01	1976	2005	1990	8	tasmax
Peru	Normal	2.994E+02	2.196E+00	3.719E-01	1976	2005	1990	9	tasmax
Peru	Normal	2.990E+02	2.031E+00	4.567E-01	1976	2005	1990	10	tasmax
Peru	Normal	2.982E+02	1.794E+00	4.515E-01	1976	2005	1990	11	tasmax
Peru	Normal	2.977E+02	1.772E+00	3.063E-01	1976	2005	1990	12	tasmax
Philippines	Normal	2.996E+02	1.247E+00	2.750E-01	1976	2005	1990	1	tasmax
Philippines	Normal	3.001E+02	1.494E+00	4.280E-01	1976	2005	1990	2	tasmax
Philippines	Normal	3.012E+02	1.726E+00	4.001E-01	1976	2005	1990	3	tasmax
Philippines	Normal	3.024E+02	1.796E+00	3.617E-01	1976	2005	1990	4	tasmax
Philippines	Normal	3.028E+02	1.520E+00	2.988E-01	1976	2005	1990	5	tasmax
Philippines	Normal	3.023E+02	1.181E+00	2.399E-01	1976	2005	1990	6	tasmax
Philippines	Normal	3.020E+02	1.059E+00	2.449E-01	1976	2005	1990	7	tasmax
Philippines	Normal	3.019E+02	1.097E+00	2.188E-01	1976	2005	1990	8	tasmax
Philippines	Normal	3.019E+02	9.338E-01	2.297E-01	1976	2005	1990	9	tasmax
Philippines	Normal	3.016E+02	8.642E-01	2.312E-01	1976	2005	1990	10	tasmax
Philippines	Normal	3.010E+02	8.987E-01	2.042E-01	1976	2005	1990	11	tasmax
Philippines	Normal	3.002E+02	1.022E+00	1.876E-01	1976	2005	1990	12	tasmax
Poland	Normal	2.741E+02	2.623E+00	4.534E-01	1976	2005	1990	1	tasmax
Poland	Normal	2.755E+02	2.170E+00	4.002E-01	1976	2005	1990	2	tasmax
Poland	Normal	2.795E+02	2.273E+00	4.390E-01	1976	2005	1990	3	tasmax
Poland	Normal	2.854E+02	2.526E+00	6.111E-01	1976	2005	1990	4	tasmax
Poland	Normal	2.915E+02	2.335E+00	5.274E-01	1976	2005	1990	5	tasmax
Poland	Normal	2.962E+02	2.555E+00	5.649E-01	1976	2005	1990	6	tasmax
Poland	Normal	2.978E+02	2.858E+00	6.775E-01	1976	2005	1990	7	tasmax
Poland	Normal	2.963E+02	2.745E+00	8.960E-01	1976	2005	1990	8	tasmax
Poland	Normal	2.915E+02	2.495E+00	7.988E-01	1976	2005	1990	9	tasmax
Poland	Normal	2.853E+02	2.226E+00	6.235E-01	1976	2005	1990	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Poland	Normal	2.793E+02	2.213E+00	6.361E-01	1976	2005	1990	11	tasmax
Poland	Normal	2.757E+02	2.492E+00	4.108E-01	1976	2005	1990	12	tasmax
Portugal	Normal	2.858E+02	1.072E+00	2.176E-01	1976	2005	1990	1	tasmax
Portugal	Normal	2.868E+02	1.196E+00	3.065E-01	1976	2005	1990	2	tasmax
Portugal	Normal	2.887E+02	1.690E+00	6.536E-01	1976	2005	1990	3	tasmax
Portugal	Normal	2.908E+02	2.306E+00	1.016E+00	1976	2005	1990	4	tasmax
Portugal	Normal	2.935E+02	2.347E+00	1.032E+00	1976	2005	1990	5	tasmax
Portugal	Normal	2.973E+02	2.340E+00	7.023E-01	1976	2005	1990	6	tasmax
Portugal	Normal	3.012E+02	2.250E+00	3.735E-01	1976	2005	1990	7	tasmax
Portugal	Normal	3.014E+02	2.135E+00	2.984E-01	1976	2005	1990	8	tasmax
Portugal	Normal	2.984E+02	2.128E+00	4.114E-01	1976	2005	1990	9	tasmax
Portugal	Normal	2.933E+02	1.955E+00	6.329E-01	1976	2005	1990	10	tasmax
Portugal	Normal	2.890E+02	1.429E+00	3.720E-01	1976	2005	1990	11	tasmax
Portugal	Normal	2.866E+02	1.158E+00	2.219E-01	1976	2005	1990	12	tasmax
Puerto Rico	Normal	2.982E+02	8.429E-01	2.593E-01	1976	2005	1990	1	tasmax
Puerto Rico	Normal	2.979E+02	9.276E-01	2.472E-01	1976	2005	1990	2	tasmax
Puerto Rico	Normal	2.980E+02	1.006E+00	2.240E-01	1976	2005	1990	3	tasmax
Puerto Rico	Normal	2.984E+02	1.053E+00	1.932E-01	1976	2005	1990	4	tasmax
Puerto Rico	Normal	2.990E+02	1.025E+00	1.733E-01	1976	2005	1990	5	tasmax
Puerto Rico	Normal	2.996E+02	1.003E+00	1.688E-01	1976	2005	1990	6	tasmax
Puerto Rico	Normal	3.002E+02	9.791E-01	1.517E-01	1976	2005	1990	7	tasmax
Puerto Rico	Normal	3.005E+02	9.237E-01	1.304E-01	1976	2005	1990	8	tasmax
Puerto Rico	Normal	3.006E+02	8.913E-01	1.499E-01	1976	2005	1990	9	tasmax
Puerto Rico	Normal	3.003E+02	8.439E-01	1.778E-01	1976	2005	1990	10	tasmax
Puerto Rico	Normal	2.997E+02	8.297E-01	2.003E-01	1976	2005	1990	11	tasmax
Puerto Rico	Normal	2.988E+02	8.024E-01	2.182E-01	1976	2005	1990	12	tasmax
Qatar	Normal	2.940E+02	2.929E+00	5.659E-01	1976	2005	1990	1	tasmax
Qatar	Normal	2.963E+02	3.812E+00	8.143E-01	1976	2005	1990	2	tasmax
Qatar	Normal	3.007E+02	4.389E+00	1.005E+00	1976	2005	1990	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Qatar	Normal	3.054E+02	4.537E+00	9.078E-01	1976	2005	1990	4	tasmax
Qatar	Normal	3.101E+02	4.850E+00	9.639E-01	1976	2005	1990	5	tasmax
Qatar	Normal	3.142E+02	5.030E+00	1.039E+00	1976	2005	1990	6	tasmax
Qatar	Normal	3.154E+02	5.047E+00	8.286E-01	1976	2005	1990	7	tasmax
Qatar	Normal	3.149E+02	4.828E+00	6.710E-01	1976	2005	1990	8	tasmax
Qatar	Normal	3.124E+02	4.380E+00	8.019E-01	1976	2005	1990	9	tasmax
Qatar	Normal	3.075E+02	3.399E+00	8.064E-01	1976	2005	1990	10	tasmax
Qatar	Normal	3.007E+02	2.901E+00	7.479E-01	1976	2005	1990	11	tasmax
Qatar	Normal	2.953E+02	2.601E+00	6.228E-01	1976	2005	1990	12	tasmax
Romania	Normal	2.757E+02	2.885E+00	4.371E-01	1976	2005	1990	1	tasmax
Romania	Normal	2.776E+02	2.652E+00	4.240E-01	1976	2005	1990	2	tasmax
Romania	Normal	2.821E+02	2.611E+00	7.885E-01	1976	2005	1990	3	tasmax
Romania	Normal	2.878E+02	2.502E+00	7.521E-01	1976	2005	1990	4	tasmax
Romania	Normal	2.935E+02	2.219E+00	5.964E-01	1976	2005	1990	5	tasmax
Romania	Normal	2.982E+02	2.257E+00	3.441E-01	1976	2005	1990	6	tasmax
Romania	Normal	3.009E+02	2.558E+00	5.787E-01	1976	2005	1990	7	tasmax
Romania	Normal	3.002E+02	2.520E+00	5.964E-01	1976	2005	1990	8	tasmax
Romania	Normal	2.949E+02	2.286E+00	5.378E-01	1976	2005	1990	9	tasmax
Romania	Normal	2.879E+02	2.456E+00	6.740E-01	1976	2005	1990	10	tasmax
Romania	Normal	2.814E+02	2.483E+00	8.025E-01	1976	2005	1990	11	tasmax
Romania	Normal	2.772E+02	2.710E+00	4.153E-01	1976	2005	1990	12	tasmax
Russia	Normal	2.538E+02	3.974E+00	1.489E+00	1976	2005	1990	1	tasmax
Russia	Normal	2.566E+02	3.613E+00	1.382E+00	1976	2005	1990	2	tasmax
Russia	Normal	2.636E+02	3.106E+00	1.098E+00	1976	2005	1990	3	tasmax
Russia	Normal	2.722E+02	2.553E+00	7.857E-01	1976	2005	1990	4	tasmax
Russia	Normal	2.816E+02	3.349E+00	1.667E+00	1976	2005	1990	5	tasmax
Russia	Normal	2.899E+02	3.000E+00	9.296E-01	1976	2005	1990	6	tasmax
Russia	Normal	2.938E+02	2.619E+00	4.275E-01	1976	2005	1990	7	tasmax
Russia	Normal	2.908E+02	2.796E+00	7.316E-01	1976	2005	1990	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Russia	Normal	2.830E+02	2.779E+00	1.159E+00	1976	2005	1990	9	tasmax
Russia	Normal	2.726E+02	2.799E+00	1.394E+00	1976	2005	1990	10	tasmax
Russia	Normal	2.622E+02	3.168E+00	1.434E+00	1976	2005	1990	11	tasmax
Russia	Normal	2.560E+02	3.740E+00	1.333E+00	1976	2005	1990	12	tasmax
Rwanda	Normal	2.971E+02	1.475E+00	3.154E-01	1976	2005	1990	1	tasmax
Rwanda	Normal	2.982E+02	1.532E+00	4.026E-01	1976	2005	1990	2	tasmax
Rwanda	Normal	2.986E+02	1.421E+00	2.915E-01	1976	2005	1990	3	tasmax
Rwanda	Normal	2.983E+02	1.380E+00	2.828E-01	1976	2005	1990	4	tasmax
Rwanda	Normal	2.980E+02	1.709E+00	3.174E-01	1976	2005	1990	5	tasmax
Rwanda	Normal	2.983E+02	1.854E+00	4.968E-01	1976	2005	1990	6	tasmax
Rwanda	Normal	2.992E+02	1.730E+00	5.262E-01	1976	2005	1990	7	tasmax
Rwanda	Normal	3.001E+02	1.634E+00	3.521E-01	1976	2005	1990	8	tasmax
Rwanda	Normal	2.996E+02	1.923E+00	4.605E-01	1976	2005	1990	9	tasmax
Rwanda	Normal	2.979E+02	2.287E+00	7.177E-01	1976	2005	1990	10	tasmax
Rwanda	Normal	2.964E+02	1.688E+00	4.627E-01	1976	2005	1990	11	tasmax
Rwanda	Normal	2.962E+02	1.293E+00	2.513E-01	1976	2005	1990	12	tasmax
Saudi Arabia	Normal	2.927E+02	2.726E+00	6.251E-01	1976	2005	1990	1	tasmax
Saudi Arabia	Normal	2.958E+02	2.858E+00	7.014E-01	1976	2005	1990	2	tasmax
Saudi Arabia	Normal	3.007E+02	2.687E+00	5.728E-01	1976	2005	1990	3	tasmax
Saudi Arabia	Normal	3.051E+02	2.491E+00	4.857E-01	1976	2005	1990	4	tasmax
Saudi Arabia	Normal	3.093E+02	2.445E+00	4.142E-01	1976	2005	1990	5	tasmax
Saudi Arabia	Normal	3.135E+02	2.353E+00	4.411E-01	1976	2005	1990	6	tasmax
Saudi Arabia	Normal	3.146E+02	2.436E+00	4.194E-01	1976	2005	1990	7	tasmax
Saudi Arabia	Normal	3.139E+02	2.723E+00	4.567E-01	1976	2005	1990	8	tasmax
Saudi Arabia	Normal	3.111E+02	2.796E+00	4.697E-01	1976	2005	1990	9	tasmax
Saudi Arabia	Normal	3.055E+02	2.612E+00	5.091E-01	1976	2005	1990	10	tasmax
Saudi Arabia	Normal	2.986E+02	2.559E+00	5.822E-01	1976	2005	1990	11	tasmax
Saudi Arabia	Normal	2.933E+02	2.674E+00	6.032E-01	1976	2005	1990	12	tasmax
Senegal	Normal	3.055E+02	1.400E+00	2.555E-01	1976	2005	1990	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Senegal	Normal	3.077E+02	1.488E+00	3.047E-01	1976	2005	1990	2	tasmax
Senegal	Normal	3.104E+02	1.549E+00	2.304E-01	1976	2005	1990	3	tasmax
Senegal	Normal	3.116E+02	1.897E+00	3.690E-01	1976	2005	1990	4	tasmax
Senegal	Normal	3.111E+02	2.248E+00	5.908E-01	1976	2005	1990	5	tasmax
Senegal	Normal	3.094E+02	2.716E+00	9.014E-01	1976	2005	1990	6	tasmax
Senegal	Normal	3.076E+02	3.181E+00	6.914E-01	1976	2005	1990	7	tasmax
Senegal	Normal	3.068E+02	3.244E+00	5.871E-01	1976	2005	1990	8	tasmax
Senegal	Normal	3.075E+02	3.238E+00	6.689E-01	1976	2005	1990	9	tasmax
Senegal	Normal	3.085E+02	2.957E+00	7.724E-01	1976	2005	1990	10	tasmax
Senegal	Normal	3.077E+02	2.472E+00	1.083E+00	1976	2005	1990	11	tasmax
Senegal	Normal	3.055E+02	1.507E+00	2.811E-01	1976	2005	1990	12	tasmax
Serbia	Normal	2.776E+02	2.662E+00	5.646E-01	1976	2005	1990	1	tasmax
Serbia	Normal	2.794E+02	2.374E+00	4.968E-01	1976	2005	1990	2	tasmax
Serbia	Normal	2.833E+02	2.445E+00	7.760E-01	1976	2005	1990	3	tasmax
Serbia	Normal	2.883E+02	2.224E+00	7.777E-01	1976	2005	1990	4	tasmax
Serbia	Normal	2.934E+02	2.009E+00	5.472E-01	1976	2005	1990	5	tasmax
Serbia	Normal	2.980E+02	2.030E+00	3.445E-01	1976	2005	1990	6	tasmax
Serbia	Normal	3.010E+02	2.406E+00	6.111E-01	1976	2005	1990	7	tasmax
Serbia	Normal	3.005E+02	2.347E+00	6.386E-01	1976	2005	1990	8	tasmax
Serbia	Normal	2.955E+02	2.038E+00	4.027E-01	1976	2005	1990	9	tasmax
Serbia	Normal	2.888E+02	2.191E+00	6.103E-01	1976	2005	1990	10	tasmax
Serbia	Normal	2.828E+02	2.230E+00	8.163E-01	1976	2005	1990	11	tasmax
Serbia	Normal	2.790E+02	2.422E+00	3.818E-01	1976	2005	1990	12	tasmax
Sierra Leone	Normal	3.039E+02	1.657E+00	2.262E-01	1976	2005	1990	1	tasmax
Sierra Leone	Normal	3.052E+02	1.432E+00	2.430E-01	1976	2005	1990	2	tasmax
Sierra Leone	Normal	3.057E+02	1.979E+00	4.367E-01	1976	2005	1990	3	tasmax
Sierra Leone	Normal	3.051E+02	2.379E+00	6.411E-01	1976	2005	1990	4	tasmax
Sierra Leone	Normal	3.035E+02	2.072E+00	5.131E-01	1976	2005	1990	5	tasmax
Sierra Leone	Normal	3.016E+02	1.532E+00	3.816E-01	1976	2005	1990	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Sierra Leone	Normal	3.003E+02	1.390E+00	4.375E-01	1976	2005	1990	7	tasmax
Sierra Leone	Normal	2.997E+02	1.448E+00	3.915E-01	1976	2005	1990	8	tasmax
Sierra Leone	Normal	3.001E+02	1.424E+00	2.582E-01	1976	2005	1990	9	tasmax
Sierra Leone	Normal	3.011E+02	1.207E+00	2.069E-01	1976	2005	1990	10	tasmax
Sierra Leone	Normal	3.022E+02	1.119E+00	2.459E-01	1976	2005	1990	11	tasmax
Sierra Leone	Normal	3.028E+02	1.384E+00	1.928E-01	1976	2005	1990	12	tasmax
Singapore	Normal	3.010E+02	1.378E+00	2.394E-01	1976	2005	1990	1	tasmax
Singapore	Normal	3.013E+02	1.764E+00	2.346E-01	1976	2005	1990	2	tasmax
Singapore	Normal	3.021E+02	1.822E+00	2.804E-01	1976	2005	1990	3	tasmax
Singapore	Normal	3.026E+02	1.603E+00	3.279E-01	1976	2005	1990	4	tasmax
Singapore	Normal	3.026E+02	1.306E+00	2.395E-01	1976	2005	1990	5	tasmax
Singapore	Normal	3.026E+02	1.230E+00	2.832E-01	1976	2005	1990	6	tasmax
Singapore	Normal	3.022E+02	1.189E+00	2.826E-01	1976	2005	1990	7	tasmax
Singapore	Normal	3.021E+02	1.136E+00	2.516E-01	1976	2005	1990	8	tasmax
Singapore	Normal	3.021E+02	1.064E+00	2.155E-01	1976	2005	1990	9	tasmax
Singapore	Normal	3.021E+02	1.031E+00	2.397E-01	1976	2005	1990	10	tasmax
Singapore	Normal	3.018E+02	1.046E+00	2.406E-01	1976	2005	1990	11	tasmax
Singapore	Normal	3.012E+02	1.064E+00	2.659E-01	1976	2005	1990	12	tasmax
Slovakia	Normal	2.744E+02	2.759E+00	3.778E-01	1976	2005	1990	1	tasmax
Slovakia	Normal	2.762E+02	2.537E+00	3.940E-01	1976	2005	1990	2	tasmax
Slovakia	Normal	2.806E+02	2.483E+00	4.963E-01	1976	2005	1990	3	tasmax
Slovakia	Normal	2.864E+02	2.496E+00	5.519E-01	1976	2005	1990	4	tasmax
Slovakia	Normal	2.922E+02	2.266E+00	5.991E-01	1976	2005	1990	5	tasmax
Slovakia	Normal	2.967E+02	2.359E+00	4.920E-01	1976	2005	1990	6	tasmax
Slovakia	Normal	2.986E+02	2.534E+00	4.571E-01	1976	2005	1990	7	tasmax
Slovakia	Normal	2.974E+02	2.612E+00	5.899E-01	1976	2005	1990	8	tasmax
Slovakia	Normal	2.926E+02	2.520E+00	6.365E-01	1976	2005	1990	9	tasmax
Slovakia	Normal	2.860E+02	2.392E+00	6.122E-01	1976	2005	1990	10	tasmax
Slovakia	Normal	2.799E+02	2.358E+00	7.042E-01	1976	2005	1990	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Slovakia	Normal	2.759E+02	2.585E+00	4.056E-01	1976	2005	1990	12	tasmax
Slovenia	Normal	2.770E+02	2.502E+00	4.063E-01	1976	2005	1990	1	tasmax
Slovenia	Normal	2.786E+02	2.196E+00	3.788E-01	1976	2005	1990	2	tasmax
Slovenia	Normal	2.824E+02	2.252E+00	7.694E-01	1976	2005	1990	3	tasmax
Slovenia	Normal	2.868E+02	2.209E+00	7.390E-01	1976	2005	1990	4	tasmax
Slovenia	Normal	2.916E+02	2.016E+00	5.789E-01	1976	2005	1990	5	tasmax
Slovenia	Normal	2.962E+02	1.707E+00	2.523E-01	1976	2005	1990	6	tasmax
Slovenia	Normal	2.986E+02	1.821E+00	3.552E-01	1976	2005	1990	7	tasmax
Slovenia	Normal	2.979E+02	1.823E+00	3.407E-01	1976	2005	1990	8	tasmax
Slovenia	Normal	2.934E+02	1.898E+00	4.936E-01	1976	2005	1990	9	tasmax
Slovenia	Normal	2.873E+02	1.946E+00	6.460E-01	1976	2005	1990	10	tasmax
Slovenia	Normal	2.820E+02	2.178E+00	5.550E-01	1976	2005	1990	11	tasmax
Slovenia	Normal	2.783E+02	2.331E+00	3.360E-01	1976	2005	1990	12	tasmax
Somalia	Normal	3.020E+02	1.868E+00	4.767E-01	1976	2005	1990	1	tasmax
Somalia	Normal	3.034E+02	1.840E+00	4.443E-01	1976	2005	1990	2	tasmax
Somalia	Normal	3.051E+02	1.866E+00	3.937E-01	1976	2005	1990	3	tasmax
Somalia	Normal	3.061E+02	1.641E+00	3.966E-01	1976	2005	1990	4	tasmax
Somalia	Normal	3.059E+02	1.467E+00	2.633E-01	1976	2005	1990	5	tasmax
Somalia	Normal	3.053E+02	1.500E+00	2.760E-01	1976	2005	1990	6	tasmax
Somalia	Normal	3.045E+02	1.616E+00	2.995E-01	1976	2005	1990	7	tasmax
Somalia	Normal	3.047E+02	1.593E+00	3.321E-01	1976	2005	1990	8	tasmax
Somalia	Normal	3.048E+02	1.727E+00	3.697E-01	1976	2005	1990	9	tasmax
Somalia	Normal	3.035E+02	1.978E+00	6.032E-01	1976	2005	1990	10	tasmax
Somalia	Normal	3.023E+02	2.086E+00	5.601E-01	1976	2005	1990	11	tasmax
Somalia	Normal	3.017E+02	2.068E+00	4.775E-01	1976	2005	1990	12	tasmax
South Africa	Normal	3.012E+02	2.123E+00	4.700E-01	1976	2005	1990	1	tasmax
South Africa	Normal	3.007E+02	2.142E+00	5.262E-01	1976	2005	1990	2	tasmax
South Africa	Normal	2.994E+02	2.223E+00	6.202E-01	1976	2005	1990	3	tasmax
South Africa	Normal	2.968E+02	2.291E+00	7.436E-01	1976	2005	1990	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
South Africa	Normal	2.929E+02	1.989E+00	7.035E-01	1976	2005	1990	5	tasmax
South Africa	Normal	2.899E+02	1.621E+00	4.257E-01	1976	2005	1990	6	tasmax
South Africa	Normal	2.899E+02	1.618E+00	5.211E-01	1976	2005	1990	7	tasmax
South Africa	Normal	2.923E+02	2.023E+00	7.735E-01	1976	2005	1990	8	tasmax
South Africa	Normal	2.957E+02	2.320E+00	9.629E-01	1976	2005	1990	9	tasmax
South Africa	Normal	2.982E+02	2.414E+00	1.103E+00	1976	2005	1990	10	tasmax
South Africa	Normal	2.996E+02	2.254E+00	9.449E-01	1976	2005	1990	11	tasmax
South Africa	Normal	3.007E+02	2.112E+00	6.121E-01	1976	2005	1990	12	tasmax
South Korea	Normal	2.764E+02	2.494E+00	4.923E-01	1976	2005	1990	1	tasmax
South Korea	Normal	2.777E+02	2.265E+00	5.390E-01	1976	2005	1990	2	tasmax
South Korea	Normal	2.821E+02	1.860E+00	3.913E-01	1976	2005	1990	3	tasmax
South Korea	Normal	2.874E+02	1.871E+00	3.559E-01	1976	2005	1990	4	tasmax
South Korea	Normal	2.922E+02	2.200E+00	4.195E-01	1976	2005	1990	5	tasmax
South Korea	Normal	2.958E+02	2.235E+00	4.644E-01	1976	2005	1990	6	tasmax
South Korea	Normal	2.982E+02	2.278E+00	6.260E-01	1976	2005	1990	7	tasmax
South Korea	Normal	2.993E+02	2.246E+00	6.344E-01	1976	2005	1990	8	tasmax
South Korea	Normal	2.967E+02	2.169E+00	3.962E-01	1976	2005	1990	9	tasmax
South Korea	Normal	2.913E+02	1.681E+00	2.816E-01	1976	2005	1990	10	tasmax
South Korea	Normal	2.851E+02	1.955E+00	3.392E-01	1976	2005	1990	11	tasmax
South Korea	Normal	2.793E+02	2.713E+00	4.629E-01	1976	2005	1990	12	tasmax
Spain	Normal	2.837E+02	1.360E+00	2.474E-01	1976	2005	1990	1	tasmax
Spain	Normal	2.850E+02	1.503E+00	4.612E-01	1976	2005	1990	2	tasmax
Spain	Normal	2.874E+02	1.869E+00	7.371E-01	1976	2005	1990	3	tasmax
Spain	Normal	2.899E+02	2.403E+00	9.725E-01	1976	2005	1990	4	tasmax
Spain	Normal	2.931E+02	2.408E+00	1.061E+00	1976	2005	1990	5	tasmax
Spain	Normal	2.973E+02	2.495E+00	5.880E-01	1976	2005	1990	6	tasmax
Spain	Normal	3.012E+02	2.502E+00	3.501E-01	1976	2005	1990	7	tasmax
Spain	Normal	3.011E+02	2.290E+00	3.572E-01	1976	2005	1990	8	tasmax
Spain	Normal	2.972E+02	2.159E+00	4.296E-01	1976	2005	1990	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Spain	Normal	2.918E+02	1.999E+00	5.699E-01	1976	2005	1990	10	tasmax
Spain	Normal	2.872E+02	1.630E+00	5.189E-01	1976	2005	1990	11	tasmax
Spain	Normal	2.844E+02	1.408E+00	2.228E-01	1976	2005	1990	12	tasmax
Sri Lanka	Normal	3.007E+02	1.330E+00	2.811E-01	1976	2005	1990	1	tasmax
Sri Lanka	Normal	3.016E+02	1.623E+00	3.768E-01	1976	2005	1990	2	tasmax
Sri Lanka	Normal	3.033E+02	1.879E+00	3.790E-01	1976	2005	1990	3	tasmax
Sri Lanka	Normal	3.044E+02	1.728E+00	3.184E-01	1976	2005	1990	4	tasmax
Sri Lanka	Normal	3.041E+02	1.897E+00	4.859E-01	1976	2005	1990	5	tasmax
Sri Lanka	Normal	3.032E+02	2.128E+00	6.195E-01	1976	2005	1990	6	tasmax
Sri Lanka	Normal	3.023E+02	1.964E+00	5.393E-01	1976	2005	1990	7	tasmax
Sri Lanka	Normal	3.021E+02	1.858E+00	4.566E-01	1976	2005	1990	8	tasmax
Sri Lanka	Normal	3.023E+02	1.998E+00	6.076E-01	1976	2005	1990	9	tasmax
Sri Lanka	Normal	3.021E+02	1.791E+00	6.428E-01	1976	2005	1990	10	tasmax
Sri Lanka	Normal	3.013E+02	1.180E+00	3.392E-01	1976	2005	1990	11	tasmax
Sri Lanka	Normal	3.007E+02	1.166E+00	2.411E-01	1976	2005	1990	12	tasmax
Sudan	Normal	3.018E+02	1.661E+00	5.051E-01	1976	2005	1990	1	tasmax
Sudan	Normal	3.044E+02	1.762E+00	5.806E-01	1976	2005	1990	2	tasmax
Sudan	Normal	3.074E+02	1.761E+00	4.402E-01	1976	2005	1990	3	tasmax
Sudan	Normal	3.089E+02	1.734E+00	4.166E-01	1976	2005	1990	4	tasmax
Sudan	Normal	3.090E+02	1.858E+00	3.947E-01	1976	2005	1990	5	tasmax
Sudan	Normal	3.091E+02	1.698E+00	3.665E-01	1976	2005	1990	6	tasmax
Sudan	Normal	3.082E+02	1.921E+00	3.427E-01	1976	2005	1990	7	tasmax
Sudan	Normal	3.077E+02	2.145E+00	4.252E-01	1976	2005	1990	8	tasmax
Sudan	Normal	3.078E+02	1.967E+00	4.558E-01	1976	2005	1990	9	tasmax
Sudan	Normal	3.068E+02	1.824E+00	4.121E-01	1976	2005	1990	10	tasmax
Sudan	Normal	3.042E+02	1.811E+00	3.593E-01	1976	2005	1990	11	tasmax
Sudan	Normal	3.016E+02	1.656E+00	3.722E-01	1976	2005	1990	12	tasmax
Suriname	Normal	3.028E+02	2.077E+00	4.263E-01	1976	2005	1990	1	tasmax
Suriname	Normal	3.040E+02	2.100E+00	3.189E-01	1976	2005	1990	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Suriname	Normal	3.052E+02	2.263E+00	4.237E-01	1976	2005	1990	3	tasmax
Suriname	Normal	3.053E+02	2.246E+00	4.573E-01	1976	2005	1990	4	tasmax
Suriname	Normal	3.038E+02	2.352E+00	4.685E-01	1976	2005	1990	5	tasmax
Suriname	Normal	3.022E+02	2.505E+00	9.492E-01	1976	2005	1990	6	tasmax
Suriname	Normal	3.028E+02	2.538E+00	7.271E-01	1976	2005	1990	7	tasmax
Suriname	Normal	3.046E+02	3.024E+00	7.777E-01	1976	2005	1990	8	tasmax
Suriname	Normal	3.062E+02	3.255E+00	9.056E-01	1976	2005	1990	9	tasmax
Suriname	Normal	3.065E+02	3.022E+00	8.297E-01	1976	2005	1990	10	tasmax
Suriname	Normal	3.047E+02	2.851E+00	6.838E-01	1976	2005	1990	11	tasmax
Suriname	Normal	3.027E+02	2.282E+00	4.917E-01	1976	2005	1990	12	tasmax
Svalbard	Normal	2.550E+02	6.542E+00	1.093E+00	1976	2005	1990	1	tasmax
Svalbard	Normal	2.552E+02	6.583E+00	1.082E+00	1976	2005	1990	2	tasmax
Svalbard	Normal	2.562E+02	5.536E+00	1.073E+00	1976	2005	1990	3	tasmax
Svalbard	Normal	2.608E+02	3.797E+00	6.031E-01	1976	2005	1990	4	tasmax
Svalbard	Normal	2.681E+02	1.814E+00	4.566E-01	1976	2005	1990	5	tasmax
Svalbard	Normal	2.730E+02	7.264E-01	1.251E-01	1976	2005	1990	6	tasmax
Svalbard	Normal	2.746E+02	1.205E+00	3.494E-01	1976	2005	1990	7	tasmax
Svalbard	Normal	2.744E+02	1.255E+00	2.454E-01	1976	2005	1990	8	tasmax
Svalbard	Normal	2.714E+02	1.546E+00	2.959E-01	1976	2005	1990	9	tasmax
Svalbard	Normal	2.661E+02	2.672E+00	4.292E-01	1976	2005	1990	10	tasmax
Svalbard	Normal	2.606E+02	4.350E+00	7.051E-01	1976	2005	1990	11	tasmax
Svalbard	Normal	2.568E+02	5.684E+00	7.174E-01	1976	2005	1990	12	tasmax
Swaziland	Normal	2.999E+02	2.264E+00	7.858E-01	1976	2005	1990	1	tasmax
Swaziland	Normal	2.997E+02	2.057E+00	8.153E-01	1976	2005	1990	2	tasmax
Swaziland	Normal	2.991E+02	2.136E+00	9.681E-01	1976	2005	1990	3	tasmax
Swaziland	Normal	2.975E+02	2.209E+00	1.041E+00	1976	2005	1990	4	tasmax
Swaziland	Normal	2.949E+02	1.940E+00	7.515E-01	1976	2005	1990	5	tasmax
Swaziland	Normal	2.926E+02	1.691E+00	6.116E-01	1976	2005	1990	6	tasmax
Swaziland	Normal	2.926E+02	1.819E+00	6.159E-01	1976	2005	1990	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Swaziland	Normal	2.947E+02	2.193E+00	8.573E-01	1976	2005	1990	8	tasmax
Swaziland	Normal	2.971E+02	2.639E+00	1.052E+00	1976	2005	1990	9	tasmax
Swaziland	Normal	2.982E+02	3.043E+00	1.324E+00	1976	2005	1990	10	tasmax
Swaziland	Normal	2.987E+02	2.869E+00	1.292E+00	1976	2005	1990	11	tasmax
Swaziland	Normal	2.994E+02	2.536E+00	1.072E+00	1976	2005	1990	12	tasmax
Sweden	Normal	2.675E+02	3.383E+00	8.938E-01	1976	2005	1990	1	tasmax
Sweden	Normal	2.682E+02	2.675E+00	8.680E-01	1976	2005	1990	2	tasmax
Sweden	Normal	2.716E+02	1.998E+00	4.439E-01	1976	2005	1990	3	tasmax
Sweden	Normal	2.767E+02	1.572E+00	3.732E-01	1976	2005	1990	4	tasmax
Sweden	Normal	2.835E+02	2.244E+00	4.633E-01	1976	2005	1990	5	tasmax
Sweden	Normal	2.890E+02	2.830E+00	6.015E-01	1976	2005	1990	6	tasmax
Sweden	Normal	2.910E+02	2.838E+00	6.745E-01	1976	2005	1990	7	tasmax
Sweden	Normal	2.891E+02	2.542E+00	6.636E-01	1976	2005	1990	8	tasmax
Sweden	Normal	2.842E+02	2.029E+00	4.410E-01	1976	2005	1990	9	tasmax
Sweden	Normal	2.785E+02	1.687E+00	2.699E-01	1976	2005	1990	10	tasmax
Sweden	Normal	2.729E+02	2.113E+00	3.239E-01	1976	2005	1990	11	tasmax
Sweden	Normal	2.695E+02	2.817E+00	3.892E-01	1976	2005	1990	12	tasmax
Switzerland	Normal	2.750E+02	1.999E+00	2.902E-01	1976	2005	1990	1	tasmax
Switzerland	Normal	2.761E+02	1.788E+00	3.061E-01	1976	2005	1990	2	tasmax
Switzerland	Normal	2.793E+02	1.853E+00	3.611E-01	1976	2005	1990	3	tasmax
Switzerland	Normal	2.836E+02	2.202E+00	4.894E-01	1976	2005	1990	4	tasmax
Switzerland	Normal	2.882E+02	2.512E+00	6.436E-01	1976	2005	1990	5	tasmax
Switzerland	Normal	2.926E+02	2.680E+00	6.366E-01	1976	2005	1990	6	tasmax
Switzerland	Normal	2.948E+02	2.649E+00	5.329E-01	1976	2005	1990	7	tasmax
Switzerland	Normal	2.939E+02	2.499E+00	5.500E-01	1976	2005	1990	8	tasmax
Switzerland	Normal	2.899E+02	2.367E+00	5.047E-01	1976	2005	1990	9	tasmax
Switzerland	Normal	2.845E+02	2.115E+00	3.902E-01	1976	2005	1990	10	tasmax
Switzerland	Normal	2.794E+02	1.962E+00	3.197E-01	1976	2005	1990	11	tasmax
Switzerland	Normal	2.761E+02	2.056E+00	3.413E-01	1976	2005	1990	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Syria	Normal	2.837E+02	2.668E+00	6.417E-01	1976	2005	1990	1	tasmax
Syria	Normal	2.863E+02	2.832E+00	8.043E-01	1976	2005	1990	2	tasmax
Syria	Normal	2.908E+02	3.099E+00	9.565E-01	1976	2005	1990	3	tasmax
Syria	Normal	2.957E+02	3.103E+00	9.875E-01	1976	2005	1990	4	tasmax
Syria	Normal	3.010E+02	2.971E+00	8.862E-01	1976	2005	1990	5	tasmax
Syria	Normal	3.068E+02	2.550E+00	4.020E-01	1976	2005	1990	6	tasmax
Syria	Normal	3.103E+02	2.856E+00	5.956E-01	1976	2005	1990	7	tasmax
Syria	Normal	3.101E+02	2.964E+00	6.161E-01	1976	2005	1990	8	tasmax
Syria	Normal	3.057E+02	2.529E+00	4.160E-01	1976	2005	1990	9	tasmax
Syria	Normal	2.984E+02	2.735E+00	4.836E-01	1976	2005	1990	10	tasmax
Syria	Normal	2.903E+02	2.731E+00	5.515E-01	1976	2005	1990	11	tasmax
Syria	Normal	2.848E+02	2.527E+00	5.566E-01	1976	2005	1990	12	tasmax
Tajikistan	Normal	2.659E+02	2.911E+00	5.144E-01	1976	2005	1990	1	tasmax
Tajikistan	Normal	2.679E+02	2.941E+00	4.384E-01	1976	2005	1990	2	tasmax
Tajikistan	Normal	2.726E+02	2.849E+00	4.915E-01	1976	2005	1990	3	tasmax
Tajikistan	Normal	2.787E+02	2.745E+00	4.186E-01	1976	2005	1990	4	tasmax
Tajikistan	Normal	2.848E+02	2.920E+00	7.396E-01	1976	2005	1990	5	tasmax
Tajikistan	Normal	2.905E+02	3.333E+00	8.234E-01	1976	2005	1990	6	tasmax
Tajikistan	Normal	2.947E+02	3.684E+00	1.029E+00	1976	2005	1990	7	tasmax
Tajikistan	Normal	2.943E+02	3.685E+00	1.030E+00	1976	2005	1990	8	tasmax
Tajikistan	Normal	2.889E+02	3.332E+00	8.262E-01	1976	2005	1990	9	tasmax
Tajikistan	Normal	2.809E+02	2.815E+00	6.219E-01	1976	2005	1990	10	tasmax
Tajikistan	Normal	2.732E+02	2.790E+00	5.429E-01	1976	2005	1990	11	tasmax
Tajikistan	Normal	2.676E+02	3.162E+00	5.653E-01	1976	2005	1990	12	tasmax
Tanzania	Normal	2.999E+02	1.368E+00	2.647E-01	1976	2005	1990	1	tasmax
Tanzania	Normal	3.006E+02	1.203E+00	1.702E-01	1976	2005	1990	2	tasmax
Tanzania	Normal	3.009E+02	9.863E-01	1.517E-01	1976	2005	1990	3	tasmax
Tanzania	Normal	3.001E+02	9.459E-01	2.375E-01	1976	2005	1990	4	tasmax
Tanzania	Normal	2.991E+02	1.442E+00	3.891E-01	1976	2005	1990	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Tanzania	Normal	2.984E+02	1.707E+00	4.830E-01	1976	2005	1990	6	tasmax
Tanzania	Normal	2.985E+02	1.817E+00	4.726E-01	1976	2005	1990	7	tasmax
Tanzania	Normal	3.000E+02	1.811E+00	5.764E-01	1976	2005	1990	8	tasmax
Tanzania	Normal	3.017E+02	1.667E+00	5.024E-01	1976	2005	1990	9	tasmax
Tanzania	Normal	3.023E+02	1.522E+00	3.069E-01	1976	2005	1990	10	tasmax
Tanzania	Normal	3.011E+02	1.636E+00	3.859E-01	1976	2005	1990	11	tasmax
Tanzania	Normal	2.998E+02	1.627E+00	3.716E-01	1976	2005	1990	12	tasmax
Thailand	Normal	2.995E+02	2.068E+00	4.615E-01	1976	2005	1990	1	tasmax
Thailand	Normal	3.030E+02	2.342E+00	4.395E-01	1976	2005	1990	2	tasmax
Thailand	Normal	3.069E+02	2.331E+00	4.385E-01	1976	2005	1990	3	tasmax
Thailand	Normal	3.087E+02	2.553E+00	6.511E-01	1976	2005	1990	4	tasmax
Thailand	Normal	3.070E+02	2.696E+00	9.245E-01	1976	2005	1990	5	tasmax
Thailand	Normal	3.040E+02	2.148E+00	6.038E-01	1976	2005	1990	6	tasmax
Thailand	Normal	3.025E+02	1.566E+00	2.786E-01	1976	2005	1990	7	tasmax
Thailand	Normal	3.021E+02	1.416E+00	2.634E-01	1976	2005	1990	8	tasmax
Thailand	Normal	3.020E+02	1.192E+00	3.658E-01	1976	2005	1990	9	tasmax
Thailand	Normal	3.016E+02	1.248E+00	2.538E-01	1976	2005	1990	10	tasmax
Thailand	Normal	3.004E+02	1.378E+00	2.181E-01	1976	2005	1990	11	tasmax
Thailand	Normal	2.987E+02	1.694E+00	2.435E-01	1976	2005	1990	12	tasmax
The Gambia	Normal	3.054E+02	1.480E+00	2.962E-01	1976	2005	1990	1	tasmax
The Gambia	Normal	3.073E+02	1.761E+00	4.112E-01	1976	2005	1990	2	tasmax
The Gambia	Normal	3.093E+02	2.066E+00	4.080E-01	1976	2005	1990	3	tasmax
The Gambia	Normal	3.097E+02	2.501E+00	5.241E-01	1976	2005	1990	4	tasmax
The Gambia	Normal	3.087E+02	2.951E+00	9.313E-01	1976	2005	1990	5	tasmax
The Gambia	Normal	3.071E+02	3.170E+00	1.203E+00	1976	2005	1990	6	tasmax
The Gambia	Normal	3.057E+02	3.409E+00	1.048E+00	1976	2005	1990	7	tasmax
The Gambia	Normal	3.051E+02	3.429E+00	9.537E-01	1976	2005	1990	8	tasmax
The Gambia	Normal	3.057E+02	3.526E+00	1.062E+00	1976	2005	1990	9	tasmax
The Gambia	Normal	3.070E+02	3.176E+00	7.452E-01	1976	2005	1990	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
The Gambia	Normal	3.070E+02	2.382E+00	6.931E-01	1976	2005	1990	11	tasmax
The Gambia	Normal	3.054E+02	1.507E+00	2.913E-01	1976	2005	1990	12	tasmax
Timor-Leste	Normal	3.020E+02	1.049E+00	3.025E-01	1976	2005	1990	1	tasmax
Timor-Leste	Normal	3.017E+02	1.005E+00	2.919E-01	1976	2005	1990	2	tasmax
Timor-Leste	Normal	3.017E+02	1.023E+00	2.938E-01	1976	2005	1990	3	tasmax
Timor-Leste	Normal	3.017E+02	9.236E-01	1.748E-01	1976	2005	1990	4	tasmax
Timor-Leste	Normal	3.011E+02	7.436E-01	1.103E-01	1976	2005	1990	5	tasmax
Timor-Leste	Normal	3.003E+02	6.750E-01	1.399E-01	1976	2005	1990	6	tasmax
Timor-Leste	Normal	2.998E+02	7.287E-01	1.271E-01	1976	2005	1990	7	tasmax
Timor-Leste	Normal	3.000E+02	1.034E+00	3.312E-01	1976	2005	1990	8	tasmax
Timor-Leste	Normal	3.006E+02	1.443E+00	5.376E-01	1976	2005	1990	9	tasmax
Timor-Leste	Normal	3.016E+02	1.662E+00	5.772E-01	1976	2005	1990	10	tasmax
Timor-Leste	Normal	3.027E+02	1.846E+00	6.957E-01	1976	2005	1990	11	tasmax
Timor-Leste	Normal	3.028E+02	1.658E+00	5.455E-01	1976	2005	1990	12	tasmax
Togo	Normal	3.069E+02	1.758E+00	7.587E-01	1976	2005	1990	1	tasmax
Togo	Normal	3.084E+02	1.520E+00	3.197E-01	1976	2005	1990	2	tasmax
Togo	Normal	3.088E+02	1.595E+00	2.946E-01	1976	2005	1990	3	tasmax
Togo	Normal	3.074E+02	1.698E+00	3.550E-01	1976	2005	1990	4	tasmax
Togo	Normal	3.055E+02	1.934E+00	4.522E-01	1976	2005	1990	5	tasmax
Togo	Normal	3.038E+02	1.977E+00	5.381E-01	1976	2005	1990	6	tasmax
Togo	Normal	3.025E+02	1.840E+00	5.382E-01	1976	2005	1990	7	tasmax
Togo	Normal	3.017E+02	1.484E+00	3.468E-01	1976	2005	1990	8	tasmax
Togo	Normal	3.024E+02	1.562E+00	3.538E-01	1976	2005	1990	9	tasmax
Togo	Normal	3.036E+02	1.578E+00	3.578E-01	1976	2005	1990	10	tasmax
Togo	Normal	3.051E+02	1.699E+00	4.360E-01	1976	2005	1990	11	tasmax
Togo	Normal	3.058E+02	1.706E+00	4.391E-01	1976	2005	1990	12	tasmax
Tunisia	Normal	2.884E+02	1.790E+00	3.843E-01	1976	2005	1990	1	tasmax
Tunisia	Normal	2.903E+02	2.112E+00	5.715E-01	1976	2005	1990	2	tasmax
Tunisia	Normal	2.937E+02	2.707E+00	1.021E+00	1976	2005	1990	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Tunisia	Normal	2.973E+02	2.966E+00	1.444E+00	1976	2005	1990	4	tasmax
Tunisia	Normal	3.012E+02	3.000E+00	1.319E+00	1976	2005	1990	5	tasmax
Tunisia	Normal	3.054E+02	2.548E+00	6.904E-01	1976	2005	1990	6	tasmax
Tunisia	Normal	3.081E+02	2.660E+00	5.718E-01	1976	2005	1990	7	tasmax
Tunisia	Normal	3.075E+02	2.354E+00	4.875E-01	1976	2005	1990	8	tasmax
Tunisia	Normal	3.036E+02	2.365E+00	7.721E-01	1976	2005	1990	9	tasmax
Tunisia	Normal	2.983E+02	2.155E+00	6.438E-01	1976	2005	1990	10	tasmax
Tunisia	Normal	2.930E+02	1.712E+00	4.561E-01	1976	2005	1990	11	tasmax
Tunisia	Normal	2.891E+02	1.605E+00	3.367E-01	1976	2005	1990	12	tasmax
Turkey	Normal	2.780E+02	1.863E+00	3.380E-01	1976	2005	1990	1	tasmax
Turkey	Normal	2.796E+02	1.849E+00	2.963E-01	1976	2005	1990	2	tasmax
Turkey	Normal	2.833E+02	2.066E+00	3.822E-01	1976	2005	1990	3	tasmax
Turkey	Normal	2.882E+02	2.232E+00	4.840E-01	1976	2005	1990	4	tasmax
Turkey	Normal	2.934E+02	2.360E+00	5.990E-01	1976	2005	1990	5	tasmax
Turkey	Normal	2.987E+02	2.655E+00	4.272E-01	1976	2005	1990	6	tasmax
Turkey	Normal	3.028E+02	3.288E+00	5.202E-01	1976	2005	1990	7	tasmax
Turkey	Normal	3.029E+02	2.976E+00	4.729E-01	1976	2005	1990	8	tasmax
Turkey	Normal	2.981E+02	2.178E+00	4.882E-01	1976	2005	1990	9	tasmax
Turkey	Normal	2.912E+02	2.254E+00	4.056E-01	1976	2005	1990	10	tasmax
Turkey	Normal	2.842E+02	2.268E+00	3.801E-01	1976	2005	1990	11	tasmax
Turkey	Normal	2.795E+02	1.952E+00	3.453E-01	1976	2005	1990	12	tasmax
Turkmenistan	Normal	2.804E+02	4.108E+00	6.427E-01	1976	2005	1990	1	tasmax
Turkmenistan	Normal	2.830E+02	3.960E+00	8.500E-01	1976	2005	1990	2	tasmax
Turkmenistan	Normal	2.886E+02	3.893E+00	1.360E+00	1976	2005	1990	3	tasmax
Turkmenistan	Normal	2.955E+02	3.452E+00	1.063E+00	1976	2005	1990	4	tasmax
Turkmenistan	Normal	3.023E+02	3.573E+00	7.154E-01	1976	2005	1990	5	tasmax
Turkmenistan	Normal	3.082E+02	3.400E+00	8.009E-01	1976	2005	1990	6	tasmax
Turkmenistan	Normal	3.107E+02	3.725E+00	9.280E-01	1976	2005	1990	7	tasmax
Turkmenistan	Normal	3.089E+02	3.323E+00	8.156E-01	1976	2005	1990	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Turkmenistan	Normal	3.029E+02	2.924E+00	4.622E-01	1976	2005	1990	9	tasmax
Turkmenistan	Normal	2.951E+02	2.808E+00	7.075E-01	1976	2005	1990	10	tasmax
Turkmenistan	Normal	2.871E+02	3.369E+00	6.861E-01	1976	2005	1990	11	tasmax
Turkmenistan	Normal	2.816E+02	3.857E+00	5.383E-01	1976	2005	1990	12	tasmax
Uganda	Normal	3.016E+02	1.913E+00	4.657E-01	1976	2005	1990	1	tasmax
Uganda	Normal	3.032E+02	2.147E+00	5.857E-01	1976	2005	1990	2	tasmax
Uganda	Normal	3.035E+02	2.015E+00	4.756E-01	1976	2005	1990	3	tasmax
Uganda	Normal	3.024E+02	1.827E+00	3.389E-01	1976	2005	1990	4	tasmax
Uganda	Normal	3.008E+02	1.503E+00	2.680E-01	1976	2005	1990	5	tasmax
Uganda	Normal	3.003E+02	1.336E+00	2.121E-01	1976	2005	1990	6	tasmax
Uganda	Normal	3.004E+02	1.464E+00	3.774E-01	1976	2005	1990	7	tasmax
Uganda	Normal	3.006E+02	1.851E+00	4.807E-01	1976	2005	1990	8	tasmax
Uganda	Normal	3.003E+02	1.952E+00	3.986E-01	1976	2005	1990	9	tasmax
Uganda	Normal	2.997E+02	2.119E+00	7.059E-01	1976	2005	1990	10	tasmax
Uganda	Normal	2.994E+02	1.939E+00	5.105E-01	1976	2005	1990	11	tasmax
Uganda	Normal	2.999E+02	1.804E+00	3.943E-01	1976	2005	1990	12	tasmax
Ukraine	Normal	2.735E+02	2.854E+00	7.199E-01	1976	2005	1990	1	tasmax
Ukraine	Normal	2.752E+02	2.611E+00	5.369E-01	1976	2005	1990	2	tasmax
Ukraine	Normal	2.801E+02	2.664E+00	7.374E-01	1976	2005	1990	3	tasmax
Ukraine	Normal	2.871E+02	2.359E+00	6.572E-01	1976	2005	1990	4	tasmax
Ukraine	Normal	2.942E+02	2.196E+00	5.628E-01	1976	2005	1990	5	tasmax
Ukraine	Normal	2.993E+02	2.586E+00	4.348E-01	1976	2005	1990	6	tasmax
Ukraine	Normal	3.018E+02	3.048E+00	5.926E-01	1976	2005	1990	7	tasmax
Ukraine	Normal	3.005E+02	3.015E+00	6.730E-01	1976	2005	1990	8	tasmax
Ukraine	Normal	2.945E+02	2.697E+00	6.625E-01	1976	2005	1990	9	tasmax
Ukraine	Normal	2.868E+02	2.692E+00	7.572E-01	1976	2005	1990	10	tasmax
Ukraine	Normal	2.797E+02	2.513E+00	9.365E-01	1976	2005	1990	11	tasmax
Ukraine	Normal	2.754E+02	2.816E+00	5.892E-01	1976	2005	1990	12	tasmax
United Arab Emirates	Normal	2.955E+02	2.739E+00	7.694E-01	1976	2005	1990	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
United Arab Emirates	Normal	2.980E+02	3.504E+00	1.128E+00	1976	2005	1990	2	tasmax
United Arab Emirates	Normal	3.025E+02	3.830E+00	1.135E+00	1976	2005	1990	3	tasmax
United Arab Emirates	Normal	3.072E+02	3.774E+00	1.025E+00	1976	2005	1990	4	tasmax
United Arab Emirates	Normal	3.116E+02	4.191E+00	1.194E+00	1976	2005	1990	5	tasmax
United Arab Emirates	Normal	3.150E+02	4.210E+00	1.076E+00	1976	2005	1990	6	tasmax
United Arab Emirates	Normal	3.156E+02	4.290E+00	8.888E-01	1976	2005	1990	7	tasmax
United Arab Emirates	Normal	3.149E+02	4.203E+00	8.765E-01	1976	2005	1990	8	tasmax
United Arab Emirates	Normal	3.126E+02	3.870E+00	8.827E-01	1976	2005	1990	9	tasmax
United Arab Emirates	Normal	3.082E+02	3.205E+00	1.036E+00	1976	2005	1990	10	tasmax
United Arab Emirates	Normal	3.018E+02	2.761E+00	9.382E-01	1976	2005	1990	11	tasmax
United Arab Emirates	Normal	2.967E+02	2.470E+00	7.029E-01	1976	2005	1990	12	tasmax
United Kingdom	Normal	2.795E+02	1.306E+00	3.270E-01	1976	2005	1990	1	tasmax
United Kingdom	Normal	2.798E+02	1.182E+00	3.665E-01	1976	2005	1990	2	tasmax
United Kingdom	Normal	2.812E+02	1.414E+00	3.473E-01	1976	2005	1990	3	tasmax
United Kingdom	Normal	2.837E+02	1.695E+00	2.978E-01	1976	2005	1990	4	tasmax
United Kingdom	Normal	2.871E+02	1.887E+00	4.043E-01	1976	2005	1990	5	tasmax
United Kingdom	Normal	2.904E+02	2.153E+00	5.504E-01	1976	2005	1990	6	tasmax
United Kingdom	Normal	2.921E+02	2.139E+00	7.208E-01	1976	2005	1990	7	tasmax
United Kingdom	Normal	2.915E+02	1.906E+00	7.170E-01	1976	2005	1990	8	tasmax
United Kingdom	Normal	2.891E+02	1.559E+00	3.671E-01	1976	2005	1990	9	tasmax
United Kingdom	Normal	2.855E+02	1.300E+00	2.362E-01	1976	2005	1990	10	tasmax
United Kingdom	Normal	2.822E+02	1.220E+00	2.561E-01	1976	2005	1990	11	tasmax
United Kingdom	Normal	2.804E+02	1.257E+00	2.606E-01	1976	2005	1990	12	tasmax
United States	Normal	2.745E+02	2.980E+00	1.264E+00	1976	2005	1990	1	tasmax
United States	Normal	2.767E+02	2.874E+00	1.245E+00	1976	2005	1990	2	tasmax
United States	Normal	2.809E+02	2.621E+00	1.221E+00	1976	2005	1990	3	tasmax
United States	Normal	2.865E+02	2.383E+00	8.503E-01	1976	2005	1990	4	tasmax
United States	Normal	2.925E+02	2.137E+00	5.269E-01	1976	2005	1990	5	tasmax
United States	Normal	2.979E+02	2.295E+00	3.928E-01	1976	2005	1990	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
United States	Normal	3.011E+02	2.354E+00	5.947E-01	1976	2005	1990	7	tasmax
United States	Normal	3.003E+02	2.322E+00	6.627E-01	1976	2005	1990	8	tasmax
United States	Normal	2.955E+02	2.159E+00	4.891E-01	1976	2005	1990	9	tasmax
United States	Normal	2.882E+02	2.309E+00	8.063E-01	1976	2005	1990	10	tasmax
United States	Normal	2.806E+02	2.588E+00	1.207E+00	1976	2005	1990	11	tasmax
United States	Normal	2.757E+02	2.773E+00	1.200E+00	1976	2005	1990	12	tasmax
Uruguay	Normal	3.045E+02	2.531E+00	5.917E-01	1976	2005	1990	1	tasmax
Uruguay	Normal	3.041E+02	2.373E+00	6.201E-01	1976	2005	1990	2	tasmax
Uruguay	Normal	3.016E+02	2.167E+00	6.962E-01	1976	2005	1990	3	tasmax
Uruguay	Normal	2.977E+02	2.289E+00	9.863E-01	1976	2005	1990	4	tasmax
Uruguay	Normal	2.933E+02	2.200E+00	8.151E-01	1976	2005	1990	5	tasmax
Uruguay	Normal	2.902E+02	1.924E+00	5.882E-01	1976	2005	1990	6	tasmax
Uruguay	Normal	2.899E+02	2.197E+00	6.027E-01	1976	2005	1990	7	tasmax
Uruguay	Normal	2.918E+02	2.513E+00	1.019E+00	1976	2005	1990	8	tasmax
Uruguay	Normal	2.945E+02	2.945E+00	1.531E+00	1976	2005	1990	9	tasmax
Uruguay	Normal	2.973E+02	3.080E+00	1.509E+00	1976	2005	1990	10	tasmax
Uruguay	Normal	3.004E+02	3.119E+00	1.172E+00	1976	2005	1990	11	tasmax
Uruguay	Normal	3.031E+02	2.987E+00	9.128E-01	1976	2005	1990	12	tasmax
Uzbekistan	Normal	2.758E+02	4.006E+00	7.637E-01	1976	2005	1990	1	tasmax
Uzbekistan	Normal	2.787E+02	4.183E+00	1.030E+00	1976	2005	1990	2	tasmax
Uzbekistan	Normal	2.853E+02	4.158E+00	1.524E+00	1976	2005	1990	3	tasmax
Uzbekistan	Normal	2.936E+02	3.470E+00	1.245E+00	1976	2005	1990	4	tasmax
Uzbekistan	Normal	3.011E+02	3.210E+00	8.403E-01	1976	2005	1990	5	tasmax
Uzbekistan	Normal	3.072E+02	2.778E+00	4.710E-01	1976	2005	1990	6	tasmax
Uzbekistan	Normal	3.097E+02	3.077E+00	5.798E-01	1976	2005	1990	7	tasmax
Uzbekistan	Normal	3.076E+02	2.850E+00	3.626E-01	1976	2005	1990	8	tasmax
Uzbekistan	Normal	3.010E+02	2.700E+00	4.968E-01	1976	2005	1990	9	tasmax
Uzbekistan	Normal	2.922E+02	2.751E+00	8.281E-01	1976	2005	1990	10	tasmax
Uzbekistan	Normal	2.834E+02	3.250E+00	7.524E-01	1976	2005	1990	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Uzbekistan	Normal	2.773E+02	3.661E+00	6.456E-01	1976	2005	1990	12	tasmax
Venezuela	Normal	3.033E+02	2.053E+00	5.639E-01	1976	2005	1990	1	tasmax
Venezuela	Normal	3.045E+02	2.011E+00	4.760E-01	1976	2005	1990	2	tasmax
Venezuela	Normal	3.053E+02	2.158E+00	4.781E-01	1976	2005	1990	3	tasmax
Venezuela	Normal	3.052E+02	2.204E+00	4.048E-01	1976	2005	1990	4	tasmax
Venezuela	Normal	3.038E+02	1.960E+00	4.129E-01	1976	2005	1990	5	tasmax
Venezuela	Normal	3.021E+02	1.955E+00	7.007E-01	1976	2005	1990	6	tasmax
Venezuela	Normal	3.018E+02	2.009E+00	5.118E-01	1976	2005	1990	7	tasmax
Venezuela	Normal	3.028E+02	2.365E+00	4.828E-01	1976	2005	1990	8	tasmax
Venezuela	Normal	3.038E+02	2.823E+00	6.832E-01	1976	2005	1990	9	tasmax
Venezuela	Normal	3.037E+02	2.764E+00	5.745E-01	1976	2005	1990	10	tasmax
Venezuela	Normal	3.030E+02	2.499E+00	5.462E-01	1976	2005	1990	11	tasmax
Venezuela	Normal	3.028E+02	2.213E+00	5.366E-01	1976	2005	1990	12	tasmax
Vietnam	Normal	2.951E+02	1.673E+00	5.912E-01	1976	2005	1990	1	tasmax
Vietnam	Normal	2.975E+02	2.000E+00	5.268E-01	1976	2005	1990	2	tasmax
Vietnam	Normal	3.011E+02	2.162E+00	4.284E-01	1976	2005	1990	3	tasmax
Vietnam	Normal	3.041E+02	2.034E+00	3.088E-01	1976	2005	1990	4	tasmax
Vietnam	Normal	3.045E+02	2.010E+00	4.187E-01	1976	2005	1990	5	tasmax
Vietnam	Normal	3.033E+02	1.693E+00	3.843E-01	1976	2005	1990	6	tasmax
Vietnam	Normal	3.026E+02	1.372E+00	2.699E-01	1976	2005	1990	7	tasmax
Vietnam	Normal	3.021E+02	1.202E+00	2.328E-01	1976	2005	1990	8	tasmax
Vietnam	Normal	3.012E+02	1.180E+00	3.615E-01	1976	2005	1990	9	tasmax
Vietnam	Normal	2.998E+02	1.264E+00	4.522E-01	1976	2005	1990	10	tasmax
Vietnam	Normal	2.976E+02	1.266E+00	3.794E-01	1976	2005	1990	11	tasmax
Vietnam	Normal	2.952E+02	1.423E+00	5.118E-01	1976	2005	1990	12	tasmax
West Bank	Normal	2.877E+02	2.397E+00	4.022E-01	1976	2005	1990	1	tasmax
West Bank	Normal	2.894E+02	2.582E+00	4.029E-01	1976	2005	1990	2	tasmax
West Bank	Normal	2.926E+02	3.157E+00	7.802E-01	1976	2005	1990	3	tasmax
West Bank	Normal	2.964E+02	3.401E+00	1.020E+00	1976	2005	1990	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
West Bank	Normal	3.005E+02	3.476E+00	9.191E-01	1976	2005	1990	5	tasmax
West Bank	Normal	3.044E+02	3.494E+00	8.405E-01	1976	2005	1990	6	tasmax
West Bank	Normal	3.066E+02	3.834E+00	1.070E+00	1976	2005	1990	7	tasmax
West Bank	Normal	3.067E+02	3.786E+00	1.104E+00	1976	2005	1990	8	tasmax
West Bank	Normal	3.041E+02	2.923E+00	7.458E-01	1976	2005	1990	9	tasmax
West Bank	Normal	2.993E+02	2.371E+00	4.731E-01	1976	2005	1990	10	tasmax
West Bank	Normal	2.934E+02	2.499E+00	4.307E-01	1976	2005	1990	11	tasmax
West Bank	Normal	2.889E+02	2.335E+00	4.569E-01	1976	2005	1990	12	tasmax
Western Sahara	Normal	2.956E+02	1.869E+00	3.883E-01	1976	2005	1990	1	tasmax
Western Sahara	Normal	2.979E+02	2.100E+00	4.930E-01	1976	2005	1990	2	tasmax
Western Sahara	Normal	3.010E+02	2.470E+00	8.140E-01	1976	2005	1990	3	tasmax
Western Sahara	Normal	3.032E+02	2.956E+00	6.798E-01	1976	2005	1990	4	tasmax
Western Sahara	Normal	3.049E+02	2.791E+00	5.043E-01	1976	2005	1990	5	tasmax
Western Sahara	Normal	3.071E+02	2.255E+00	4.363E-01	1976	2005	1990	6	tasmax
Western Sahara	Normal	3.100E+02	2.244E+00	3.520E-01	1976	2005	1990	7	tasmax
Western Sahara	Normal	3.103E+02	2.404E+00	3.791E-01	1976	2005	1990	8	tasmax
Western Sahara	Normal	3.082E+02	2.350E+00	7.042E-01	1976	2005	1990	9	tasmax
Western Sahara	Normal	3.045E+02	2.507E+00	7.768E-01	1976	2005	1990	10	tasmax
Western Sahara	Normal	2.998E+02	2.068E+00	5.953E-01	1976	2005	1990	11	tasmax
Western Sahara	Normal	2.961E+02	1.793E+00	4.078E-01	1976	2005	1990	12	tasmax
Yemen	Normal	2.964E+02	2.365E+00	5.701E-01	1976	2005	1990	1	tasmax
Yemen	Normal	2.990E+02	2.427E+00	5.883E-01	1976	2005	1990	2	tasmax
Yemen	Normal	3.025E+02	2.293E+00	7.518E-01	1976	2005	1990	3	tasmax
Yemen	Normal	3.054E+02	2.186E+00	8.533E-01	1976	2005	1990	4	tasmax
Yemen	Normal	3.079E+02	2.376E+00	6.904E-01	1976	2005	1990	5	tasmax
Yemen	Normal	3.100E+02	2.472E+00	7.274E-01	1976	2005	1990	6	tasmax
Yemen	Normal	3.091E+02	3.040E+00	7.762E-01	1976	2005	1990	7	tasmax
Yemen	Normal	3.082E+02	3.219E+00	7.442E-01	1976	2005	1990	8	tasmax
Yemen	Normal	3.073E+02	2.708E+00	5.469E-01	1976	2005	1990	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Yemen	Normal	3.043E+02	2.342E+00	5.936E-01	1976	2005	1990	10	tasmax
Yemen	Normal	3.003E+02	2.147E+00	6.100E-01	1976	2005	1990	11	tasmax
Yemen	Normal	2.969E+02	2.286E+00	5.397E-01	1976	2005	1990	12	tasmax
Zambia	Normal	2.996E+02	1.789E+00	3.629E-01	1976	2005	1990	1	tasmax
Zambia	Normal	2.997E+02	1.625E+00	2.859E-01	1976	2005	1990	2	tasmax
Zambia	Normal	2.999E+02	1.573E+00	2.727E-01	1976	2005	1990	3	tasmax
Zambia	Normal	2.995E+02	1.790E+00	3.062E-01	1976	2005	1990	4	tasmax
Zambia	Normal	2.983E+02	1.838E+00	3.544E-01	1976	2005	1990	5	tasmax
Zambia	Normal	2.972E+02	2.062E+00	5.072E-01	1976	2005	1990	6	tasmax
Zambia	Normal	2.974E+02	2.260E+00	4.418E-01	1976	2005	1990	7	tasmax
Zambia	Normal	3.004E+02	2.206E+00	5.277E-01	1976	2005	1990	8	tasmax
Zambia	Normal	3.041E+02	1.701E+00	2.824E-01	1976	2005	1990	9	tasmax
Zambia	Normal	3.056E+02	1.777E+00	2.381E-01	1976	2005	1990	10	tasmax
Zambia	Normal	3.029E+02	2.381E+00	1.025E+00	1976	2005	1990	11	tasmax
Zambia	Normal	3.004E+02	2.245E+00	7.372E-01	1976	2005	1990	12	tasmax
Zimbabwe	Normal	3.015E+02	2.295E+00	6.801E-01	1976	2005	1990	1	tasmax
Zimbabwe	Normal	3.012E+02	2.046E+00	6.348E-01	1976	2005	1990	2	tasmax
Zimbabwe	Normal	3.009E+02	1.930E+00	5.146E-01	1976	2005	1990	3	tasmax
Zimbabwe	Normal	2.999E+02	1.839E+00	3.233E-01	1976	2005	1990	4	tasmax
Zimbabwe	Normal	2.978E+02	1.547E+00	3.778E-01	1976	2005	1990	5	tasmax
Zimbabwe	Normal	2.958E+02	1.473E+00	4.370E-01	1976	2005	1990	6	tasmax
Zimbabwe	Normal	2.958E+02	1.704E+00	3.846E-01	1976	2005	1990	7	tasmax
Zimbabwe	Normal	2.990E+02	1.812E+00	3.457E-01	1976	2005	1990	8	tasmax
Zimbabwe	Normal	3.031E+02	1.629E+00	2.934E-01	1976	2005	1990	9	tasmax
Zimbabwe	Normal	3.056E+02	1.796E+00	3.927E-01	1976	2005	1990	10	tasmax
Zimbabwe	Normal	3.041E+02	2.522E+00	8.551E-01	1976	2005	1990	11	tasmax
Zimbabwe	Normal	3.021E+02	2.437E+00	9.331E-01	1976	2005	1990	12	tasmax

Distribution

1	MS0159	Thomas R. Nelson	0159 (electronic copy)
1	MS0159	Howard Passell	0159 (electronic copy)
1	MS0159	Elizabeth Kistin-Keller	0159 (electronic copy)
1	MS0159	Drake Warren	0159 (electronic copy)
1	MS0159	Leonard Malczynski	0159 (electronic copy)
1	MS0159	Nancy Hayden	0159 (electronic copy)
1	MS0701	Peter Davies	6900 (electronic copy)
1	MS0734	Jasper Hardesty	6913 (electronic copy)
1	MS0750	Lori Parrott	6913 (electronic copy)
1	MS0899	Technical Library	9536 (electronic copy)
1	MS1137	Thomas Lowry	6926 (electronic copy)
1	MS1137	La Tonya Walker	6926 (electronic copy)

